

P.O.V. STOOL

M TON

D KASCHKASCH

The P.O.V. collection includes a stackable dining stool of the same name that follows the same principles of form. This functional and playful stool is available in three different types of wood – beech, oak, and American walnut – and can be finished in various colors.



STOOL WITH VENEER SEAT L 15.7" x W 15.7" x H 17.7"

STOOL WITH UPHOLSTERED SEAT L 15.7" x W 15.7" x H 18.3"

MATERIAL

BEECH VENEER

OAK VENEER

AMERICAN WALNUT VENEER

UPHOLSTERY

FABRIC

LEATHER







WOOD FINISHES

NATURAL FINISHES



NATURAL BEECH
lacquer/oil




NATURAL OAK
lacquer/oil

STAINS




B4 COFFEE
beech/oak




B105 DARK WENGE
beech/oak




B112 DARK CHOCOLATE
beech/oak



B114 NOUGAT
beech/oak



B116 HONEY
beech




B123 BLACK GRAIN
beech/oak



B580 FOREST GREEN
beech/oak




S110 LIGHT WHITE
beech/oak



Colour difference
between beech and oak
in S110 LIGHT WHITE

PIGMENTED COLORS



C120 WHITE
beech/oak



C139 CLOUD GREY
beech/oak



C150 MOON GREY
beech/oak



C180 GREY SHADOW
beech/oak



C250 STEAM BLUE
beech/oak



C270 GRAPHITE BLUE
beech/oak



C350 FACTORY RED
beech/oak



C450 RESIN YELLOW
beech/oak



C540 PEBBLE GREEN
beech/oak



C570 DEEP GREEN
beech/oak




C610 MOCCA BEIGE
beech/oak

CATEGORY A

● CURA


Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
100% recycled polyester	140 cm	100 000 MD	4-5	EN 1021 Class 1 & 2 CAL TB 117 - 2013	OEKO-TEX® EU Ecolabel	      100% RECYCLED



60019 60112 62125 68182

● GRAIN

Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
surface: 94% polyurethane, 6% silicone: underlay: 100% polyester	140 cm	200 000 MD		BS 5852 Part 1 CAL TB 117-2013 EN 1021 Part 1 & 2	REACH	      ANTIMICROBIAL RESISTANCE TO STAINS




ARCILLA BLANCO CANELA CENIZA




COGNAC MARRON NEGRO

● RENEWED LOOP

Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
100% recycled polyester, contains 3-10% textile residues	140 cm	100 000 MD	4-5	EN 1021 Class 1 & 2 CAL TB 117 - 2013	OEKO-TEX® EU Ecolabel	    
100% RECYCLED						



60999



61280




66257


CATEGORY B

● LOWLANDS


Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
70% recycled wool, 30% polyamide	140 cm	190 000 MD	3	BS 5852 Crib 5 EN 1021 Class 1 & 2 CAL TB 117 - 2013	OEKO-TEX® REACH	    
70% RECYCLED						



511



513



516



521



526



529



550



575


CATEGORY C

● ARCO


Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
95% virgin wool 5% polyamide	140 cm	70 000 MD	4-5	DIN EN 1021-1/-2 UNI 9175 1 IM	REACH AB 2998	
MARITIME SECTOR						



BLOSSOM



COAST




EBONY




ICE



JASMIN




POND




SECRET

● CLEO

Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
95% virgin wool, 5% polyamide	140 cm	70 000 MD	4-5	BS 5852 Part 1 CAL TB 117 - 2013 DIN EN 1021-1/-2 ÖNORM B1/Q1 UNI 9175 1 IM	REACH AB 2998	
MARITIME SECTOR						



COAL




LAMPION



MAGMA



PEARL



SALBEI



WALNUT


CATEGORY D

● FIORD 2

Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
92% virgin wool, 8% nylon	140 cm	60 000 MD	4-5	BS 5852 Part 1 EN 1021 Class 1 & 2 CAL TB 117 - 2013 ÖNORM B1/Q1 UNI 9175 1 IM	EU Ecolabel	
						MARITIME SECTOR



0201




0262



0422



0571



0581




0751



0961

POLO


Composition	Width	Abrasion resistance	Pilling	Flame retardancy	Ecology	Cleaning
100% polyester	150 cm	100 000 MD	5		OEKO-TEX®	




BEIGE




BLEU




CASTORO




GRIGIO



NERO



PIOMBO



ROSSO

Polo is an airy textile mesh which is used for back part of Chips lounge chair. It can also be used to upholster the backs and seats of, for example, a classic range of bentwood furniture.

If used on a seat the Polo mesh is always combined with special underlay material for increased durability.


CATEGORY 1

● PRESCOTT

Composition	Width	Leather thickness	Flame retardancy	Ecology	Cleaning
semi-aniline leather	4.8-5.0 m ²	1.2-1.4 mm	CAL TB 117 - 2013 BS 5852:1979 BS EN 1021-1-2:2006	REACH	 MARITIME SECTOR




ANTILOP



BLACK INK



CLAY



DASH



ROOT



SWAMP

CATEGORY 2

● ELMOTIQUE

Composition	Width	Leather thickness	Flame retardancy	Ecology	Cleaning
aniline leather	±4.8 m ²	1.00-1.20 mm	CAL TB 117 - 2013 ISO 8191 Class 1 & 2 EN 1021 Class 1 & 2	REACH	




43024




43807



77875



93957



99001