

FSB24TNDA35126 - 35mg Tincture (23mg CBD 12mg CBDA)

Sample ID: G4D0154-03 Test ID: 5027156 Source ID:

Date Sampled: 04/09/24

Date Accepted: 04/09/24

Matrix: Hemp Products

Flora Sophia Botanicals, LLC

joannaf@florasophiabotanicals.com

	Primary and Du	plicate Result	s at a Glance	
X L	Averaged	Primary	Duplicate	%RPD (10% Action Level)
Total THC:	<loq(0.0039%) %<="" td=""><td>< LOQ %</td><td>< LOQ %</td><td>0 % PASS</td></loq(0.0039%)>	< LOQ %	< LOQ %	0 % PASS
Total CBD:	3.355 %	3.273 %	3.437 %	4.89 % PASS



Nolan Mundie Lab Director - 4/15/2024

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.



FSB24TNDA35126 - 35mg Tincture (23mg CBD 12mg CBDA)

Sample ID: G4D0154-03 Test ID: 5027156 Source ID:


Date Sampled: 04/09/24

Matrix: Hemp Products

Date Accepted: 04/09/24

Flora Sophia Botanicals, LLC

joannaf@florasophiabotanicals.com



Total THC = delta 9-THC + (THCA * 0.877) Total CBD = CBD + (CBDA * 0.877) Total CBG = CBG + (CBGA * 0.878) LOQ=Limit of Quantification, the lowest measurable concentration of an analyte. THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Nolan Mundie Lab Director - 4/15/2024

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.



Regulatory Compliance Testing (OAR-333-007) **Official Report**

Quality Control Potency

Batch: 2415057 - 215-Products

Blank(2415057-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0040	%		04/12/24 09:00	04/12/24 17:24	
delta 9-THC	< LOQ	0.0040	%		04/12/24 09:00	04/12/24 17:24	
delta 8-THC	< LOQ	0.1526	%		04/12/24 09:00	04/12/24 17:24	
THCV	< LOQ	0.1191	%		04/12/24 09:00	04/12/24 17:24	
THCVA	< LOQ	0.1782	%		04/12/24 09:00	04/12/24 17:24	
CBD	< LOQ	0.0040	%		04/12/24 09:00	04/12/24 17:24	
CBDA	< LOQ	0.0040	%		04/12/24 09:00	04/12/24 17:24	
CBDV	< LOQ	0.1225	%		04/12/24 09:00	04/12/24 17:24	
CBDVA	< LOQ	0.1683	%		04/12/24 09:00	04/12/24 17:24	
CBN	< LOQ	0.1100	%		04/12/24 09:00	04/12/24 17:24	
CBG	< LOQ	0.1280	%		04/12/24 09:00	04/12/24 17:24	
CBGA	< LOQ	0.1697	%		04/12/24 09:00	04/12/24 17:24	
CBC	< LOQ	0.1606	%		04/12/24 09:00	04/12/24 17:24	
Reference(2415057-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes

Reference(2415057-SRM1)								
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted			
THCA	91.1	0.0251	%	90-110	04/12/24 09:00	(
delta 9-THC	104	0.0251	%	90-110	04/12/24 09:00			
delta 8-THC	97.3	0.9640	%	90-110	04/12/24 09:00	(
CBD	93.1	0.0251	%	90-110	04/12/24 09:00			

%

90-110

0.0251

ISO 17025 ACCREDITED LABORATORY

CBDA

Munden Man

92.8

Nolan Mundie Lab Director - 4/15/2024 04/12/24 17:47 04/12/24 17:47

04/12/24 17:47

04/12/24 17:47

04/12/24 17:47

04/12/24 09:00



Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

- ATM Non-cannabis matrix related interference or suppression of Internal standard
- BLI Baseline Interference Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low Blank Spike recovery below lower method limit, analyte chromatography reviewed
- C manually for all samples.
- CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference Matrix spike source sample contains analyte hit above calibration affecting TPP recovery accuracy in Matrix Spike.
- Matrix Spike Low Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



Nolan Mundie Lab Director - 4/15/2024