

DATASHEET

CRIC



GENERAL

Art.Nr:	H-280	Standards:	EN 12278:2007,EN 12841-B:2006,EN
GTIN:	8057733309582	Net weight:	567:2013 0.14 kg
Customs tariff number: 76169990	76169990		
	7010000	Gross weight:	0.14 kg



DATASHEET

CRIC

Multifunctional rope clamp with integrated pulley for rescue and rope access work. Robust, practical and intuitive, it has four different modes of operation: ascender, pulley, rope clamp/pulley or progress-capture hauling pulley.

Main features:

- its versatility, compact size and ease of use allow reducing to the minimum time, material and space needed in rope manoeuvres:
- it allows ascending the rope in accordance with EN 567 / EN 12841-B standards (ascender mode);
- it can be used as a simple pulley for lifting or transferring a load in accordance with the EN 12278 standard (pulley mode);
- the integrated ball-bearing sheave can be used as a simple redirect to make it easier to ascend a rope or to lift a person without the aid of additional connectors (rope clamp/pulley mode);
- it allows the direct lifting of a load, the creation of hauling systems and the rescue or self-rescue of a person (progress-capture hauling pulley mode);
- when used in pulley mode, the rope is free to run in both directions; instead, when the hauling-pulley mode is used, the rope can only run in one direction and it is locked in the opposite one:
- when used in progress-capture hauling pulley mode, it is possible to lower the lifted load by acting on the dedicated cord connected to the cam within the device:
- the easy opening, via an intuitive release button, makes the installation of the device on the rope swift – no matter the mode that is going to be used in – even with gloves on or while operating in difficult conditions;

FEATURES

Application areas:	Various		
Colour:	Orange, Silver		
Maximum compatible rope diameter:	11.00 mm		
Maximum lifetime:	12 years		
Maximum temperature:	40 °C		
Minimum compatible rope diameter:	8.00 mm		
Minimum temperature:	-29 °C		
DIMENSIONS			
Working load limit:	100.00 kg		
MATERIAL			
Material:	Aluminium, Stainless		

Steel



DATASHEET

CRIC

• equipped with a steel cam featuring teeth that minimize rope wear but are effective in blocking the rope. In addition, the cam is designed with two slots to reduce the build-up of dirt, so maintaining the lock on the rope very efficient in any condition (muddy, frozen rope, etc.).