

# WOMEN'S 3M TAPED LIGHTWEIGHT HI VIS SHIRT 2 Tone Long Sleeve - Hoop Pattern

## **BL6896**

### **Features**

Waist shaping

- 3M 8910 Reflective taped 'Hoop' pattern around bodv
- 2 chest pockets with button down flaps and pen division
- 2 piece contrast coloured structured collar
- Bust darts, waist darts and side vents for a more flattering and feminine look
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- Panelled front with bust and waist shaping
- 2 button hole adjustable full gusset sleeve cuff

### **Fabric**

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Open Mesh Knit 200gsm

### Size

Wider double vertical cotton mesh back cooling vents with bar tacks at opening ends

• 8 - 24





2 piece structured contrast collar with collar stay stitched into each point of top collar with new improved light weight woven interfacing

Pen division

Bisley chest patch pockets and flaps

Underarm diamond shape cotton mesh cooling vents

Double turn centre front opening placket. Clean finish to prevent lint from entering

3M Scotchlite woven label

Contrast lower panel on body and sleeve

Shaped curved hem

**BL6896** 

Side vent for extra comfort



3M 8910 Retroreflective tape stitched all around body and top

sleeve in hoop pattern, finishing



at side seam





**3M** Scotchlite<sup>®</sup> Reflective Material







## **TECHNICAL FAQ's**

What is the body length (CB neck to hem)?

8: 71cm, 10: 72cm, 12: 73cm, 14: 74cm, 16: 75cm, 18: 76cm, 20: 77cm, 22: 78cm, 24: 79cm

What is UPF rating of the fabric on this shirt?

• ALL COLOURS: UPF 50+



BL6896\_TT32 COMPLIES TO 4602.1:2011 CLASS N: NIGHT USE ONLY

### **SIMILAR PRODUCTS**





BLT6456 BL6448T WOMEN'S 3M 2T HI VIS DRILL SHIRT WOMEN'S 2T HI VIS DRILL SHIRT

### **AUSTRALIAN & INTERNATIONAL STANDARDS** Compliance Reports Available Upon Request

### Australian/ New Zealand Standards

- AS/NZS 2621:1998: Textiles Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957 BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- **AS/NZS 2392:1999:** Textiles Labelling of Clothing, Household Textiles and Furnishings *BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS*
- AS/NZS 1957:1998: Textiles Care Labelling BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2622:1996: Textile Products -Fibre Content Labelling BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT
- AS/NZS 4399:1999: Sun Protective Clothing - Evaluation and Classification THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOUR

• **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments.

THIS GARMENT MEETS THE FLUORESCENT CAPABILITIES AND THE CHROMATICITY READING TO ENSURE THAT THE BRIGHT COLOURS ARE WITHIN THE REQUIRED COLOUR RANGE (EXCLUDES PINK COLOURWAY). RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED.

• **AS/NZS 4602.1:2011:** Hi Visibility Safety Garments. Garments For High Risk Application.

THIS GARMENT HAS A MINIMUM OF 0.2sqm OF HI VISIBILITY FABRIC ON THE FRONT AND BACK AND RETRO-REFLECTIVE TAPING CONFIGURATION - HOOP PATTERN TO MEET DAY & NIGHT STANDARD

PINK COLOURWAY - RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N STANDARD. • AS/NZS 1020:1995: The Control of Undesirable Static Electricity THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT

#### International Standards

• **ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products

BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS

• **ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolized Formaldehye (Water Extraction Method) *BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE* 

SHIRTS										WOMENS		
Size	6	8	10	12	14	16	18	20	22	24	<b>26</b>	28
To fit bust size (cm)	80	85	90	95	100	105	110	115	120	125	130	135
To fit waist size (cm)	60	65	70	75	80	85	90	95	100	105	110	115
To fit hip size (cm)	87	92	97	102	107	112	117	122	127	132	137	142

# WOMEN'S 3M TAPED LIGHTWEIGHT HI VIS SHIRT 2 Tone Long Sleeve - Hoop Pattern

## **Features**

**BL6896** 

- 3M 8910 Reflective taped 'Hoop' pattern around bodv
- 2 chest pockets with button down flaps and pen division
- 2 piece contrast coloured structured collar
- Bust darts, waist darts and side vents for a more flattering and feminine look
- Vertical cotton mesh back ventilation
- Underarm cotton mesh ventilation
- Panelled front with bust and waist shaping
- 2 buttonhole full gusset sleeve cuff

### **Fabric**

- 100% Cotton Preshrunk Drill 155gsm
- 100% Cotton Open Mesh Knit 200gsm

### Size

Wider double vertical cotton mesh back cooling vents with bar tacks at opening ends

• 8 - 24



2 piece structured contrast collar with collar stay stitched into each point of top collar with new improved light weight woven interfacing

Pen division

Bisley chest patch pockets and flaps

> Underarm diamond shape cotton mesh cooling vents

Double turn centre front opening placket. Clean finish to prevent lint from entering

3M Scotchlite woven label

Contrast lower panel on body and sleeve

Shaped curved hem





at side seam

3M 8910 Retroreflective tape stitched all around body and top

sleeve in hoop pattern, finishing

Side vent for extra comfort

STATIC CONTROL

USE ONLY











COOL LIGHTWEIGHT

8910 TAPE



## TECHNICAL FAQ's

### What is the body length (CB neck to hem)?

- 8: 71cm, 10: 72cm, 12: 73cm, 14: 74cm, 16: 75cm, 18: 76cm, 20: 77cm, 22: 78cm, 24: 79cm
- What is UPF rating of the fabric on this shirt?
- ALL COLOURS: UPF 50+

### SIMILAR PRODUCTS



BLT6456BL6448TBL6267WOMEN'S 3M 2T HI VIS DRILL SHIRTWOMEN'S 2T HI VIS DRILL SHIRTWOMEN'S 2T HI VIS DRILL SHIRT

### **AUSTRALIAN & INTERNATIONAL STANDARDS** Compliance Reports Available Upon Request

### Australian/ New Zealand Standards

- AS/NZS 2621:1998: Textiles Guide to the Selection of Correct Care Labelling Instructions from AS/NZS 1957 BISLEY WORKWEAR GARMENTS USE THE CORRECT CARE LABELLING SUITED TO THEIR TYPE AND FABRICATION
- AS/NZS 2392:1999: Textiles Labelling of Clothing, Household Textiles and Furnishings BISLEY WORKWEAR GARMENTS HAVE THE CORRECT CARE LABELLING PLACEMENT AND DETAILS
- AS/NZS 1957:1998: Textiles Care Labelling

BISLEY WORKWEAR GARMENTS ARE PROVIDED WITH CARE INSTRUCTIONS SUITED TO THEIR TYPE AND FABRICATION

- AS/NZS 2622:1996: Textile Products - Fibre Content Labelling BISLEY WORKWEAR GARMENTS ACCURATELY LIST THE FABRIC FIBRE CONTENT
- **AS/NZS 4399:1999:** Sun Protective Clothing - Evaluation and Classification *THIS GARMENT HAS A SUN PROTECTION RATING OF UPF 50+ FOR ALL COLOURS*
- **AS/NZS 1906.4:2010:** Hi Visibility Material For Safety Garments. *RETROREFLECTIVE TAPE ON THIS GARMENT ALSO MEETS THE HIGHER RETROREFLECTIVE PERFORMANCE REQUIRED*.
- AS/NZS 1020:1995: The Control of Undesirable Static Electricity THIS GARMENT IS 100% COTTON WITH NO METAL ZIPS OR BUTTONS, THEREFORE IT MAY BE USED AS A STATIC CONTROL GARMENT

• AS/NZS 4602.1:2011: Hi Visibility Safety Garments. Garments For High Risk Application. RETRO-REFLECTIVE TAPE CONFIGURATION HOOP PATTERN MEETS CLASS N

#### **International Standards**

STANDARD.

• **ASTM D5489-07:** Standard Guide for Care Symbols for Care Instructions on Textile Products

BISLEY WORKWEAR GARMENTS COMPLY WITH USA STANDARDS FOR CARE LABEL SYMBOLS AND CONTENT DESCRIPTIONS

• **ISO 14184-1:** Textiles - Determination of Formaldehyde - Part 1: Free and Hydrolized Formaldeyhe (Water Extraction Method) *BISLEY WORKWEAR GARMENTS ARE FREE FROM FORMALDEHYDE* 

SHIRTS										WOMENS		
Size	6	8	10	12	14	16	18	20	22	24	<b>26</b>	28
To fit bust size (cm)	80	85	90	95	100	105	110	115	120	125	130	135
To fit waist size (cm)	60	65	70	75	80	85	90	95	100	105	110	115
To fit hip size (cm)	87	92	97	102	107	112	117	122	127	132	137	142