Drug Information Sheet("Kusuri-no-Shiori")

External Published: 12/2016

The information on this sheet is based on approvals granted by the Japanese regulatory authority. Approval details may vary by country. Medicines have adverse reactions (risks) as well as efficacies (benefits). It is important to minimize adverse reactions and maximize efficacy. To obtain a better therapeutic response, patients should understand their medication and cooperate with the treatment.	
Brand name: MOHRUS PAP XR 240mg	Harris and Arrest
Active ingredient:Ketoprofen	of the second se
Dosage form: white to pale yellow pap, 14 cm x 20 cm	The second
Imprint or print on wrapping:HP318P	O TRANSPORT
Effects of this medicine	
This medicine is a non-steroidal antiphlogistic analgetic. It suppresses inflammation and relieves pain by suppressing	
prostaglandin biosynthesis involved in inflammation.	
It is usually used for the treatment of swelling and pain caused by lower back pain, osteoarthritis, shoulder	
periarthritis, tendinitis/tendovaginitis, peritendinitis, humeral epicondylitis (tennis elbow, etc.), muscle pain or	
external injuries. It is also used to relieve pain of the limited part in rheumatoid arthritis.	
The following patients may need to be careful when using this medicine.Be sure to tell your doctor and	
pharmacist.	0 1
• If you have previously experienced any allergic reactions (itch, rash, etc.) to any medicines or foods.	
• If you have aspirin-induced asthma or a history of aspirin-induced asthma; a history of hypersensitivity to	
tiaprofenic acid, suprofen, fenofibrate, or products containing oxybenzone or octocrylene (sunscreen, fragrance,	
etc.); a history with photosensitivity reaction; bronchial asthma.	
If you are under the age of 20 (If you have many opportunities to be exposed to sunlight su	ich as outdoor activities,
etc.).	
• If you are pregnant or breastfeeding.	
•If you are taking any other medicinal products. (Some medicines may interact to enhance or diminish medicinal	
effects. Beware of over-the-counter medicines and dietary supplements as well as other prescription medicines.)	
Dosing schedule (How to take this medicine)	
• Your dosing schedule prescribed by your doctor is((to be written by a healthcare professional))	
•In general, apply it to the affected area once a day. Strictly follow the instructions.	
•Do not apply this medicine to wounds, mucous membrane, or areas with eczema or rash, since it may cause skin	
irritancy.	
• If you miss applying, apply as soon as possible. If it is almost time for the next dose, skip the missed dose and	
continue your regular dosing schedule. You should not use two doses at one time.	
• If you accidentally use more than your prescribed dose, consult with your doctor or pharmacist.	
•Do not stop using this medicine unless your doctor instructs you to do so.	
Precautions while taking this medicine	
•Shield the application site from sunlight with colored clothes or supporters during application and for the time being	
after use, since this medicine may cause photosensitivity (a rash developed at the site exposed to sunlight).	
Possible adverse reactions to this medicine	
The most commonly reported adverse reactions include contact dermatitis, wheal at the application site, swelling,	
palpitation, swelling of face/eyelid, hand swelling, blister/erosion, pigmentation, subcutaneous hemorrhage, skin	
exfoliation and hives. If any of these symptoms occur, consult with your doctor or pharmaci	
The symptoms described below are rarely seen as initial symptoms of the adverse reactions indicated	
in brackets. If any of these symptoms occur, stop taking this medicine and see yo	our doctor
immediately.	
• hives, respiratory distress, facial swelling [shock, anaphylaxis]	
•wheeze (whistling sound), respiratory distress [aspirin-induced asthma]	
•itch, stimulating feeling, erythema/rash/redness [contact dermatitis]	
•erythema with itching (by ultraviolet), rash, stimulating feeling [photosensitivity] The above symptoms do not describe all the adverse reactions to this medicine. Consult with your	
doctor or pharmacist if you notice any symptoms of concern other than those listed above.	
Storage conditions and other information	
•Keep out of the reach of children. Store away from light, heat and moisture.	
•Discard the remainder. Do not store them.	
For healthcare professional use only / /	

For further information, talk to your doctor or pharmacist.