



*Custom Material Handling Solutions  
Since 1979*



## MATERIAL HANDLING EQUIPMENT

Dependable warehouse equipment streamlines any material handling task for optimal safety, efficiency, and productivity. BHS offers an extensive line of heavy-duty products for industry, including specialized storage and lifting devices that provide crucial ergonomic benefits for staff.

[BHS1.com](http://BHS1.com)



Contact BHS at 1.800.BHS.9500 to learn about more fully customized solutions for your warehouse.





## ***TABLE OF CONTENTS***

---

LIFT TABLES	<b>4</b>
TILT TABLES	<b>7</b>
INDUSTRIAL STORAGE	<b>11</b>
MATERIAL CARTS, HAND TRUCKS, & WAREHOUSE TRAILERS	<b>17</b>
CYLINDER STORAGE & TRANSPORT EQUIPMENT	<b>20</b>
BIN DUMPERS & BINS	<b>22</b>
STRUCTURAL BARRIERS, BOLLARDS, SAFETY EQUIPMENT	<b>26</b>
CRANES & BOOMS	<b>27</b>
DOCK EQUIPMENT	<b>28</b>
SHIPPING & RECEIVING, ORDER PICKING	<b>29</b>
PERSONAL PROTECTIVE EQUIPMENT (PPE) & SAFETY GEAR	<b>32</b>

## About BHS

The history of BHS, Inc. is one of innovation. In 1979, founder William M. Huber turned an idea into a company by providing more effective and efficient battery handling solutions. Today, BHS is a world-renowned supplier of battery handling systems and material handling equipment and is the largest manufacturer of battery handling equipment in the world.

BHS offers design, engineering, sales, and support to customers around the globe from our 148,000 ft<sup>2</sup> (45110 m<sup>2</sup>) manufacturing facility in St. Louis, Missouri, USA. We are dedicated to integrating superior quality into every component while providing you with the best customer service in the industry.



### **Instant Up-Front Information**

BHS1.com keeps you up-to-date with all of the latest material handling products and industry news. Our online library includes product brochures, parts kits, videos, tech tips, and more. The BHS eStore allows you to review product specifications, options, pricing, and freight estimates while you order.

### **Custom Equipment**

Each manufacturing project is a collaboration between BHS' team of engineers, designers, and fabrication experts to deliver equipment that meets the specific needs of the client. Application, environment and safety are factors considered in providing your custom equipment.

### **State-of-the-Art Technology**

BHS utilizes the most advanced manufacturing practices and automated processes including state-of-the-art laser technology, CNC machining, and robotic welders to deliver the quality and lead times that the industry demands.

### **Worldwide Support & 24-Hour Hotline**

BHS offers a team of Certified Service and Installation Technicians to assist worldwide. You can receive 24/7 support via our 24-Hour Hotline (1.877.BHS.4YOU) or BHS Live Chat (available on our website), inside and outside of regular business hours.

### **Warranty**

The BHS commitment to total customer service and support continues after the sale of all BHS products with a 13-month guarantee against defective parts and workmanship. BHS products have a reputation of quality and durability that our customers know to expect.

### **Mobile Showroom**

The BHS Mobile Showroom (MSR) is a traveling showcase of electrical and material handling equipment and accessories. The MSR allows you to obtain first-hand knowledge of equipment functionality in the comfort of your facility. The MSR is a perfect tool for our Corporate Trainers to run demonstrations all over the continental United States.

### **Excellent Training Programs**

BHS provides multiple outlets for training. The BHS Sales Webinar is a web-based training for dealers to become more familiar with BHS products and services. The BHS Sales Academy is a complimentary 2-day clinic providing expertise in identifying appropriate applications for all BHS solutions.

### **BHS Optima App**

BHS Optima is your one-stop shop for all things BHS. This mobile app places everything you need to get the most out of BHS equipment at the tip of your fingers. Maintain 24/7 contact with BHS Aftermarket Support. Download the latest specification sheets and catalogs. Complete scheduled maintenance reports digitally, then submit them with a click.

# Lift Tables

By employing lift tables, your operation can reduce physical fatigue and significantly improve productivity. Properly chosen tables will help to limit workplace injuries by eliminating the need for heavy physical lifting, resulting in a quick return on investment.

## Scissor Lift Tables

BHS Scissor Lift Tables (LT) vertically position materials at comfortable heights for improved ergonomics and productivity. Scissor Lift Tables are available in many standard sizes and capacities to lift and position loads weighing up to 6,000 lb (2722 kg) to heights up to 72" (1829 mm).

### FEATURES & BENEFITS

- Available in 2,000 lb, 4,000 lb and 6,000 lb capacity (907 kg, 1814 kg, and 2722 kg) with many table widths available
- Heavy-duty, formed steel construction for added reliability
- 230/460 V ac / 3 ph / 60 Hz power unit standard
- Contoured scissor legs for improved precision, travel, and stability
- Maintenance chocks included to lock scissors
- Full width through pivot shafts for stability throughout the travel range
- Durable, sealed and shielded roller bearings for maximum capacity and longevity
- Durable powder coat finish with yellow tabletop to improve visibility and safety
- Heavy-duty braided wire hydraulic lines for maximum burst strength and longevity
- Vented hydraulic circuit
- Hardened chrome piston rod and honed cylinder provide added column strength and cylinder sealing
- Equipped with thermal overload protection and velocity fuses for additional safety
- Hydraulic components contained within the lift table for maximum safety, floor space, and convenience
- NEMA pendant control included for easily accessible up/down function control
- Floor mounting tabs with 0.75" (19 mm) diameter holes (anchors and hardware not included)
- Meets ANSI Standard MH29.1:2012 for Industrial Scissor Lifts & complies with LMPS.

Reference Literature PL-4600 for more information.



LT



LTD2.5K-24-53 features double scissors for extended range



LT1K-10-32-NS



LT2K-32-100



## Powered Mobile Lift Tables

Lift Tables reduce employee injuries by positioning work at a comfortable and ergonomic height to eliminate unnecessary bending, lifting, and other repetitive motions. The Powered Mobile Lift Table (PMLT) effortlessly repositions work with the press of a button. Its two swivel-with-brake and two rigid casters allows this labor-saving machine to travel anywhere it's needed. Dual Scissor models (PMLTD) extend the maximum raised height from 36" to 79".

### FEATURES & BENEFITS

- Durable powder coat finish with yellow tabletop to improve visibility and safety
- Heavy-duty, formed steel construction for added reliability
- Two swivel with brake and two rigid 8" (203 mm) corrosion-resistant urethane casters
- Angled handle for ease of movement and comfort while traveling with load
- Maintenance retainers included for locking scissors
- Durable, long life, steel cam rollers
- Enclosed and protected battery compartment
- Closed hydraulic circuit
- Thermal overload protection
- Adjustable lowering speed valve
- 120 V ac automatic, waterproof charger with LED status light indicator, reverse-polarity protection, and 2' (0.61 m) power cable
- LED display battery discharge indicator with hour meter
- Easily accessible up/down pendant control
- Dual scissor legs designed for maximum lift height and collapsibility
- DC motor powered by (1) 12 V dc sealed extended life "maintenance free" battery
- Equipped with on/off keyswitch and removable key to lock out machine from unauthorized personnel
- Meets ANSI Standard MH29.1:2012 for Industrial Scissor Lifts and complies with LMPS

*Reference Literature PL-4700 for more information.*



PMLTD (shown fully lowered)

PMLTD (shown raised) features double scissors for extended range

MMLT

## Manual Mobile Lift Tables

BHS Manual Mobile Lift Tables (MMLT) feature a toggle foot pedal, allowing the operator to lift and position heavy loads with ease. The MMLT Series maximizes productivity by positioning loads at a safe, convenient work height to minimize operator fatigue. The MMLT also provides the mobility to position the unit where it is needed.

### FEATURES & BENEFITS

- Durable powder coat finish with yellow tabletop to improve visibility and safety
- Heavy-duty, formed steel construction for added reliability
- Two swivel with brake and two rigid 4" (102 mm) corrosion-resistant urethane casters
- Angled handle with adjustable grip for ease of movement and comfort while traveling with load
- Maintenance retainers included for locking scissors
- Durable, long life, steel cam rollers
- Hydraulic components contained within the lift table for maximum safety, floor space, and convenience
- Scissor legs designed for maximum lift height and collapsibility
- Integral foot pedal for ambidextrous operation
- Meets ANSI Standard MH29.1:2012 for Industrial Scissor Lifts and complies with LMPS

*Reference Literature PL-4700 for more information.*

## Self-Leveling Mobile Lift Tables

The BHS Self-Leveling Mobile Lift Table (SMLT) keeps workloads at a comfortable height continuously during loading and unloading. Protect workers and increase productivity by investing in this ergonomic, time-saving machine.

The SMLT has an adjustable spring tension with labeled gradations for quick and easy adjustments. As workers load or unload, the table adjusts to stay at the same desired, ergonomic height. Optional alternate tabletops can increase efficiency even more. Four urethane casters — two swivelling and two rigid — allow staff to maneuver the lift table wherever there is work to be done. The swivel casters are equipped with reliable brakes to secure loads in place.

### FEATURES & BENEFITS

- Durable powder coat finish with yellow tabletop to improve visibility and safety
- Heavy-duty, formed steel construction for added reliability
- Two swivel with brake and two rigid 6" (152 mm) corrosion-resistant urethane casters
- Angled handle for ease of movement and comfort while traveling with load
- Maintenance retainers included for locking scissors
- Durable, long life, steel cam rollers
- Dual heavy-duty springs keep load level and at a safe, convenient working height
- Adjustable spring tension with labeled gradations for quick and easy adjustments
- Meets ANSI Standard MH29.1:2012 for Industrial Scissor Lifts and complies with LMPS

Reference Literature PL-4700 for more information.



SMLT

## INCREASE PRODUCTIVITY WITH CUSTOM LIFT TABLES

CUSTOM LIFT TABLES ARE SPECIALIZED MODELS FOR WORK POSITIONING, PRODUCT ASSEMBLY, MACHINE FEEDING, AND PALLET LOADING.



### WHAT CAN BE CUSTOMIZED?

- Custom Portability Options
- Custom Platforms & Material
- Add your Logo
- Powder Coat Paint Any Color
- Personalized Controls
- Custom Loading Ramps
- Custom Lifting Heights
- Custom Material Fabrication

...AND MUCH MORE



## Pallet Carousel & Skid Positioner

The BHS Pallet Carousel & Skid Positioner (PCP) makes loading and unloading pallets and skids safe, simple, and quick. The PCP is available in either a pneumatic airbag-actuated model or a mechanical spring-actuated model, both providing an ergonomic solution for palletizing. The PCP reduces the amount of operator bending and reaching required during loading or unloading because it automatically raises and lowers as weight is added or removed from a pallet or skid. The turntable also rotates a full 360°, requiring less worker movement while increasing efficiency.

### FEATURES & BENEFITS

- Automatically positions loads between 10.5" and 27.75" (267 mm and 705 mm)
- 4,500 lb (2041 kg) maximum capacity; 400 lb (181 kg) minimum capacity for self-leveling operation
- Small base allows workers to stand up close to the unit for better ergonomics
- Full 360° tabletop rotation eliminates need to reach across tabletop
- Stable design eliminates need to anchor the unit to the floor
- 43.625" (1108 mm) diameter rotating platform
- Custom platforms available
- Sealed ball bearings for easy rotating
- Dampener provides smooth, gradual raising and lowering without bounce
- Built in two-way fork pockets conveniently allow transport of unit to workspace
- Durable powder coat finish
- Pressure relief valve \*
- 7-ply reinforced rubber airbag \*
- Requires no electrical power and can be disconnected from shop air or compressor once airbag is inflated \*
- Three heavy-duty springs automatically adjust pallet height \*\*
- Completely automatic, requiring no power or air supply for operation \*\*

\* **Pneumatic Airbag Self-Leveling (PCP-P) unit only**    \*\* **Spring Operated Self-Leveling (PCP-S) unit only**  
**Reference Literature PL-6500 for more information.**



PCP-S



PCP-P

## Tilt Tables

Tilt Tables prevent worker strain and fatigue by moving loads to an ergonomic height with the push of a button. When staff must repeatedly bend, reach, and lift, work slows down and injuries increase. Appropriately positioning work increases efficiency and prevents straining.


### Ground-Level Tilt Tables

Ground Level Tilt Tables (GTT) prevent physical strain and fatigue from lifting, bending, and reaching by tilting loads to a comfortable working height. The GTT features loading access from three sides, a self-contained hydraulic power unit, and a convenient floor toggle switch which makes operation effortless. These units consume a minimal footprint while providing maximum efficiency.

### FEATURES & BENEFITS

- Heavy-duty, formed steel construction for added reliability
- Floor mounting tabs with 0.75" (19 mm) diameter holes (anchors and hardware not included)
- Maintenance chocks included to lock unit
- Durable powder coat finish with yellow tilt-top to improve visibility and safety
- Vented hydraulic circuit
- Heavy-duty braided wire hydraulic lines for maximum burst strength and longevity
- Hardened chrome piston rod and honed cylinder provide added column strength and cylinder sealing
- Equipped with thermal overload protection and velocity fuses for additional safety
- Hydraulic components contained within the tilt table for maximum safety, floor space, and convenience
- Tilts up to 45°
- NEMA pendant control included for easily accessible up/down function control
- Lifted/lowered height ranges from 8" to 40" (203 mm–1016 mm)
- Models available with 2,000 lb, 4,000 lb, or 6,000 lb (907 kg, 1814 kg, or 2722 kg) capacity
- Fully complies with ANSI MH29.2-2000 Safety Requirements for Industrial Tilters

**Reference Literature PL-6600 for more information.**




GTT

## Uponder

Uponders (UPD) provide controlled 90-degree work positioning in heavy industrial applications, including engine block manufacturing, die, coil, and mold handling, and palletizing. Heavy duty steel construction with a chemical-resistant powder coating provides long service life.

### FEATURES & BENEFITS

- Controlled 90-degree positioning for heavy or awkward loads
- Ideal for manufacturing engine blocks, die and coil handling, and loading/unloading pallets
- Dual double-action hydraulic cylinders feature hardened chrome pistons
- Honed cylinders improve column strength and ensure a reliable seal
- Vented hydraulic system built into frame for minimal footprint
- All-steel construction with a durable powder coat finish
- OSHA safety yellow powder coating improves visibility
- Welded steel construction provides strength and durability at all pressure points
- Fully complies with ANSI MH29.2-2000 Safety Requirements for Industrial Tilters
- Braided hydraulic lines for maximum burst strength and longer service life
- Custom units available



UPD

## Gaylord Tilter

Gaylord Dumpers (GLT) provide full-service material handling for Gaylords and other bulk boxes. An adjustable restraint bar holds all types of pallet-sized boxes in place for dumping contents. Alternately, closed hydraulic circuits position boxes for ergonomic access for workers, limiting risky movements like stretching and bending as contents are emptied.

### FEATURES & BENEFITS

- Tilts and empties pallet-sized bulk boxes
- Provides ergonomic reach into Gaylord boxes for material sorting and unloading
- Effortlessly empties contents of Gaylords
- Adjustable restraining bar allows handling of all sizes of Gaylords, including D and E
- Heavy-duty steel construction
- Chemical-resistant powder coating resists scratches and corrosion
- Braided wire hydraulic lines extend longevity with superior burst strength
- Vented hydraulic circuit limits maintenance tasks
- Smooth-rolling casters provide total mobility
- Dual floor brakes hold the unit in place during use
- Simple, one-lever operation positions load for access or dumping
- Units can be custom-built to any specifications

Reference Literature PL-6600 for more information.



GLT



## Powered Mobile Skid Tilter

The Powered Mobile Skid Tilter (PMST) improves productivity and ergonomics by tilting loads up to a comfortable working height. A hydraulic power unit is contained and guarded within the unit and features a push button control. The PMST is equipped with two casters and polyurethane load rollers for effortless maneuverability and is available with fork over or straddle style operation.

### FEATURES & BENEFITS

- Heavy-duty, formed steel construction for added reliability
- Angled push bars for effortless maneuverability
- Maintenance chocks included to lock unit
- Durable powder coat finish with yellow tilt-top to improve visibility and safety
- Vented hydraulic circuit
- Heavy-duty braided wire hydraulic lines for maximum burst strength and longevity
- Hardened chrome piston rod and honed cylinder provide added column strength and cylinder sealing
- Equipped with thermal overload protection and velocity fuses for additional safety
- Hydraulic components contained within the tilt table for maximum safety, floor space, and convenience
- Tilts up to 90°
- Push button control with a caddy
- 3.375" (86 mm) lowered height and 40" (1016 mm) raised height
- Models available with 2,000 lb or 4,000 lb (907 kg or 1814 kg) load capacity
- Two 8" (203 mm) diameter x 2" (51 mm) wide locking, swivel, polyurethane casters and polyurethane load rollers for transport

*Reference Literature PL-6600 for more information.*



PMST

## Manual Mobile Skid Tilter

The Manual Mobile Skid Tilter (MMST) from BHS reduces the risks of muscle sprains, strains, and tears. Premium phenolic casters and a pair of ergonomic push handles simplify travel, which does not require forklifts or other material handling equipment. The MMST is available in fork over or straddle style operation.

### FEATURES & BENEFITS

- Tilts bulk containers for greater productivity and ergonomic safety
- Travels anywhere without need of forklifts or material handling equipment
- Dual ergonomic push handles
- Models available for skids and/or pallets
- Fully customizable on request
- Manual operation reduces maintenance
- Foot-actuated hydraulic lift cylinder
- Heavy-duty phenolic casters with brakes
- Steel construction is ideal for industrial applications
- Durable powder coating resists abrasion, acids, and oils
- Tilts to a full 90° to improve access to bulk bins

*Reference Literature PL-6600 for more information.*



MMST

## Manual Mobile Lift and Tilt Tables

Work positioners like the Manual Mobile Tilt Table (MMLTT) from BHS reduce the risks of muscle sprains, strains, and tears. Many workers in warehouses and manufacturing facilities must sort, unpack, or otherwise handle small parts held in tote boxes; as the contents of the box diminish, staff must bend and reach further and further to continue work. OSHA points out that repetitive, awkward movements such as these increase the risk of developing a musculoskeletal disorder. The MMLTT virtually eliminates the risk by tilting bulk containers toward the worker, bringing components close to their bodies to prevent unsafe motions.

### FEATURES & BENEFITS

- Positions work for optimal ergonomics
- Elevates heavy components such as car parts for welding or assembly
- Fully portable, self-contained units are ideal for food processing, cold storage, and other forklift-free environments
- No electric parts for reduced maintenance and upkeep
- Heavy-duty poly casters and an ergonomic push bar for smooth travel
- Steel construction with high load limits
- Hydraulic lift cylinder controlled by simple foot pedal for precise positioning
- Ships standard with a chemical-resistant powder coating
- Tilts to a full 45 degrees for complete access to loads
- Custom versions available, including stainless steel construction for food processing
- Dual scissor models (MMLTTD) are available to extend reach

Reference Literature PL-6600 for more information.



PMLTTD



MMLTTD

## Powered Mobile Lift and Tilt Tables

Powered Mobile Tilt Tables (PMLTT) are some of the most flexible work positioners available. Dual scissor lifts allow for a greater vertical range, while the all-steel tilt table achieves up to 45 degrees of pitch. This combination creates a variable-height workstation that allows staff to move contents of bulk containers closer to their bodies, preventing the musculoskeletal injuries associated with sorting parts and packing/unpacking crates.

### FEATURES & BENEFITS

- Ergonomic work positioning with lift and tilt functionality
- Prevents musculoskeletal injuries caused by awkward postures
- Ideal for sorting parts, unpacking crates, or any task that requires bulk boxes
- Heavy-duty, formed steel construction for added reliability
- Heavy-duty poly casters swivel for greater maneuverability
- Durable powder coat finish with yellow tilt-top to improve visibility and safety
- Vented hydraulic circuit
- Heavy-duty braided wire hydraulic lines for maximum burst strength and longevity
- Locking swivel casters
- Hardened chrome piston rod and honed cylinder provide added column strength and cylinder sealing
- Equipped with thermal overload protection and velocity fuses for additional safety
- Hydraulic components contained within the tilt table for maximum safety, floor space, and convenience
- Tilts up to 45°
- NEMA pendant switch included for easily accessible up/down function control
- Dual scissor models (PMLTTD) are available to extend reach

Reference Literature PL-6600 for more information.



BHS offers a variety of industrial storage solutions including mobile storage lockers, work stations, and stationary shelving units. These units are manufactured from heavy-duty steel for long-lasting durability. Custom-built models can be made to the customer's specifications.

## High Value Cart

The High Value Cart (HVC) is a portable and secure storehouse that protects valuable tools, equipment, and supplies from theft while still allowing easy access for authorized personnel. This reliable storage unit is easy to transport and reposition between work sites. All models are equipped with casters for moving lighter loads across short distances and fork pockets for heavier loads and longer distances.

### FEATURES & BENEFITS

- Casters (two swivel with brake and two rigid) and push bar for easy maneuvering
- Front fork pockets for lifting and transporting unit
- Steel construction with durable powder coat finish
- Three rigid 12GA steel shelves are adjustable in 3" (76 mm) increments
- Door slabs are removable, hinged in three locations, open 180°, and feature pull handles
- Padlockable with strike protector to guard assets from theft (padlock not included)
- Heavy-duty models feature increased material thickness for extra capacity and security
- Removable lifting eye bolts included



The HVC features adjustable shelving



HVC-2770-60-HD

Request Literature PL-6000 for more information.

## High Value Cart - Double Doors

The Double Door High Value Cart (HVC-DD) opens on two sides for convenient access in narrow aisles and tight spaces. It's packed with mobility features, including integrated fork pockets, 6-inch phenolic casters (two swivel while two remain fixed to enhance steering), four-point lifting eyes, and an ergonomic push handle.

### FEATURES & BENEFITS

- Heavy duty capacity for industrial and construction applications
- Expanded steel doors with a scratch-resistant powder coating for extreme toughness
- Fits through doorways and narrow aisles
- Includes three adjustable steel shelves
- Powerful floor lock prevents unwanted movement
- Comes standard with 3" x 5" asset tag for customer to engrave
- Optional Cable Payout outfitting adds simplified maneuvering of cable reels and deters theft of costly cable
- Alternate models available on request



HVC-2348-62-DD



## High Value Dropbox

The BHS High Value Cart Dropbox (HVC-DB) is a dependable steel container for sensitive materials. A durable powder-coat finish prevents rust and corrosion, making these units ideal for outdoor use or in industrial applications. The narrow drop window is designed to admit items and keep out unauthorized hands.

### FEATURES & BENEFITS

- Dependable steel lockbox provides reliable security
- Welded steel construction prevents unauthorized access to contents
- Powder-coat finish resists abrasion, rust, and chemical corrosion
- For use with all sensitive materials, including rental car keys, mail, bank deposits, secure documents, and storage for cash and jewelry
- Available with and without window



HVC-DB

## Will Call Dropbox

Accept deliveries or share high-value items any time of the day or night with the BHS Will Call Dropbox. This secure steel cabinet provides full protection and unprecedented control of access, even after hours. Each storage locker features an electronic lock, controlled by single-use key technology. Share a keycode with an authorized user for one-time entry; when the door closes, that code will expire. This system is ideal for overnight deliveries and asynchronous sharing of valuable property.

### FEATURES & BENEFITS

- 3 or 4 forward-facing lockers with varying dimensions
- 2 side-facing compartments store long, narrow orders
- Units available with 4 equal front-facing lockers
- Stands on 6 steel risers to protect contents
- Integrated electronic locks offer one-time passcode capabilities
- 4-digit codes add a higher level of security
- Sloped roof and a waterproof powder coating protects items from weather
- All-steel construction resists attempts at entry
- Ideal for overnight deliveries and off-site, multi-user storage for valuable items
- Footpads with anchor holes secure unit
- IIoT models ship with an easy to use start up guide




HVC-124-24-5-DB



Electronic locks equipped with single-use key technology allow one-time access to drivers for added security.

## SECURE STORAGE WITH ONE-TIME PASS CODES AND OPTIONAL IIOT INTEGRATION.

Optional smart locks bring IIoT solutions to secure storage. Assign client access through phones, RFID cards, and company computers, in person or remotely. Industrial Internet of Things (IIoT) models create timestamped access logs for later review.





# REDUCE THEFT WITH BHS CUSTOM LOCKERS

FROM AFTER HOURS PRODUCT DROPS TO SECURING JOB SITE TOOLS, BHS DESIGNS WITH YOU IN MIND.



## WHAT CAN BE CUSTOMIZED?

- Custom Dimensions
- Add your Logo
- Powder Coat Paint Any Color
- Material Ramps
- Modular Configurations
- IoT Technology Now Available
- Firewall Protection
- Solar Power

...AND MUCH MORE

## Bifold High Value Cart

The Bifold High Value Cart (HVC-BF) offers a fully portable storage solution for tools, personal protective equipment, and other valuable items. Wheel it into place and open along the center-hinge for instant access to contents. At the end of the shift, simply close and lock for total security, indoors or out.

### FEATURES & BENEFITS

- 10' by 4.5' interior storage space includes horizontal shelving and vertical compartment
- Opens outward from central hinge for "clamshell" functionality
- 8 shelves with locker compartment and coat-hook
- Smooth-rolling, heavy-duty casters simplify transport
- Secure storage for indoor/outdoor applications
- Durable steel construction
- Chemical and abrasion-resistant powder-coat finish
- Custom shelving options available
- Padlockable



The HVC-BF features a 4.5' vertical cubby

HVC-3060-65-BF-VC



## High Value Cart Workstation

The High Value Cart - Work Station (HVC-WS) is a portable and secure storehouse for protecting valuable electronics and equipment while also doubling as a functional computer desk. The compact design provides reliable storage and can be easily transported from room to room on phenolic casters.

### FEATURES & BENEFITS

- Two swivel with brake and two rigid 2 ½" (102 mm) phenolic casters for easy maneuvering
- Steel construction with durable powder coat finish
- Top shelf fitted with cushioned anti-slip safety mat to prevent movement of items
- Keyed cam lock to guard assets from theft (lock set included)
- Six outlet power strip included to plug in electrical equipment
- Self-closing keyboard tray with two rubber grommets to accommodate cables



HVC-2026-WS

## Building Information Modeling Cart

View digital building plans on-site with BHS Building Information Modeling Carts (BIM). This portable steel job box mounts flat screen monitors up to 55" (1397 mm), with secure cabinets for computer towers and a pullout keyboard tray. Locking swivel casters create a highly mobile display/work center for Building Information Modeling (BIM) objects, Gantt charts, and other software tools. Route power through a rear 15A power inlet to one duplex GFCI and four additional outlets (6 total).

### FEATURES & BENEFITS

- (1) 120 V/15A flange plug provides power to entire unit
- (1) External 15A Duplex GFCI outlet
- (2) Internal 15A Duplex Receptacles protected by GFCI Receptacle
- Weather resistant heavy duty formed steel construction
- Fits through standard 32" (813 mm) doorways
- Sealed upper cabinet includes mount for televisions up to 55" (1397 mm)
- Model BIM-5925-V features a top lift door with gas spring assist for securing in upright position during use
- Secure locking system prevents theft
- Pullout keyboard tray
- 5" (127 mm) polyurethane non marking casters
- Lower cabinet includes paddle locks and one adjustable shelf per side



BIM-5925



BIM-5925



BIM-5925-V

## TOTAL SECURE OFFICE SOLUTION

This job box was designed to house a full Building Information Modeling system, complete with computers, peripherals, and up to 55-inch flatscreen monitors. It's a complete on-site office for construction administration tasks. Unit is equipped with non-marking casters for easy positioning and a slim profile fits through standard doorways and narrow aisles with ease.



## Industrial Shelving

BHS Industrial Shelving (IS) is open style, industrial grade steel shelving that provides heavy duty surfaces for storing all types of products and materials. This highly functional storage solution features fixed height shelves and is perfect for stockrooms, machine shops and warehouse settings. These storage racks are fully powder-coated for better corrosion and scratch resistance, providing a more reliable storage and organization solution for any industry. BHS can custom-build industrial shelving systems to meet individual specifications for a more efficient storage room layout.

### FEATURES & BENEFITS

- Heavy-duty construction for added reliability with large foot pads that protect flooring
- 36" (914 mm) height between shelves on multi-level shelving
- Single-shelf models: 500 lb (227 kg) capacity; Multi-shelf models: 800 lb (363 kg) capacity per shelf
- Durable powder coat finish resists both acid and scratches

*Request Literature PL-6000 for more information.*



IS-72-3



FTR



BS-MCS

## Flow Through Rack

The BHS Flow Through Rack (FTR) is fully assembled and virtually maintenance-free, requiring no shelf adjustments or bolt retightening. Casters allow the rack to display almost anywhere and will not mark floors. The clean design allows for live product presentation while providing optimal space utilization.

### FEATURES & BENEFITS

- Structural, welded steel frame and shelves
- Durable powder coat finish resists both acid and scratches
- Fits easily under pallet racks
- Improves workflow with inclined shelves to ensure stock rotation
- Front and side guide rails secure materials
- Phenolic casters allow mobility and will not mark floors
- Locking floor brake prevents unwanted movement of the unit
- Functions as display in showroom or as storage in work area
- 2.25" (57 mm) face for pricing and labeling

*Request Literature PL-3400 for more information.*

## Mobile Charging Stations

Mobile Charging Stations (BS-MCS) store large volumes of laptops, tablets, and other mobile computing equipment while routing charging cables neatly to each unit. They are ideal for schools, libraries, and IT departments that regularly check out laptops to students or members of the public. At the warehouse, the BS-MCS safely stores rugged tablets for distributed computing applications.

### FEATURES & BENEFITS

- Organized storage and charging for laptops and tablets
- Durable steel constructed portable unit for IT applications
- Stores large banks of devices for public use, as in a school or library
- 120 V outlets - one per compartment
- Rugged powder coating resists dirt, rust, scratches, and chemicals
- Computer trays slide out for easy access to devices
- Routing channels for charging cables built into the unit
- Custom configurations and overall equipment design available
- Rolls smoothly on optional phenolic casters
- Wheel brakes prevent unwanted movement, when equipped with casters

## Sheet Material Racks

BHS Sheet Material Racks (SMR) are the perfect solution for storing and transporting large, heavy sheets of material like glass or granite slabs. The angled back and deck, along with the anti-skid rubber surface, help to prevent material from tilting out. These racks are equipped with removable side arms for stacking extra-long material and four-way fork pockets for convenient transport and positioning.

### FEATURES & BENEFITS

- Durable powder coat finish
- Angled back and deck for safe storage
- Anti-skid rubber surface helps to prevent material from sliding out
- Four-way fork pockets
- Heavy-duty, steel tube construction for added reliability
- 8,000 lb (3629 kg) load capacity
- Stackable up to 3 units (contact factory for capacities when stacked)

## Mobile Sheet Material Racks


Transport sheet materials for construction or manufacturing with Mobile Sheet Material Racks (MSMR) from BHS. These heavy-duty steel carts provide bulk storage for plywood, drywall, stone, and even sheet metal. Sheets stand vertically within the frame, held in place by powder-coated steel crossbars during storage or transportation.

### FEATURES & BENEFITS

- Vertical storage and transportation for sheet materials
- Suitable for use with a wide range of construction and manufacturing goods, including glass, drywall, panels, plywood, stone, and metals
- Rugged design withstands the rigors of construction sites and warehouses
- Reduces material storage footprint to preserve square-footage
- Prevents damage to sheet materials by removing the risk of falling or bending
- Heavy-duty phenolic casters allow transportation for bulk sheet materials
- Welded steel frame for long service life
- Durable powder-coat finish prevents rust and resists chemical corrosion
- Models feature one or two compartments for different material handling needs
- Custom designs available



(2) SMR-4896 stacked



MSMR



VMR



PBR

## Vertical Material Racks

Vertical Material Racks (VMR) provide long-term storage for varying lengths of bars, pipes, lumber, and similar construction and manufacturing materials. Heavy-duty casters also allow the entire unit to move, bringing bulk materials directly to production lines or installation sites.

### FEATURES & BENEFITS

- Simplified storage and movement of bars, pipes, lumber, and other long, narrow materials
- Ideal for material supply houses, construction projects, warehousing, and other applications that handle materials of many different lengths
- BHS designs and manufactures custom Vertical Material Racks for unique applications
- Four rows of steel crossbars secure vertical goods at varying heights
- Anti-skid rubber on the angled base prevents products from sliding
- Heavy-duty casters allow for repositioning of supplies
- Powder-coated steel frame ensures durability and a long service life
- Two stock models to match most storage requirements

## Pegboard Racks

Sturdy Pegboard Racks (PBR) from BHS bring industrial-grade construction to your next display for retail, trade shows, or other marketing endeavors. They create an attractive exhibit, and are ideal for archival poster collections and retail displays alike.

### FEATURES & BENEFITS

- Dependable display for marketing materials or retail items
- Heavy-duty construction for any environment
- A-frame racks or round models offer options for display materials
- Used by libraries and archives as well as trade show booths and retailers
- Custom designs available to fit any need
- Steel frames with optional bolt-down base
- Frame is powder coated for durability and long service life
- Matches industrial aesthetic for dealers of heavy equipment
- High load limits for heavier displays



# Material Carts, Hand Trucks, & Warehouse Trailers

Material Carts transport valuable product through facilities for distribution or storage, but different materials have different needs. BHS offers Material Carts configured for specific applications, all with heavy-duty steel construction, with customization available.

## Flat Deck Carts

Flat Deck Carts (FDC) provide versatile material handling for large and heavy items. These carts are designed specifically for industrial settings, with all-steel construction and a powder coating that resists chemical corrosion, impacts, and scratches. Four casters and integrated fork pockets create flexible mobility options.

### FEATURES & BENEFITS

- Ergonomic material handling for warehousing, manufacturing, and other industrial applications
- Four heavy-duty casters provide smooth, low-friction travel
- Powder-coated steel construction for durability and long service life
- Integrated Fork Pockets and Clamp allow transportation via lift truck
- High weight limits for heavy boxes and items
- Custom sizing and load capacities available for any workplace

FDC-NS on forklift (forklift not included)



FDC

## Flatbed Carts

Versatile Flatbed Carts (FBC) improve material handling for large and heavy items in warehouses, stockrooms, and industrial facilities. A unique six-caster arrangement improves maneuverability and reduces turning radius. These carts are designed to withstand harsh environments and are ideal for manufacturing applications.

### FEATURES & BENEFITS

- Ergonomic material handling for bulky items, including furniture
- Four 6" (152 mm) casters and two 8" (203 mm) center casters provide center-steer maneuverability
- Ergonomic push-bars allow positioning unit
- Non-slip bed surface keeps loads in place
- Removable push bar for extra-large items
- Wheel brakes hold unit in place during loading and unloading
- Heavy-duty steel construction
- Durable powder-coat finish
- Custom design available



FBC-NS features a rotating platform

## Platform Trucks

Platform Trucks (PFT) provide versatile material handling for large, heavy, and awkward loads. Ergonomic handle is removable for easy access. These trucks roll smoothly on heavy-duty 6-inch casters.

### FEATURES & BENEFITS

- Flat-bed material handling for industrial objects
- Two swivel and two fixed casters improve mobility
- Ergonomic handle is removable for easier loading/unloading
- Steel frame supports heavy components, boxes, and furniture
- Acid-resistant powder coating resists all forms of damage
- Custom bed finishes available
- Original designs match unique specifications



PFT-NS features a lifted platform

## **Panel Carts**

BHS Panel Carts (PC) are ideal for transporting sheets and panels of material such as drywall, plywood, folding tables, office cubicle partitions, and rolled goods. Panel Carts feature a steel frame with a carpeted deck and casters for maneuvering up to 1,000 lb (454 kg) of material.

### **FEATURES & BENEFITS**

- Heavy-duty steel construction for added reliability
- Plywood deck is carpeted to protect load from scratching and abrasion
- Removable handles make loading and unloading materials easier
- Two rigid and two swivel 6" (152 mm) casters
- Durable powder coat finish resists rust and scratches

## **Utility and Service Carts**

Utility and Service Carts (USC) from BHS provide mobility for heavy loads in industrial facilities. Steel construction and a durable powder finish make these carts ideal for material handling in harsh environments. Custom models available.

### **FEATURES & BENEFITS**

- Ergonomic material handling for industrial applications
- Portable storage for tools, components, and other heavy loads
- Heavy-duty steel construction for high capacity
- Smooth powder coating resists damage and protects load
- Swivel- and fixed-wheel casters improve mobility
- One-tier frame with casters and easy-grip handle
- Custom options available



**PC-2448**



**USC**



**FSC**



**MHC-6048-1PT**

## **Flat Stacking Carts**

Flat Stacking Carts (FSC) provide versatile material handling for industrial applications. Four removable steel posts support a second cart stacked on top of the first. This allows users to adjust the unit for different material handling needs.

### **FEATURES & BENEFITS**

- Stackable industrial carts for versatile material handling
- Stack up to two carts for multi-level load movement
- Four removable steel posts
- Heavy-duty casters arranged in a diamond pattern to improve maneuverability
- All-steel frame carries large and heavy items
- Durable powder coating prevents damage to the unit
- Custom sizes and load limits available

## **Material Handling Cages**

Safely transport materials from ground-level to upper stories with Material Handling Carts (MHC) designed for the construction industry. The MHC is available with single-point or quad-point lift points and four-way fork pockets for versatile handling.

### **FEATURES & BENEFITS**

- Designed for overhead lifting and transport via forklift
- Expanded steel caging contains building materials, tools, and other construction loads
- Two rigid and two lockable swivel casters for smooth travel
- Ergonomic push handles improve navigation
- Heavy-duty steel construction with an abrasion-resistant powder-coat finish
- 3,000 lbs load capacity
- Hinged side allows easy access for loading and unloading

## Center Steer Warehouse Trailers

Center Steer Warehouse Trailers (TT-CS) achieve exceptional maneuverability with a fifth caster in the center of the frame. This wheel is slightly larger than the others, allowing the entire unit to pivot in place. This makes the TT-CS ideal for pulling loads by hand, or in narrow aisles with tight turns.

The TT-CS can also function as part of a logistics train, vastly improving efficiency in order picking applications and raw-material delivery for manufacturers. Like all Warehouse Trailers from BHS, the TT-CS features heavy-duty steel construction and a powder coating that's formulated to resist common sources of equipment damage in industrial applications.

### FEATURES & BENEFITS

- Reduces order picking time by creating a pick train
- Safe, efficient material handling for manufacturing and warehousing applications
- Large central wheel provides unmatched maneuverability
- Suitable for use by hand or with a tugger
- 2,500 lb capacity standard
- 5,000 lb capacity models also available
- Heavy-duty 6" x 2" or 8" x 2" polyurethane-on-steel casters depending on capacity
- Phenolic or solid casters available on request
- Heat-resistant powder coatings available on request
- Standard units include spring-loaded auto latches
- Custom hitches available on request
- Optional bolt-on shelves available
- Travels in line behind tuggers for easier navigation
- Heavy-duty steel construction with high load limits
- Configurable to support any materials
- Compatible with all types of electric tuggers



TT-CS



TT-QS with bolt on shelf option

## Quad Steer Warehouse Trailers

Quad Steer Warehouse Trailers (TT-QS) provide safe and efficient material handling alone or in logistics trains. They can be pulled by virtually any tugger, including automated guided vehicles (AGV). Operators can pull high-capacity pick trains comprised of multiple TT-QS units, which secure to one another with universal tow bars and hitches.

The quad-steer mechanism creates clean, reliable tracking, improving safety for tugger operators. These trailers create a predictable follow pattern behind tuggers, which frees operators to keep their attention on the path ahead. Quad-steer models can navigate tight corners and even U-turns easily.

### FEATURES & BENEFITS

- Reduces order picking time by creating a pick train
- Safe, efficient material handling for manufacturing and warehousing applications
- Quad steering provides precise tracking fidelity and a tight turn radius
- Suitable for use by hand or with a tugger
- 2,500 lb capacity standard
- 5,000 lb capacity models also available
- Heavy-duty 6" x 2" or 8" x 2" polyurethane-on-steel casters depending on capacity
- Phenolic or solid casters available on request
- Heat-resistant powder coatings available on request
- Standard units include spring-loaded auto latches
- Custom hitches available on request
- Optional bolt-on shelves available
- Travels in line behind tuggers for easier navigation
- Configurable to support any materials
- Compatible with all types of electric tuggers



# Cylinder Storage & Transport Equipment

Many industries handle compressed gas cylinders. Without the right cylinder storage and handling equipment, these containers pose serious safety risks. Heavy-duty storage and transport equipment can help you avoid the costly damage of a major accident by safely securing your gas cylinders.

## Cylinder Storage Cage

The Cylinder Storage Cage (CSC) is a heavy-duty formed and welded cage used to securely store and transport industrial cylinders, like oxygen or acetylene. The walls and door are comprised of laser-slotted metal to provide security, visibility of contents, as well as natural ventilation. The CSC can be transported by forklift. The door hinges are welded for strength and the door can be locked to prevent unauthorized access.

### FEATURES & BENEFITS

- Hinged ramp on front of unit for loading/unloading flips up and pin-secures when not in use
- Welded-in strapping system allows for easy adjustments when securing cylinders
- Heavy-duty welded steel cage used for storage and transport of industrial cylinders
- Two-way fork pockets and lifting eyes aid in relocation of unit
- Integral handle and locking system
- Drain hole on inside platform

*Request Literature PL-6400 for more information.*



CSC-20-FW

## Cylinder Storehouse

The Cylinder Storehouse (CSH) is a heavy-duty formed and welded frame providing rigid and secure storage for industrial cylinders or any other valuable items. This cylinder locker provides visibility of contents, allows free air-flow to combat leak hazards, and also protects gas cylinders from tampering. The CSH is modular and can be expanded as needed. Fork pockets make it easy to place units on-site. The pitched roof minimizes exposure to the elements. The door can be padlocked to prevent unauthorized access, a strike protector defends the padlock, and the door hinges are welded for strength.

### FEATURES & BENEFITS

- Heavy-duty welded steel frame used for vertical storage of industrial cylinders
- For optimum security, door hinges are welded and padlockable with strike protector (padlock not included)
- Fork pockets aid in relocation of unit
- Pitched roof prevents unwanted elements from damaging contents and provides additional height clearance at the peak

*Request Literature PL-6100 for more information.*



CSH-2

## Cylinder Transporter

The BHS Cylinder Transporter (CT) provides safe and efficient handling of industrial, compressed gas cylinders. The CT securely stores cylinders and can be transported by way of fork pockets or easily maneuvered by casters. Capacity varies depending on the size of the cylinders.

### FEATURES & BENEFITS

- Heavy-duty welded steel frame used to transport industrial gas cylinders
- Two swivel with brake and two rigid 6" (152 mm) polyurethane casters
- Two-way fork pockets offer alternate means of transport
- Formed steel retainer bars are hinged and pin-secured between compartments to hold gas cylinders in place, and are quickly released for convenient access from either side for loading and unloading
- Holds cylinders up to 12" (305 mm) diameter

*Request Literature PL-6100 for more information.*



CT-8

## Cylinder Transporter Cage

The Cylinder Transporter Cage (CTC) is a heavy-duty formed and welded cage used to securely store and transport small industrial cylinders, like propane or propylene. The walls, roof, and door are comprised of thick gauge expanded metal to provide security, visibility of contents, as well as natural ventilation. The CTC can be manually maneuvered with push bar and casters, or transported longer distances by forklift. The door hinges are welded for strength, the door can be padlocked to prevent unauthorized access, and a strike protector defends the padlock.

### FEATURES & BENEFITS

- Heavy-duty welded steel cage used for storage and transport of industrial cylinders
- Two swivel with brake and two rigid 6" (152 mm) polyurethane casters
- Two-way fork pockets offer alternate means of transport
- For optimum security, door hinges are welded and padlockable with strike protector (padlock not included)

*Request Literature PL-6100 for more information.*



CTC-6

## Propane Tugger Trailer

The BHS Propane Tugger Trailer is an LP-tank cart with an integrated hydraulic crane, designed to simplify changing forklift fuel. It carries up to six 8-gallon tanks at a time. Users wheel the unit to a lift truck, remove the empty tank, and attach the crane to the full tank with a pair of steel hooks. The crane operates with a manual crank and a release valve. Using the Propane Tugger Trailer eliminates the ergonomic risk associated with lifting heavy LPG tanks. It also reduces the chance of damaging gas cylinders, further improving safety for the daily task of changing forklift fuel tanks.

### FEATURES & BENEFITS

- Improves safety during LP tank change-out
- Provides ergonomic handling for 8-gallon LP tanks
- Stores six 33-lb propane tanks at a time
- Center steer design utilizes two rigid and four swivel casters for exceptional maneuverability
- Universal tow bar is compatible with all types of electric tuggers
- 250 lb capacity lifting arm rotates 360° to transfer full tanks with ease
- A hand pump powers the hydraulic lifting arm and a release lever controls descent
- Locking pins secure two upper cradles that independently swing outwards, providing access to the lower shelf
- Heavy-duty steel construction
- Chemical-, impact-, and scratch-resistant powder-coat finish

*Request Literature PL-9900 for more information.*



PPT-6

## SUPERIOR ERGONOMIC HANDLING

Four horizontal tank beds give the cart a low profile; the top two swivel open for access to tanks located below. Two vertical tank wells are positioned close to the ground to limit lifting even when handling lighter empty tanks.



# Bin Dumpers & Bins

The right combination of Bin Dumpers and Bins improves material handling for everything from grains to compost. Bins contain and transport bulk materials, Bin Dumpers effortlessly lift and empty those Bins, and Hoppers safely channel the load into production lines, sorting tables, or any other intended destination.

## Tilt Cart Dumper

Manually emptying tilt carts places ergonomic strain on workers, while dumping tilt trucks from docks or platforms introduces a serious fall risk. The Tilt Cart Dumper (TCD) removes these hazards while speeding up cart-dumping for greater operational efficiency.

The Tilt Cart Dumper keeps trucks within its footprint during the entire tilting action for greater stability. Expanded steel, powder-coated barriers enclose the travel path on two sides, while double rear-loading doors swing shut for full enclosure. With a maximum capacity of 750 pounds, the Tilt Cart Dumper is ideal for industrial waste handling applications and other high-volume material dumping tasks.

### FEATURES & BENEFITS

- Safely empties tilt trucks from docks/platforms into ground-level dumpsters
- Dual floor locks ensure stability during operation
- Fixed truck restraints make loading simple; no clamping required
- Expanded steel panels fully enclose tilting mechanism for greater safety during use
- Rear-loading doors simplify access without sacrificing protection
- Fits most standard sizes of tilt carts
- Cart dimensions: Length up to 47.75", Width 26" - 35.75", Height 39.75" - 47.75"
- 750 lbs capacity
- Powered by a self-contained rechargeable 12v lead-acid battery
- Integrated 120v charger plugs directly into common wall outlets
- Duty cycle varies based on weight per dump



TCD-1



The TCD tilts over 90° to ensure complete removal of waste without using other tools or risking workers leaning off of docks



The TCD has user friendly controls, featuring a green light indicator that lets you know when the TCD is ready for use

## IMPROVE SAFETY AND PRODUCTIVITY DURING WASTE HANDLING TASKS

Tilt Cart Dumpers from BHS are dock-to-dumpster tilting machines that protect workers from hazards associated with emptying trucks, including fall risks and musculoskeletal disorders associated with lifting heavy loads.





## Forward Bin Dumper

The Forward Bin Dumper (FBT1000-760) forklift attachment allows lift trucks to safely handle pallet bins and other large-scale industrial and agricultural containers. Specialty bin grips will not damage bins, and a smooth 135-degree forward tilt empties contents thoroughly. This device does not prevent the lift truck from accessing typical pallets.

### FEATURES & BENEFITS

- Suitable for a wide range of cubic bin sizes & types: plastic or timber, solid or vented
- Standard unit suits bins from 43.3" to 47.2" (1100 to 1200 mm) front to rear
- Safe working load capacity up to 2,205 lb (1000 kg)
- Fits standard forklift tines up to 42.125" x 1.75" x 4.92" (1070 mm x 45 mm x 125 mm)
- 135° forward rotation ensures complete emptying of bin
- Operators control the unit from inside the forklift
- Unique grip provides secure hold without damaging bins
- Heavy-duty steel construction reduces maintenance needs
- Durable powder-coat finish
- Stainless steel pivot pins
- Long-lasting, zero maintenance pivot bearings
- Safety catch prevents tipping if bin is not fully secured to tines
- Total width across tines is 29.9" (760 mm)
- Lost load (on 42.125" [1070 mm] tines) is 11.8" (300 mm)
- Unit weight is 342 lb (155 kg)
- Horizontal center of gravity is 23.6" (600 mm)
- Vertical center of gravity is 3.54" (90 mm)

\* *Tip height is approximate as it varies by the bin being tipped.*



FBT

## Dumpmaster® Bin Dumper

Dumpmaster® Bin Dumpers (DMA) are the ultimate solution for emptying bins and drums weighing up to 660 pounds (300 kilograms) at virtually any height. The tipping action of a Dumpmaster® is one of the safest, most efficient, and easiest-to-use systems in the world. Dumpmaster™ works with popular bin designs, from 32 to 96 gallon (120 to 360 Liter) configurations, without needing adjustments. Custom cradles are available to suit other bin or drum sizes.

### FEATURES & BENEFITS

- Suits popular two-wheeled bin sizes from 32 gal to 96 gal (120 L to 360 L)
- 660 lb (300 kg) load capacity
- Adjustable tipping heights from 47" to 94.5" (1200 mm to 2400 mm) \* but can be built economically to any height
- Duty Cycle: 75 x 200 lb (90 kg) carts per charge; 20 cycles per hour continuous
- Available with 3-phase or battery power packs; battery-powered dumpers have a sealed battery and an industrial-quality 'float' charger built in
- Powerful and reliable hydraulic mechanism
- 4" (100 mm) casters for easy movement with dual brakes

**Request Literature PL-5200 for more information.**

\* *Tip height is approximate as it varies by the bin being tipped.*



DMA

## Multi-Tip® Bin Dumper

Multi-Tip® Bin Dumpers (MTA) are cost-effective, lightweight, and easy to move. Because of these attributes, they are a great solution for material handling and janitorial staff at schools, hotels, factories, recycling centers, warehouses, and beyond. Empower your staff to effortlessly empty boxes, trash cans, and other common containers with this state-of-the-art bin dumper.

### FEATURES & BENEFITS

- Standard cradle suits popular two-wheeled bin sizes from 32 gal to 96 gal (120 L to 360 L)
- 330 lb (150 kg) safe lifting capacity
- Adjustable model has 47" to 71" (1200 to 1800 mm) \* adjustable tipping height, but can be built economically to any height
- Duty Cycle: 25 x 200 lb (90 kg) carts per charge, with continuous charge supported
- Battery-powered with a sealed battery and a built-in industrial quality 'float' charger
- 5" (127 mm) casters for easy movement with dual brakes on operator side

Request Literature PL-5200 for more information.



MTA

## MegaDumper® Bin Dumper

MegaDumper® Bin Dumpers (MD) provide a heavy-duty industrial solution for emptying large bins at weights of up to 1,300 pounds (600 kilograms). The MegaDumper® is based on the proven design of the Simpro Dumpmaster® and is one of the most reliable, safe, and easy-to-use industrial bin dumpers available. The MegaDumper® comes standard with a suite of safety features including full-cage guarding.

### FEATURES & BENEFITS

- Designed for emptying 174 and 290 gal (660L - 1100L) bins but can be customized to tip almost any container
- 1,300 lb (600 kg) lifting capacity
- Standard tip heights from 27.5" to over 23' (700 mm to 7 m)
- Duty Cycle: 30 x 500 lb (227 kg) carts per charge; 20 cycles per hour continuous
- Power options include 3-phase, battery power pack, or compressed air; battery-powered dumpers have a sealed battery and industrial-quality 'float' charger built in
- Hydraulic-powered, super heavy-duty
- 8" (200 mm) casters with dual brakes on operator side and option to bolt in place via bolt-down lugs

Request Literature PL-5200 for more information.



MD

## Ezi-Mt® Bin Dumper

The lift-and-tilt action of the EZI-MT® Bin Dumper (EZI-MT1500) provides powerful ergonomic benefits to light-duty applications. Users operate a heavy-duty winch which simultaneously lifts and empties loads of up to 140 pounds. Unique lift-channel design keeps the weight centered over the frame at all times, ensuring stability during use.

### FEATURES & BENEFITS

- Heavy-duty winch-operated
- 143 lb (65 kg) safe lifting capacity
- 59" (1500 mm) bin tipping height
- Standard cradle lifts all common 32–96 gal (120–360 L) bins without clamping
- Unique lift-and-tip motion keeps weight centered over frame for greater stability
- No electrical or hydraulic components to maintain
- 4" (100 mm) casters for easy movement with dual brakes on operator side
- Rugged steel construction, powder-coated frame, and zinc-plated cradle and guards are perfect for Indoor or outdoor use
- Green construction: 50% less steel than competing products, completely recyclable without generating electronic waste
- Ships in partially assembled kit form, substantially minimizing freight costs

Request Literature PL-5200 for more information.



EZI-MT

\* Tip height is approximate as it varies by the bin being tipped.

## Dockmaster™ Bin Dumper

The Dockmaster™ Bin Dumper (DM) was designed with a specific task in mind – safely tipping wheeled bins and drums from a raised loading dock. In many operations this is currently done by hand, which is difficult, slow and dangerous. The Dockmaster™ completes the process in seconds and is fully compliant with stringent safety requirements.

### FEATURES & BENEFITS

- Hydraulic powered
- 550 lb (250 kg) lifting capacity
- Ultra-low 27.5" (700 mm) tipping height \*
- Duty Cycle: 75 x 200 lb (90 kg) carts per charge; 20 cycles per hour continuous
- Available with 3-phase or battery power packs; battery-powered dumpers have a sealed battery and an industrial-quality 'float' charger built in
- 4" (100 mm) casters for easy movement with dual brakes

*Request Literature PL-5200 for more information.*



DM

## Mobile Garbage Bin

Mobile Garbage Bins (MGB) provide industrial-scale waste management with sturdy HDPE plastic construction and smooth-rolling casters. Integrated lids fully contain contents, while ergonomic grab handles improve maneuverability. Several sizes and load limits available.

### FEATURES & BENEFITS

- Versatile, high-capacity waste handling with a wide range of accessories available
- Compliant with industry standards, including EN840
- Lip and lip seal prevent rainwater from entering
- Double-angle rail for greater safety when emptying
- Smooth and rounded surfaces for easy cleaning and emptying
- Designed to withstand high levels of mechanical stress
- HDPE Drainage plug
- Heavy-duty casters with solid rubber tires for easy smooth movement on any terrain
- Dependable wheel brakes
- Optional accessory available for use with towing equipment
- Special UV stabilization provides excellent aging characteristics
- Ergonomic large-grip handles for safe and easy maneuvering
- Injection-molded from specially designed HDPE plastic that resists decay, frost, heat, and chemicals, and is fully recyclable

*Request Literature PL-5200 for more information.*



MGB-660L

MGB-1100L

## Stainless Steel Food Service Bin

Store, transport, and empty consumables with Stainless Steel Food Service Bins (FSB) from BHS. These high-capacity carts are constructed from pure stainless steel, providing safe and sanitary material handling for food processing plants, restaurants, and other food-service applications. They are durable enough for daily use to provide reliable ingredient handling shift after shift.

### FEATURES & BENEFITS

- Bulk ingredient handling for food processing and restaurants
- Fully complies with FDA Food Code requirements for food-contact surfaces
- Stainless-steel construction is nonabsorbent, nonporous, and corrosion-resistant
- All food-contact surfaces are smooth and easy to sanitize
- Industrial casters with locks to secure cart at rest
- Integrated fork pockets allow easy lifting and emptying into production line hoppers
- Multiple sizes and load limits available
- Custom designs and features available on request



FSB

*Request Literature PL-5200 for more information.*

*\* Tip height is approximate as it varies by the bin being tipped.*



# Structural Barriers, Bollards, Safety Equipment

BHS Structural Barriers are highly visible safety essentials; they prevent unwanted vehicle access and protect people, walkways, buildings, and equipment against harm or damage. Whether you're using non-permanent Barrier Rails or a Customized Bollard, let BHS supply this important safety equipment.

## Protective Rail

The Protective Rail (PR) is a heavy duty guard angle system which protects battery handling equipment and racking against damage at floor level. The PR is available in 3', 4', and 5' lengths (0.91 m, 1.22 m, and 1.52 m). Anchors are not included.

### FEATURES & BENEFITS

- Powder coat finish
- Available in 3', 4', 5' lengths
- Available in 4" (102 mm) or 6" (152 mm) heights

*Reference Literature PL-3300 for more information.*




## Structural Bollard

The Structural Bollard (SB) is a vertical steel post which may be set at intervals to form a protective barrier or restrict vehicle access.

### FEATURES & BENEFITS

- Surface-mount bollard includes 8" x 8" (203 mm x 203 mm) base plate with four pre-drilled mounting holes (anchors included)
- Welded steel construction
- Removable end caps
- Powder coat finish
- 5.5" (140 mm) overall diameter

*Reference Literature PL-3300 for more information.*



## Structural Barrier Rail

The Structural Barrier Rail (SBR) can be applied to a variety of applications, including but not limited to: battery room, personnel walkway, warehouse racking, modular office, machinery, vehicular passageway, safety equipment, and bollard replacement.

### FEATURES & BENEFITS

- Available rail lengths: 4', 5', 6', 7' and 8' (1.22 m, 1.52 m, 1.83 m, 2.13 m and 2.44 m) measured from post centers
- 18" (457 mm) high single rail and 42" (1,067 mm) \*high double rail configurations
- 10,000 lb (4,536 kg) \*\* impact rating at 4 mph
- Simple, drop-in rail installation with universal posts
- Mix and match heights as required to meet your needs
- Lift-out rails allow quick access when required
- Not permanent
- Expandable to accommodate growth

*Reference Literature PL-3300 for more information.*

*\* Height of 42" (1067 mm) is specified by OSHA for personnel safety*

*\*\* Rating is based on 7,000 lb (3175 kg)/anchor pull-out strength*



Industrial Gantry Cranes and Booms from BHS safely lift and transport extremely heavy loads. They are ideal for manufacturing operations that work with metal components, including automotive and industrial equipment providers. Jib Booms are also used to transport freight vertically in warehouses and across the supply chain.

## Non-Power Drive Gantry Cranes

Change forklift batteries in vertical-extraction fleets with a Non-Power Drive Gantry Crane (PGC) from BHS. These powder-coated, all-steel gantry cranes are available with 2-ton or 3-ton capacities to match virtually any battery fleet.

### FEATURES & BENEFITS

- Modular design allows for easy system expansion
- A variety of beam spans and capacities are available for specific applications
- 8" (203 mm) swivel casters are standard to allow for easy mobility of the entire gantry crane
- High 10' (3 m) under-beam clearance is standard on all units
- Cable Festoon Kit keeps cables secure during operation of manual trolley

*Reference Literature PL-2700 for more information.*



**PGC**  
Shown with Electric Hoist & Ball Trolley and Battery Lifting Beam

## Power Drive Gantry Cranes

Power Drive Gantry Cranes from BHS are available in 2-ton and 3-ton models and can be tailored to suit overhead battery extraction forklift fleets. These powered gantry cranes provide smooth transitions thanks to variable frequency drive technology, allowing for safe and productive use in various applications.

### FEATURES & BENEFITS

- The latest variable frequency drive technology provides smooth acceleration/deceleration of the gantry
- Modular design allows for easy system expansion
- A variety of beam spans and capacities are available for specific applications
- High 10' 5" (3.2 m) under-beam clearance is standard on all units
- Cable Festoon Kit keeps cables secure during operation of motorized trolley
- Multiple wheel and track options are available

*Reference Literature PL-2700 for more information.*



**PGC-PDC**  
Shown with Electric Hoist & Motorized Trolley, Battery Lifting Beam, Hardwood Battery Stations, and Hardwood Wash Station

## Powered Jib Boom

Powered Jib Boom (PJB) cranes lift loads of up to 3,000 pounds (1361 kilograms), and are crucial to many industries, including manufacturing, warehousing, scrap recycling, and automotive repair. The fully portable nature of BHS jib cranes creates a highly adaptable solution for lifting tasks facility-wide.

### FEATURES & BENEFITS

- Heavy-duty material lifting for all applications; frequently used in manufacturing and warehousing
- Integrated fork pockets make the unit fully portable via lift truck
- Avoids expenses associated with site preparation and securing of unit
- Powered lift with vented hydraulic circuit
- Hardened chrome piston rod and honed cylinder provide added column strength and cylinder sealing
- Velocity fuses and thermal overload protections improve safety
- Braided wire hydraulic lines provide superior burst strength and a long working life
- Steel construction with a durable powder-coat finish
- Custom models available



**PJB**

## **Manual Pivoting Jib Boom**

Lift heavy equipment, freight, and other industrial materials with the Manual Pivoting Jib Boom (MJB) from BHS. Unlike most other jib cranes, this all-steel unit secures firmly to lift truck forks, creating a versatile, highly flexible solution for heavy-duty lifting. A single unit can be used in multiple locations indoors or out, providing a single-point solution for an entire operation's lifting needs.

### **FEATURES & BENEFITS**

- Ideal for automotive applications, heavy equipment manufacturing, and freight handling across the supply chain
- Lifts loads of up to 6,000 pounds
- Low-maintenance manual operation
- Prevents staff injury by eliminating dangerous lifts
- Heavy-duty steel construction
- Powder-coat finish resists damage, rust, and chemical corrosion
- Integrated fork pockets with safety chain attachments
- Telescoping boom for greater flexibility in lifting



**MJB**

## **Dock Equipment**


BHS manufactures high quality ramps for dock-to-ground and ground-to-truck applications to facilitate loading and unloading. BHS stationary and mobile ramps are steel-constructed and powder-coated for maximum durability.

### **Dock Ramp**

The Dock Ramp (DR) is a stationary dock-to-ground loading ramp. The gentle slope of the 30' (9.144 m) long ramp makes navigating forklifts easy while loading and unloading.

### **FEATURES & BENEFITS**

- Designed for standard height loading docks
- Heavy-duty, all steel construction for added reliability
- Solid steel approach plates transition to open steel grating for maximum traction and durability
- 8" (203 mm) high steel curbs
- Two anchors secure ramp at base where ramp meets ground (not included)



**DR-8430-16**

*Request Literature PL-5700 for more information.*

### **Yard Ramp**

The Yard Ramp (YR) is a portable ground-to-truck ramp that enables safe loading and unloading of freight where dock access is not present. The YR is equipped with solid rubber tires for transporting the unit using either the included fork clamp or optional tow bar.

### **FEATURES & BENEFITS**

- Heavy-duty, all steel construction for added reliability
- Solid steel approach plates transition to open steel grating for maximum traction and durability
- 8" (203 mm) high steel curbs
- 36' (10.973 m) ramp provides gradual transition from ground to truck
- Hydraulic hand pump lifts ramp for positioning on and off of the truck tailgate
- Safety chains secure ramp to truck when engaged
- 6' (1.829 m) flat level off at the trailer end of the ramp enables handling higher loads while also clearing the entry height of the trailer
- Two 16" (406 mm) diameter x 4" (102 mm) wide solid rubber tires for maneuvering unit



**YR-8436-16**

*Request Literature PL-5700 for more information.*



# Shipping & Receiving, Order Picking

Streamline order fulfillment processes by using ergonomic industrial carts and warehouse desks that are designed for the task. BHS shipping and receiving equipment aids in order picking, packing, shipping, and unloading. Sturdy packing desks and reliable steel carts can optimize the order fulfillment process for retail distribution and many other industrial and commercial applications.

## Order Picking Cart

BHS Order Picking Carts (OPC) are ideal for processing orders and moving merchandise. The OPC is equipped with fork pockets to accept transport by lift truck, while casters allow the unit to be positioned manually. Lipped shelving helps contain merchandise while the open style frame permits visibility of contents from all sides. Whether unloading packages, counting inventory, stocking shelves, gathering parts, or picking merchandise for order filling, the OPC is designed to help get the job done efficiently.

### FEATURES & BENEFITS

- Heavy-duty steel construction for added reliability
- Four shelves for product placement are standard
- Two rigid and two swivel casters
- Side and rear edges on shelves contain contents during transport
- Durable powder coat finish resists both corrosion and scratches
- 17.875" (454 mm) height between shelves on standard unit

*Request Literature PL-6200 for more information.*



Custom Order Picking Cart **OPC-NS** includes a non-skid surface, floor lock, & custom casters



**OPC-3660**



Custom Order Picking Cart **OPC-NS** features adjustable shelves and a pull-out drawer

## Stock Picking Cart

Stock Picking Carts (SPC) are ideal for all order-picking and stock putaway tasks in warehousing, retail, and industrial applications. They include an integrated step ladder for access to higher shelves, with multiple safety features, including locking casters, floor brakes, and stamp tread cutouts in the steps for greater grip.

### FEATURES & BENEFITS

- Improves order picking and stock putaway with high load limits
- Ideal for all material-handling applications, especially in warehousing and retail
- Rugged powder-coat finish protects the unit from scratches, rust, and chemicals
- Integrated step ladder allows access to higher shelves
- Two locking swivel casters and floor brakes hold unit in place when using the steps
- Steel steps feature grip cutout stamp tread to prevent slipping
- Ergonomically curved push handles with comfortable molded grips
- Two swivel and two rigid casters improve maneuverability
- Narrow profile allows access through doors and tight aisles
- Three high-capacity shelves with lips to secure items
- Durable steel construction
- Custom-built units available

*Request Literature PL-6200 for more information.*



**SPC-2848**

**SPC-2848**

## Forklift Work Platform

The BHS Forklift Work Platform (FWP) securely attaches to a forklift to lift an individual for overhead maintenance tasks, such as changing light bulbs and conducting inventory.

### FEATURES & BENEFITS

- Platform Deck features anti-skid surfacing
- 42" (1067 mm) high guard railing with a 4" (102 mm) toe kick to contain operator and tools on the platform
- 84" (2134 mm) high mast guard with expanded metal for optimal visibility
- Operator gate with latch that can be padlocked (padlock not included)
- Multiple safety harness attachment points
- Powder coated "Safety Yellow" for high visibility
- Hook & Chain mast restraint offers additional safety and can be mounted on left or right side
- Fork Tine Restraint locks the platform to the forks using an over-sized, quick-disconnect hitch pin so the platform is unable to slide off the forks, can be mounted on either left or right side

*Request Literature PL-6200 for more information.*



FWP

## Picking Work Platform

Convert existing forklifts to an OSHA-compliant elevated platform for personnel with Picking Work Platforms (PWP) from BHS. These safe and dependable Work Platforms provide access to top rows of shelving for order picking, stock putaway, inventory, changing light bulbs, and other overhead tasks associated with warehousing and material handling.

### FEATURES & BENEFITS

- Provides access to high shelving for order picking, inventory, or overhead tasks
- Attaches securely to forks, converting lift trucks into an OSHA-compliant personnel lift
- Platform Deck features anti-skid surfacing
- Powder coated "Safety Yellow" for high visibility
- Hook & Chain mast restraint offers additional safety and can be mounted on left or right side
- Toe guards prevent tools and products from falling out of the frame
- Heavy-duty steel construction with a durable powder-coat finish
- Optional casters with wheel brakes improve maneuverability
- Fork pockets designed for dependable attachment to forks
- Designed for optimal visibility
- Meets all safety standards and regulations for vehicle-mounted elevated platforms
- Custom designs available

*Request Literature PL-6200 for more information.*



PWP-4860

## Adjustable Packing Desk

Adjustable Packing Desks (APD) provide powerful ergonomic benefits for order packers and staff assigned to assembly, product sorting, and other manual tasks associated with warehousing, manufacturing, and industry. These variable-height work stations allow workers to keep work at the optimal ergonomic level to match their bodies.

### FEATURES & BENEFITS

- Adjustable-height work station for improved ergonomics
- Keeps work within order packer's ergonomic power zone
- Also suitable for sorting, manual assembly, and other industrial tasks
- Lockable casters allow simple repositioning for flexible service
- Heavy-duty steel construction supports heavy items
- Wide design allows multiple order packers per station
- Powder-coat finish resists rust, scratches, and chemicals
- Fixed lower shelf and bolt-on containment lip
- Easy to clean
- Custom models available

*Request Literature PL-6200 for more information.*



APD-2472

## Shipping/Receiving Desk

The Shipping/Receiving Desk (SRD) is a fully adjustable packing station, available in flush or left- or right-hand oriented models with a variety of modular features for optimized ergonomic use. The SRD improves access to essential order-filling supplies, such as barcode scanners, shipping labels, and computer monitor. By matching the specifications of a packing desk to the workforce, facility managers can realize powerful ergonomic benefits, with associated productivity increases.

### FEATURES & BENEFITS

- 1/4" (6 mm) thick formed steel frame and 12GA formed steel shelves provide a rigid, high capacity desk
- One fixed lower shelf (500 lb / 227 kg capacity), one fixed counter top (500 lb / 227 kg capacity) and two adjustable shelves (350 lb / 159 kg capacity)
- Shelves are vertically adjustable in 3" (76 mm) increments and dividers are horizontally adjustable in 2" (51 mm) increments
- Counter cut-outs available on left or right to accommodate operator's handing and are outlined in heavy-duty vinyl edging to eliminate sharp edges
- Drop-in scale tray is equipped with 1.5" (38 mm) diameter rubber grommet (not included on model SRD-FH)
- Durable powder coat finish with stainless steel counter top
- Detachable monitor mount and keyboard tray can be mounted on either left or right with multiple vertical adjustment points
- Arms feature two lateral pivot points and tilt function to ergonomically position a screen and keyboard (28" / 711 mm full extension)
- 48" (1219 mm) fluorescent light fixture with rapid-start ballast, T8 bulb, removable lens, and 10' (3.05 m) cord
- Custom lasered logo can be added to the exterior shelf plates
- Detachable, steel supply caddy with multiple compartments for basic office supplies mounts to either the left or right hand side of the platform top with included hardware (36" L x 3.5" W x 4.75" H / 914 mm x 89 mm x 121 mm)
- Detachable, steel scanner gun caddy fits most scanners and mounts to either left or right hand side on either the front or side of desk with included hardware (3.875" L x 3.5" W x 4.75" H / 98 mm x 89 mm x 121 mm)
- Paper Roll Bar is designed to hold a 24" (610 mm) paper roll, this right- or left-handed assembly, formed-steel bar mounts at any position on the vertical frame with included hardware (25" L x 1" W / 635 mm x 25 mm)
- Label Roll Bar is an adjustable formed-steel bar that holds rolls of labels or paper, mounts to center of upper shelves with 2" (51 mm) lateral adjustment points included hardware (28.5" L x 0.75" W / 724 mm x 19 mm)
- Power Module mounts to rear of platform top and includes 8 receptacles, 15 A 120 V AC NEMA 5-15P plug, aluminum housing, and resettable circuit breakers for overload protection (48" L x 3.5" W x 2" H / 1219 mm x 89 mm x 51 mm)

*Request Literature PL-6200 for more information.*



SRD-LH



Unique workplace practices produce unique safety needs. BHS, Inc., can provide custom PPE and safety equipment using our decades of combined experience in engineering, manufacturing, and workplace safety at our own facilities.

## PPE Storage Cart

The PPE Storage Cart (HVC-PPE-HD) provides secure, mobile access to the personal protective equipment that keeps employees safe during disease outbreaks. Adjustable shelves organize safety supplies including cloth face coverings, disposable gloves, plastic face shields, hand sanitizer, surface disinfectants, and more. All models are equipped with casters for moving lighter loads across short distances and fork pockets for heavier loads and longer distances.

PPE Storage Carts from BHS are designed for industrial environments, with steel construction and a chemical-resistant powder coating. Heavy duty casters and ergonomic push handles simplify positioning, while standard fork pockets provide transport via forklift. Supplies are protected by expanded steel doors that open out 180 degrees for convenient access to every shelf; these door slabs are also removable. Steel padlock hasps with integrated strike protectors prevent unauthorized access.

### FEATURES & BENEFITS

- Secure storage for bulk PPE supplies
- Expanded steel exterior prevents unauthorized access
- Removable door slabs open 180 degrees for full shelf use
- Heavy duty construction protects contents
- Two swivel and two rigid casters for maneuverability
- Ergonomic push bars for more comfortable repositioning
- Integrated fork pockets allow handling with lift trucks
- Three or more rigid 12GA steel shelves are adjustable in 3" (76 mm) increments
- Padlockable with strike protector to secure supplies (padlock not included)
- 5,000 lbs capacity
- Custom configurations available on request



HVC-PPE-HD-NS

HVC-PPE-HD

HVC-PPE-HD-NS features solid steel doors for added protection

## PROVIDE EMPLOYEES QUICK ACCESS TO PERSONAL PROTECTIVE EQUIPMENT

The HVC-PPE ensures that employees always have quick access to personal protective equipment. Custom dimensions and configurations to suit any needs are available on request.



## Contactless Delivery Locker

The Contactless Delivery Locker protects shipments while omitting face-to-face retrieval. Lockers are labeled by day, simplifying 72-hour quarantine for incoming packages. Control access with single-use passcodes or IIoT smart locks, which authorized users can open with cell phones, RFID chips, or other digital devices.

### FEATURES & BENEFITS

- 3 or 4 forward-facing lockers with varying dimensions
- 2 side-facing compartments store long, narrow orders
- Units available with 4 equal front-facing lockers
- Stands on 6 steel risers to protect contents
- Integrated electronic locks offer one-time passcode capabilities
- 4-digit codes add a higher level of security
- Sloped roof and a waterproof powder coating protects items from weather
- All-steel construction resists attempts at entry
- Ideal for overnight deliveries and off-site, multi-user storage for valuable items
- Footpads with anchor holes secure unit

*Request Literature PL-10000 for more information.*



CDL

## Personal Protective Kit

The Personal Protective Kit gives extra protection to staff when watering or changing batteries and while cleaning and neutralizing battery acid spills. Protect your staff and comply with OSHA regulations by using this all-in-one safety kit.

### KIT CONTENTS

- (1) Acid Protection Apron
- (1) Chemical Splash Face Shield
- (1) Pair of Chemical Splash Goggles
- (1) Pair of HAZ-MAT Boots
- (1) Pair of 12" (305 mm) Neoprene Gloves
- (1) Protective Kit Bag

*Request Literature PL-3100 for more information.*



PK-1200

## Keychain Touch Tool

This handheld door opener/button pusher prevents contact with shared surfaces, reducing the risk of pathogen spread. Copper construction provides natural antimicrobial action, eliminating yeasts, bacteria, and viruses in as little as a minute, depending on the species.

A 1.25-inch blunted hook grasps standard industrial door handles for contactless operation. A rounded tip allows users to press elevator buttons and keypads without spreading germs. The Keychain Touch Tool is sized for pocket carry and predrilled for keyrings, providing an everyday tool to keep workplaces safe during viral or bacterial outbreaks.

### FEATURES & BENEFITS

- Prevents contact with shared surfaces
- At just .06 lb, KTT-1 is lightweight for comfortable carrying
- Predrilled for standard keyrings
- Naturally antimicrobial copper materials provide self-cleaning action
- Smooth finger ring for easy grasping and operation
- 3" long, with a 1.25" hook and a width of 0.125"
- Solid copper construction for high pull-weight tolerance
- Improves employee safety by limiting pathogen spread via surfaces



KTT-1



KTT-1 in use

*Note: Using the Keychain Touch Tool is a supplement to and not a substitute for standard infectious disease control practices. Users should still follow all current infectious disease control guidelines.*



## Social Distancing Sticker Kits

Encourage social distancing to slow the spread of respiratory illness in the workplace. Social Distancing Stickers are adhesive-backed vinyl posters, ready for application to walls, floors, and other flat surfaces. The Wall Posters Kit (SDSK-4) includes four signs: Thank You for Practicing Social Distancing (8.5" x 11"), Reduce Disease Transmission (8.5" x 11"), Visitor Alert — Help Keep the Virus Out of Our Facility (8.5" x 11"), and For Safety, Please Leave Deliveries Here (8.5" x 11"). The Floor Sticker Kit (SDSK-1) includes one sign: Thank You for Practicing Social Distancing — Floor Poster (14" x 18"). And the All Stickers Bundle Kit (SDSK-5) includes all signs listed above.

### FEATURES & BENEFITS

- Based on CDC and OSHA guidance for safe workplaces during epidemics
- Clear, concise language improves compliance with safety guidelines
- Help slow the spread of respiratory illness in the workplace
- Identifies no-contact delivery zones
- Durable vinyl construction with powerful adhesive
- Easy to clean after placement
- Two-piece protective backing for easy application



SDSK-5



"Help Keep the Virus Out of Our Facility" & "Thank You for Practicing Social Distancing" posters in use.



SDSK-1 in use


BHS Offers Full Service Installs On

# DURABLE EPOXY FLOORING

- ✓ Compressive Strength Up to 10,000 PSI
- ✓ Exceptionally Level
- ✓ Finished Flooring Includes Warranty
- ✓ Chemical, Abrasion, and Impact Resistant



1/4" Thickness






# **BHS OPTIMA**

## **New Exclusive Mobile App**


**OPTIMIZE YOUR WORKFLOW. DOWNLOAD BHS OPTIMA TODAY.**

Your one stop for all things BHS – register your products for warranty, perform planned maintenance, complete site surveys, and more.



### **BEST FEATURES**

- ✓ Sales Tools
- ✓ Service Information/Manuals
- ✓ Warranty Registration
- ✓ Videos
- ✓ Catalogs
- ✓ Photo Galleries
- ✓ Push Notifications
- ✓ Click to Call
- ✓ Live Chat



**Download The App For Free on iOS & Android**



## ***North America***

**BHS1.com**

### **Sales**

**Toll Free: 1.800.BHS.9500**  
**Phone: 1.314.423.7091**  
**Fax: 1.314.423.6444**  
**Email: sales@bhs1.com**

### **Service**

**Toll Free: 1.877.BHS.4968**  
**Phone: 1.314.890.0953**  
**Fax: 1.314.423.5948**  
**Email: service@bhs1.com**  
**24/7 Hotline: 1.314.890.0953**

### **Address**

**P.O. Box 28990**  
**St. Louis, MO 63132 USA**

## ***International (outside of North America)***

**BHS1GLOBAL.com**

### **Sales**

**Phone: +1 314 423 2075**  
**Fax: +1 314 423 3034**  
**Email: sales@bhs1global.com**

### **Service**

**Phone: +1 314 890 0953**  
**Fax: +1 314 423 5948**  
**Email: service@bhs1global.com**  
**24/7 Hotline: +1 314 890 0953**

### **Address**

**P.O. Box 12429**  
**St. Louis, MO 63132 USA**



**NORTH AMERICA:** P.O. Box 28990, St. Louis, MO 63132 USA • 1.800.BHS.9500 • Fax: 314.423.6444 • sales@bhs1.com • BHS1.com  
**INTERNATIONAL:** P.O. Box 12429, St. Louis, MO 63132 USA • +1 314 423 2075 • Fax: +1 314 423 3034 • sales@bhs1global.com  
Specifications are subject to change without notice. ©2019-2021 BHS, Inc. St. Louis, MO. Data Sheet: PL-4000 2/21



CE compliant  
products available