


FABRIC & LEATHER

OVERVIEW



HAY

FABRIC GROUP 1



ATLAS

Kvadrat
Design by Margrethe Odgaard

COMPOSITION
90% New wool
(worsted),
10% Nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
6-7

PILLING
4-5


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0131



*Find more tests and information at kvadrat.dk



REMIX 3

Kvadrat
Design by Giulio Ridolfo

COMPOSITION
90% new wool
(worsted),
10% nylon

DURABILITY
100.000 Martindale

LIGHTFASTNESS
5-7

PILLING
4

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment


SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0133



*Find more tests and information at kvadrat.dk

FABRIC GROUP 1



SURFACE BY HAY

Kvadrat
Design by Louise Sigvardt & HAY

COMPOSITION
90% New wool
(worsted),
10% Nylon

DURABILITY
100.000 Martindale



LIGHTFASTNESS
5-6

PILLING
3-4

FIRE TESTS
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
EU Ecolabel
Greenguard Gold

670



MODE*

Maharam

COMPOSITION
80% Post-Consumer
recycled polyester,
20% Polyester

DURABILITY
100.000 Double rubs
(Wyzenbeek)


LIGHTFASTNESS
40+ HOURS

PILLING
CLASS 4

FIRE TESTS
EN 1021-1/2 with
FR treatment
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
Greenguard
Greenguard Gold
Contains Recycled
Content
FR Free

008 Sycamore



*Only available in selected colours



LINT*

HAY
Cotton Linen Collection 2020

COMPOSITION
40% Acrylic, 28%
Cotton, 19% Viscose,
8% Linen, 5%
Polyester

DURABILITY
18.000 Martindale

LIGHTFASTNESS
5


PILLING
2-3

Grey



*Not available in UK

FABRIC GROUP 1



RANDOM FADE

HAY
Cotton Linen Collection 2020

COMPOSITION
30% Acrylic, 25% Wool, 21% Polyester, 14% Cotton, 10% Polyamide

DURABILITY
35.000 Martindale

LIGHTFASTNESS
5

PILLING
3-4

FIRE TESTS
EN 1021-1/2 with FR treatment

SUSTAINABILITY
OEKO-TEX®
STANDARD 100

Army



Army



Beige



Light grey



Lilac



Yellow



SWARM

HAY
Cotton Linen Collection 2020

COMPOSITION
31% Acrylic, 17% Cotton, 8% Linen, 36% Polyester, 8% Viscose


DURABILITY
28.000 Martindale

LIGHTFASTNESS
5

PILLING
3-4

FIRE TESTS
EN 1021-1/2 with FR treatment

Multi colour



LINARA*

Romo

COMPOSITION
63% Cotton, 37% Linen

DURABILITY
36.000 Martindale

LIGHTFASTNESS
5-6

PILLING
4

FIRE TESTS
EN 1021-1/2 with FR treatment
US Cal. Bull. 117-2013
BS 5852 Crib 5 with treatment

443



103



142



196



198



216



311




415



443

*Only available in selected colours

FABRIC GROUP 2



MELANGE NAP

Kvadrat
Design by Akira Minagawa

COMPOSITION
97% new wool
(worsted),
3% nylon

DURABILITY
60.000 Martindale


LIGHTFASTNESS
6

PILLING
3

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0171



*Find more tests and information at kvadrat.dk



STEELCUT 2

Kvadrat
Design by Frans Dijkmeijer

COMPOSITION
90% new wool
(worsted),
10% nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-7

PILLING
3-4

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment


SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0140



*Find more tests and information at kvadrat.dk

FABRIC GROUP 2



STEELCUT TRIO 3

Kvadrat
Design by Frans Dijkmeijer

COMPOSITION
90% new wool
(worsted),
10% nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-7

PILLING
4


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0133



*Find more tests and information at kvadrat.dk



FAIRWAY

HAY
Wool Cotton Collection 2019

COMPOSITION
34% Acrylic, 26%
Polyester, 22% Wool,
12% Cotton,
2% Viscose, 2% Linen

DURABILITY
60.000 Martindale


LIGHTFASTNESS
5

PILLING
4

FIRE TESTS
EN 1021-1/2
US Cal. Bull. 117-2013
with FR treatment

SUSTAINABILITY
OEKO-TEX®
STANDARD 100

Grey 307-201



FLAMIBER*

HAY
Wool Cotton Collection 2019

COMPOSITION
33% Acrylic, 30%
Wool, 29% Cotton, 7%
Polyester, 1% Viscose

DURABILITY
120.000 Martindale

LIGHTFASTNESS
5-6

PILLING
4-5


FIRE TESTS
US Cal. Bull. 117-2013

Charcoal C8



*Not available in UK

FABRIC GROUP 2




LINEN GRID*

HAY
Cotton Linen Collection 2020

COMPOSITION 100% Linen	DURABILITY 25.000 Martindale	LIGHTFASTNESS 3-5	PILLING 3	FIRE TESTS US Cal. Bul. 117-2013
---------------------------	---------------------------------	----------------------	--------------	-------------------------------------

Adriatic blue



Adriatic blue Blue Dark beige

*Not available in UK



LOLA*

HAY Collection

COMPOSITION 82% Cotton, 9% Modal, 9% Polyester	DURABILITY 100.000 Martindale	LIGHTFASTNESS 5-6	PILLING 3-4	FIRE TESTS EN 1021-1
--	----------------------------------	----------------------	----------------	-------------------------

Rose



Beige Blue Dark green Moss Navy Rose Warm grey Yellow

*Not available in UK




OLAVI BY HAY

Romo & HAY


COMPOSITION 54% Polyester, 26% Acrylic, 20% Cotton	DURABILITY 70.000 Martindale	LIGHTFASTNESS 5-6	PILLING 3-4	FIRE TESTS 1021-1/2 with FR treatment US Cal. Bul. 117-2013
--	---------------------------------	----------------------	----------------	--

02



01 02 03 05 07 08 12 14 15 16

FABRIC GROUP 3



COMPOUND

Maharam

COMPOSITION
100% Polyurethane

DURABILITY
100.000 Martindale


LIGHTFASTNESS
7

PILLING
5


FIRE TESTS
EN 1021-1/2 with FR treatment
US Cal. Bull. 117-2013
BS 5852 Crib 5 with treatment

SUSTAINABILITY
Greenguard
Greenguard Gold
Pfas-free

0001



*Find more tests and information at maharam.com



DIVINA 3

Kvadrat

Design by Finn Sködt

COMPOSITION
100% new wool

DURABILITY
45.000 Martindale

LIGHTFASTNESS
5-7

PILLING
3

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0173



*Find more tests and information at kvadrat.dk

FABRIC GROUP 3



DIVINA MELANGE 3

Kvadrat

Design by Finn Sködt

COMPOSITION
100% new wool

DURABILITY
45.000 Martindale


LIGHTFASTNESS
5-7

PILLING
3

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0120



*Find more tests and information at kvadrat.dk



DIVINA MD

Kvadrat

Design by Finn Sködt

COMPOSITION
100% new wool

DURABILITY
45.000 Martindale

LIGHTFASTNESS
5-6

PILLING
3

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5


SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0713



*Find more tests and information at kvadrat.dk

FABRIC GROUP 3



FIORD 2

Kvadrat
Design by Louise Sigvardt

COMPOSITION
92% New wool
(worsted), 8% Nylon

DURABILITY
60.000 Martindale


LIGHTFASTNESS
5-7

PILLING
4-5


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

101



*Find more tests and information at kvadrat.dk



RE-WOOL

Kvadrat
Design by Margrethe Odgaard

COMPOSITION
45% Recycled wool,
45% New wool
(worsted), 10% Nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-7

PILLING
4

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment


SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD

0828



*Find more tests and information at kvadrat.dk

FABRIC GROUP 3



DOT 1682

HAY

Wool Cotton Collection 2019

COMPOSITION

55% Wool,
45% Cotton

DURABILITY

50.000 Martindale

LIGHTFASTNESS

4-5

PILLING

4-5


FIRE TESTS

EN 1021-1/2
US Cal. Bull. 117-2013

SUSTAINABILITY

OEKO-TEX®
STANDARD 100

02 Bianco/Nero



02 Bianco/Nero 03 Antracite



RODEN*

Romo

COMPOSITION

55% Viscose, 24%
Linen, 10% Cotton,
8% Polyester, 3%
Polyamide

DURABILITY

50.000 Martindale

LIGHTFASTNESS

5-6


PILLING

2-3

FIRE TESTS

EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

04



04 05 06 08

*Only available in selected colours



RUSKIN*

Romo

COMPOSITION

70% Viscose, 15%
Linen, 10% Wool, 5%
Polyamide

DURABILITY

60.000 Martindale

LIGHTFASTNESS

5


PILLING

3

FIRE TESTS

EN 1021-1/2
BS 5852 Crib 5 with
treatment

11



05 11 12 33

*Only available in selected colours

FABRIC GROUP 4



LGG60

BOLGHERI

HAY

Wool Cotton Collection 2019

COMPOSITION

35% Viscose, 26%
Wool, 17% Polyamide,
15% Silk, 7% Linen

DURABILITY

30.000 Martindale

LIGHTFASTNESS

5

PILLING

3-4

FIRE TESTS

EN 1021-1/2
US Cal. Bull. 117-2013

SUSTAINABILITY

OEKO-TEX®
STANDARD 100



0124

CANVAS 2

Kvadrat

Design by Giulio Ridolfo

COMPOSITION

90% New wool
(worsted), 10% Nylon

DURABILITY

100.000 Martindale

LIGHTFASTNESS

5-7

PILLING


4-5

FIRE TESTS*

EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY

EU Ecolabel
Greenguard Gold
HPD
EPD



*Find more tests and information at kvadrat.dk

FABRIC GROUP 4



HALLINGDAL 65

Kvadrat
Design by Nanna Ditzel

COMPOSITION
70% New wool,
30% Viscose

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-7

PILLING
3-4


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0100



*Find more tests and information at kvadrat.dk



LILA

Kvadrat
Design by by Doshi Levien

COMPOSITION
92% New wool
(worsted), 8% Nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
6-7

PILLING
4-5

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment


SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0131



*Find more tests and information at kvadrat.dk

FABRIC GROUP 4



RAAS

Kvadrat

Design by by Doshi Levien

COMPOSITION

92% New wool
(worsted), 8% Nylon

DURABILITY

100.000 Martindale

LIGHTFASTNESS

6-7

PILLING

4-5


FIRE TESTS*

EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment


SUSTAINABILITY

EU Ecolabel
Greenguard Gold
HPD
EPD

0122



*Find more tests and information at kvadrat.dk



ICE FR*

Romo

COMPOSITION

82% Cotton,
18% Polyester

DURABILITY

100.000 Martindale

LIGHTFASTNESS

5

FIRE TESTS

EN 1021-1/2

15 Meteor



08 Rope

15 Meteor

24 Marine

38 Evergreen

41 Corn

*Only available in UK

*Only available in selected colours

FABRIC GROUP 5



BALDER 3

Kvadrat/Raf Simons
Design by Fanny Aronssen

COMPOSITION
68% New wool, 26%
Cotton, 6% Nylon

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-7

PILLING
4


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
Greenguard Gold
HPD
EPD

0132



*Find more tests and information at kvadrat.dk



HARALD 3*

Kvadrat/Raf Simons
Design by Fanny Aronssen

COMPOSITION
100% Cotton

DURABILITY
100.000 Martindale


LIGHTFASTNESS
5-6

PILLING
4-5

FIRE TESTS
EN 1021-1

SUSTAINABILITY
Greenguard Gold
HPD
EPD

0133



*Not available in UK

FABRIC GROUP 5



SIERRA LEATHER

Camo

COMPOSITION
Corrected leather

COLOUR
FASTNESS TO
RUBBING DRY
5

COLOUR
FASTNESS TO
RUBBING WET
4


LIGHTFASTNESS
7

FIRE TESTS
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SIK1003 Cognac



FABRIC GROUP 6



CODA 2

Kvadrat
Design by Norway Says & Per Bjørnsen

COMPOSITION
90% New wool,
10% Nylon

DURABILITY
100.000 Martindale

LIGHTFASTNESS
5-7

PILLING
4


FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
Greenguard Gold
HPD
EPD

0100



*Find more tests and information at kvadrat.dk



VIDAR 4

Kvadrat/Raf Simons
Design by Fanny Aronsen

COMPOSITION
94% New wool,
6% Nylon

DURABILITY
100.000 Martindale

LIGHTFASTNESS
7

PILLING
4

FIRE TESTS*
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

SUSTAINABILITY
EU Ecolabel
Greenguard Gold
HPD
EPD

0123



*Find more tests and information at kvadrat.dk

FABRIC GROUP 6



CALIFORNIA LEATHER

Camo

COMPOSITION
Semi aniline leather

COLOUR
FASTNESS TO
RUBBING DRY
4

COLOUR
FASTNESS TO
RUBBING WET
3

LIGHTFASTNESS
4

FIRE TESTS
EN 1021-1/2
US Cal. Bull. 117-2013
BS 5852 Crib 5 with
treatment

CA5003 Cognac



CA5001
Black



CA5003
Cognac



CA5004
Dark brown



CA5009
Red



CA5011
Sand



CA5012
Cream



CA5019
Ferrari Red



NEVADA LEATHER*

Camo

COMPOSITION
Aniline leather

COLOUR
FASTNESS TO
RUBBING DRY
3

COLOUR
FASTNESS TO
RUBBING WET
3

LIGHTFASTNESS
4

FIRE TESTS
EN 1021-1/2
BS 5852 Crib 5

SUSTAINABILITY
Free of chrome

NV2488S Cognac



NV0500S
Black



NV2488S
Cognac

*Only available in selected colours



SENSE LEATHER

HAY

COMPOSITION
Aniline leather

COLOUR
FASTNESS TO
RUBBING DRY
3

COLOUR
FASTNESS TO
RUBBING WET
3

LIGHTFASTNESS
3

FIRE TESTS
EN 1021-1/2
US Cal. Bull. 117-2013

Cognac



Black



Cognac



Nougat



Dark brown