



BARCLAY

Kitchen & Bath
New Designs 2024





Picture Gallery



Serenity



Uri



Maia



Mortana

Table of Contents

Barclay's continuing quest is to deliver new and exciting bath and kitchen fashion for our customers. We invite you to envision all the intriguing possibilities our new selection for 2024 provides for your bath and kitchen decor.

Tubs

Pg 3



Bathroom
Sinks

Pg 15



Tub
Drains

Pg 13



Lavatory Faucets
& Drains

Pg 20, 21



Shower
Seats

Pg 14



Kitchen
Sinks

Pg 21



Acrylic Tubs



L 51³/₈"
W 31¹/₄"
H 27¹/₂"

Color	Product Number	Drain/Overflow Cover Finish
WH	ATDNB51ID-BN	Brushed nickel
WH	ATDNB51ID-CP	Polished chrome
WH	ATDNB51ID-ORB	Oil rubbed bronze
WH	ATDNB51ID-PB	Polished brass
WH	ATDNB51ID-PN	Polished nickel
WH	ATDNB51ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order **#TUB INSULATION**.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.



L 55¹/₄"
W 31¹/₄"
H 27⁵/₈"

Color	Product Number	Drain/Overflow Cover Finish
WH	ATDNB55ID-BN	Brushed nickel
WH	ATDNB55ID-CP	Polished chrome
WH	ATDNB55ID-ORB	Oil rubbed bronze
WH	ATDNB55ID-PB	Polished brass
WH	ATDNB55ID-PN	Polished nickel
WH	ATDNB55ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order **#TUB INSULATION**.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Camille 51" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- End drain
- No faucet holes
- Includes OF cover and matching drain

Gallon capacity: 57 • Shipping weight: 145 lbs.
Empty weight: 88 lbs. • Filled weight: 561 lbs.

The following is recommended for ATDNB51ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7976, 7964 or 7956** (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Chrishell 55" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- End drain
- No faucet holes
- Includes OF cover and matching drain

Gallon capacity: 59 • Shipping weight: 145 lbs.
Empty weight: 93 lbs. • Filled weight: 671 lbs.

The following is recommended for ATDNB55ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7976, 7964 or 7956** (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color Code **WH** White

Acrylic Tubs



L 66¾"
W 31½"
H 22¼" center, 27½" top

Color	Product Number	Drain/Overflow Cover Finish
WH	ATDSN67ID-BN	Brushed nickel
WH	ATDSN67ID-CP	Polished chrome
WH	ATDSN67ID-ORB	Oil rubbed bronze
WH	ATDSN67ID-PB	Polished brass
WH	ATDSN67ID-PN	Polished nickel
WH	ATDSN67ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order **#TUB INSULATION**.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.



L 69¼"
W 31⅝"
H 23" center 26" top

Color	Product Number	Drain/Overflow Cover Finish
WH	ATDSN69ID-WHBN	Brushed nickel
WH	ATDSN69ID-WHCP	Polished chrome
WH	ATDSN69ID-WHMB	Matte black
WH	ATDSN69ID-WHMT	Matte white
WH	ATDSN69ID-WHORB	Oil rubbed bronze
WH	ATDSN69ID-WHPB	Polished brass
WH	ATDSN69ID-WHPN	Polished nickel
WH	ATDSN69ID-WHWT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order **#TUB INSULATION**.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Mavis 67" Acrylic Freestanding Double Slipper Tub with Integral Drain

- Double-walled acrylic
- No faucet holes
- Overflow slot
- Includes OF cover and matching drain
- Center drain

Gallon capacity: 66 • Shipping weight: 147 lbs.
Empty weight: 104 lbs. • Filled weight: 652 lbs.

The following is recommended for ATDSN67ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7918, 7934 or 4607-MC** (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Mortana 69" Double Slipper Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- No faucet holes
- Overflow slot
- Includes OF cover and matching drain
- Center drain

Gallon capacity: 64 • Shipping weight: 142 lbs.
Empty weight: 98 lbs. • Filled weight: 629 lbs.

The following is recommended for ATDSN69ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7960, 7962, 7948 or 4611-MC** (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color Code **WH** White

Acrylic Tubs



L 66³/₄"
 W 31⁵/₈"
 H 23³/₄"

Color	Product Number	Drain/Overflow Cover Finish
WH	ATOVN67IDO-BN	Brushed nickel
WH	ATOVN67IDO-CP	Polished chrome
WH	ATOVN67IDO-ORB	Oil rubbed bronze
WH	ATOVN67IDO-PB	Polished brass
WH	ATOVN67IDO-PN	Polished nickel
WH	ATOVN67IDO-WT	White
WH	ATOV7H67IDO-BN	Brushed nickel
WH	ATOV7H67IDO-CP	Polished chrome
WH	ATOV7H67IDO-ORB	Oil rubbed bronze
WH	ATOV7H67IDO-PB	Polished brass
WH	ATOV7H67IDO-PN	Polished nickel
WH	ATOV7H67IDO-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
 To have your tub insulated for heat retention order **#TUB INSULATION**.
 Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Oakleigh 67" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes OF cover and matching drain

Gallon capacity: 66 • Shipping weight: 155 lbs.
 Empty weight: 124 lbs. • Filled weight: 672 lbs.

All ATOVN67IDO tubs have no faucet holes with tap deck
 All ATOV7H67IDO tubs have 7" centers in tub deck

The following is recommended for ATOVN67IDO tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7902, 7974 or 7972** (Supplies included with filler)

The following is recommended for ATOV7H67IDO tubs with 7" deck holes and integral drain:

- Faucet: part **#4603-MC or 7601-MC**
- Requires flexible supplies



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Acrylic Tubs



L 59 $\frac{1}{8}$ "
 W 31 $\frac{1}{4}$ " wider side
 H 23 $\frac{5}{8}$ "

Color	Product Number	Drain Cover Finish
WH	ATOVN59ID-BN	Brushed nickel
WH	ATOVN59ID-CP	Polished chrome
WH	ATOVN59ID-ORB	Oil rubbed bronze
WH	ATOVN59ID-PB	Polished brass
WH	ATOVN59ID-PN	Polished nickel
WH	ATOVN59ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
 To have your tub insulated for heat retention order **#TUB INSULATION**.
 Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Olivia 59" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- End drain
- No faucet holes
- Includes drain trim

Gallon capacity: 69 • Shipping weight: 135 lbs.
 Empty weight: 93 lbs. • Filled weight: 708 lbs.

The following is recommended for ATOVN59ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7902, 7952 or 7962** (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Acrylic Tubs

L 61¼"
W 31¾"
H 22¾"



Porter 61" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes drain cover

Gallon capacity: 65 • Shipping weight: 130 lbs.
Empty weight: 84 lbs. • Filled weight: 624 lbs.

The following is recommended for ATOVN61ID tubs with no faucet holes and integral drain:

- Freestanding filler: part #7960, 7962 or 7948 (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color	Product Number	Tub Color	Drain Cover Finish
WH	ATOVN61ID-WHBN	White	Brushed nickel
WH	ATOVN61ID-WHCP	White	Polished chrome
WH	ATOVN61ID-WHMB	White	Matte black
WH	ATOVN61ID-WHMT	White	Matte white
WH	ATOVN61ID-WHORB	White	Oil rubbed bronze
WH	ATOVN61ID-WHPB	White	Polished brass
WH	ATOVN61ID-WHPN	White	Polished nickel
WH	ATOVN61ID-WHWT	White	White
MT	ATOVN61ID-MTBN	Matte white	Brushed nickel
MT	ATOVN61ID-MTCP	Matte white	Polished chrome
MT	ATOVN61ID-MTMB	Matte white	Matte black
MT	ATOVN61ID-MTMT	Matte white	Matte white
MT	ATOVN61ID-MTORB	Matte white	Oil rubbed bronze
MT	ATOVN61ID-MTPB	Matte white	Polished brass
MT	ATOVN61ID-MTPN	Matte white	Polished nickel
MT	ATOVN61ID-MTWT	Matte white	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order #TUB INSULATION.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Color Code **WH** White **MT** Matte White

Acrylic Tubs

L 67"
W 31½"
H 23½"



Rollins 67" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- 7" Drillings
- Includes drain cover
- Deck width is 3½"

Gallon capacity: 66 • Shipping weight: 135 lbs.
Empty weight: 97 lbs. • Filled weight: 645 lbs.

The following is recommended for ATOV7H67ID tubs with 7" deck holes and integral drain:

- Faucet: part #4603-MC, 4201-MC or 7901-MC
- Requires flexible supplies



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color	Product Number	Tub Color	Drain Cover Finish
WH	ATOV7H67ID-WHBN	White	Brushed nickel
WH	ATOV7H67ID-WHCP	White	Polished chrome
WH	ATOV7H67ID-WHMB	White	Matte black
WH	ATOV7H67ID-WHMT	White	Matte white
WH	ATOV7H67ID-WHOR	White	Oil rubbed bronze
WH	ATOV7H67ID-WHPB	White	Polished brass
WH	ATOV7H67ID-WHPN	White	Polished nickel
WH	ATOV7H67ID-WHWT	White	White
MT	ATOV7H67ID-MTBN	Matte white	Brushed nickel
MT	ATOV7H67ID-MTCP	Matte white	Polished chrome
MT	ATOV7H67ID-MTMB	Matte white	Matte black
MT	ATOV7H67ID-MTMT	Matte white	Matte white
MT	ATOV7H67ID-MTOR	Matte white	Oil rubbed bronze
MT	ATOV7H67ID-MTPB	Matte white	Polished brass
MT	ATOV7H67ID-MTPN	Matte white	Polished nickel
MT	ATOV7H67ID-MTWT	Matte white	White

Schedule B

Tub has overflow slot with drain tube between tub walls.

To have your tub insulated for heat retention order **#TUB INSULATION**.

Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Color Code **WH** White **MT** Matte White

Acrylic Tubs



L 67"
W 31½"
H 23½"

Rollins 67" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes drain cover
- Deck width is 3½"

Gallon capacity: 66 • Shipping weight: 135 lbs.
Empty weight: 97 lbs. • Filled weight: 645 lbs.

The following is recommended for ATOVN67ID tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7902, 7974 or 7972**
(Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color	Product Number	Tub Color	Drain Cover Finish
WH	ATOVN67ID-WHBN	White	Brushed nickel
WH	ATOVN67ID-WHCP	White	Polished chrome
WH	ATOVN67ID-WHMB	White	Matte black
WH	ATOVN67ID-WHMT	White	Matte white
WH	ATOVN67ID-WHORB	White	Oil rubbed bronze
WH	ATOVN67ID-WHPB	White	Polished brass
WH	ATOVN67ID-WHPN	White	Polished nickel
WH	ATOVN67ID-WHWT	White	White
MT	ATOVN67ID-MTBN	Matte white	Brushed nickel
MT	ATOVN67ID-MTCP	Matte white	Polished chrome
MT	ATOVN67ID-MTMB	Matte white	Matte black
MT	ATOVN67ID-MTMT	Matte white	Matte white
MT	ATOVN67ID-MTORB	Matte white	Oil rubbed bronze
MT	ATOVN67ID-MTPB	Matte white	Polished brass
MT	ATOVN67ID-MTPN	Matte white	Polished nickel
MT	ATOVN67ID-MTWT	Matte white	White

Schedule B

Tub has overflow slot with drain tube between tub walls.

To have your tub insulated for heat retention order **#TUB INSULATION**.

Tubs with insulation added are "special order" and are not returnable.

ATOVN67ID tubs can have 8" deck holes drilled **#8 WIDESPREAD** upon request. The widespread is compatible with the Shelby Roman Faucet **#7801-ML**. Tubs that have been drilled with 8" deck holes are "special order" and are not returnable.



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Color Code **WH** White **MT** Matte White

Acrylic Tubs



L 59"
W 31³/₈"
H 23¹/₂" center, 25¹/₂" top

Color	Product Number	Drain/Overflow Cover Finish
WH	ATFRECN59ID-BN	Brushed nickel
WH	ATFRECN59ID-CP	Polished chrome
WH	ATFRECN59ID-ORB	Oil rubbed bronze
WH	ATFRECN59ID-PB	Polished brass
WH	ATFRECN59ID-PN	Polished nickel
WH	ATFRECN59ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.

To have your tub insulated for heat retention order **#TUB INSULATION**.

Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Serenity 59" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes OF cover and matching drain

Gallon capacity: 66 • Shipping weight: 150 lbs.

Empty weight: 99 lbs. • Filled weight: 647 lbs.

The following is recommended for **ATFRECN59ID** tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7960, 7962, 7948 or 4611-MC**
(Supplies included with filler)



The **5598-ITD Easy Install Rough In Kit** is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color Code **WH** White

Acrylic Tubs



L 66³/₄"
W 31⁵/₈"
H 23³/₈"

Tambora 67" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- 7" Drillings
- Includes drain cover
- Deck width is 3¹/₂"

Gallon capacity: 88 • Shipping weight: 135 lbs.
Empty weight: 99 lbs. • Filled weight: 830 lbs.

The following is recommended for ATREC7H67ID tubs with 7" deck holes and integral drain:

- Faucet: part #4603-MC or 7601-MC
- Requires flexible supplies



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color	Product Number	Tub Color	Drain Cover Finish
WH	ATREC7H67ID-WBN	White	Brushed nickel
WH	ATREC7H67ID-WCP	White	Polished chrome
WH	ATREC7H67ID-WMB	White	Matte black
WH	ATREC7H67ID-WMT	White	Matte white
WH	ATREC7H67ID-WOR	White	Oil rubbed bronze
WH	ATREC7H67ID-WPB	White	Polished brass
WH	ATREC7H67ID-WPN	White	Polished nickel
WH	ATREC7H67ID-WWT	White	White
MT	ATREC7H67ID-MBN	Matte white	Brushed nickel
MT	ATREC7H67ID-MCP	Matte white	Polished chrome
MT	ATREC7H67ID-MMB	Matte white	Matte black
MT	ATREC7H67ID-MMT	Matte white	Matte white
MT	ATREC7H67ID-MOR	Matte white	Oil rubbed bronze
MT	ATREC7H67ID-MPB	Matte white	Polished brass
MT	ATREC7H67ID-MPN	Matte white	Polished nickel
MT	ATREC7H67ID-MWT	Matte white	White

Schedule B

Tub has overflow slot with drain tube between tub walls.

To have your tub insulated for heat retention order **#TUB INSULATION**.

Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Color Code **WH** White **MT** Matte White

Acrylic Tubs

L 66 $\frac{3}{4}$ "
 W 31 $\frac{5}{8}$ "
 H 23 $\frac{3}{8}$ "



Tambora 67" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes drain cover
- Deck width is 3 $\frac{1}{2}$ "

Gallon capacity: 88 • Shipping weight: 135 lbs.
 Empty weight: 99 lbs. • Filled weight: 830 lbs.

The following is recommended for ATRECN67ID tubs with no faucet holes and integral drain:

- Freestanding filler: part #7960, 7974 or 7972 (Supplies included with filler)



The 5598-ITD Easy Install Rough In Kit is recommended to simplify installation of freestanding acrylic tubs without feet or base

Color	Product Number	Tub Color	Drain Cover Finish
WH	ATRECN67ID-WHBN	White	Brushed nickel
WH	ATRECN67ID-WHCP	White	Polished chrome
WH	ATRECN67ID-WHMB	White	Matte black
WH	ATRECN67ID-WHMT	White	Matte white
WH	ATRECN67ID-WHOR	White	Oil rubbed bronze
WH	ATRECN67ID-WHPB	White	Polished brass
WH	ATRECN67ID-WHPN	White	Polished nickel
WH	ATRECN67ID-WHWT	White	White
MT	ATRECN67ID-MTBN	Matte white	Brushed nickel
MT	ATRECN67ID-MTCP	Matte white	Polished chrome
MT	ATRECN67ID-MTMB	Matte white	Matte black
MT	ATRECN67ID-MTMT	Matte white	Matte white
MT	ATRECN67ID-MTOR	Matte white	Oil rubbed bronze
MT	ATRECN67ID-MTPB	Matte white	Polished brass
MT	ATRECN67ID-MTPN	Matte white	Polished nickel
MT	ATRECN67ID-MTWT	Matte white	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
 To have your tub insulated for heat retention order **#TUB INSULATION**.
 Tubs with insulation added are "special order" and are not returnable.

ATOVN67ID tubs can have 8" deck holes drilled **#8 WIDESPREAD** upon request. The widespread is compatible with the Shelby Roman Faucet **#7801-ML**. Tubs that have been drilled with 8" deck holes are "special order" and are not returnable.



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Color Code **WH** White **MT** Matte White

Acrylic Tubs



Diameter: 54 $\frac{1}{8}$ "
H 23 $\frac{5}{8}$ "

Color	Product Number	Drain/Overflow Cover Finish
WH	ATRNDN55ID-BN	Brushed nickel
WH	ATRNDN55ID-CP	Polished chrome
WH	ATRNDN55ID-ORB	Oil rubbed bronze
WH	ATRNDN55ID-PB	Polished brass
WH	ATRNDN55ID-PN	Polished nickel
WH	ATRNDN55ID-WT	White

Schedule B

Tub has overflow slot with drain tube between tub walls.
To have your tub insulated for heat retention order **#TUB INSULATION**.
Tubs with insulation added are "special order" and are not returnable



To add Air Jet Massage to your tub order Air Kit 1 or Air Kit 2.

Xandra 55" Acrylic Freestanding Tub with Integral Drain

- Double-walled acrylic
- Overflow slot
- Center drain
- No faucet holes
- Includes OF cover and matching drain

Gallon capacity: 119 • Shipping weight: 203 lbs.
Empty weight: 115 lbs. • Filled weight: 1103 lbs.

The following is recommended for **ATRNDN55ID** tubs with no faucet holes and integral drain:

- Freestanding filler: part **#7960, 7962 or 7948** (Supplies included with filler)



The **5598-ITD Easy Install Rough In Kit** is recommended to simplify installation of freestanding acrylic tubs without feet or base

Drains

Tub Docking Station for Integral Drain Tubs

- Simplifies freestanding tub installation
- No access panel required
- Fits 2" diameter drain hole



Finish	Product Number	Drain/Overflow Cover Finish
BN	5598ITD-BN	Brushed nickel
CP	5598ITD-CP	Polished chrome
MB	5598ITD-MB	Matte black
PN	5598ITD-PN	Polished nickel
WH	5598ITD-WH	White

Shower Seats



W 20¼"

D 13⅝"

Wall Mounted Shower Seat

- Natural teak wood construction
- Manually folds up when not in use
- Mounting hardware included
- Maximum weight capacity 350 lb.

Finish	Product Number	Bracket Finish
BN	6116-BN	Brushed nickel
CP	6116-CP	Polished chrome
MB	6116-MB	Matte black



W 15¾"

D 13½"

Wall Mounted Shower Seat

- Natural teak wood construction
- Manually folds up when not in use
- Mounting hardware included
- Maximum weight capacity 350 lb.

Finish	Product Number	Bracket Finish
BN	6117-BN	Brushed nickel
CP	6117-CP	Polished chrome
MB	6117-MB	Matte black

Color Code **BN** Brushed Nickel **CP** Polished Chrome **MB** Matte Black

Undercounter Sinks



W 23³/₄"
D 15¹/₂"

Basin interior: 21¹/₄" x 13" • Basin depth: 5¹/₂"

Danahe Rectangular Undercounter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-123WH	No-hole

Schedule V

For undercounter installation order SINK CLIPS.



W 21¹/₈"
D 14³/₄"

Basin interior: 18¹/₂" x 12" • Basin depth: 6¹/₈"

Dorinda Undercounter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-135WH	No-hole

Schedule V

For undercounter applications.

For undercounter installation order SINK CLIPS.



W 16¹/₂"
D 13³/₈"

Basin interior: 14⁵/₈" x 11⁵/₈" • Basin depth: 5³/₈"

Luann Oval Undercounter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-125WH	No-hole

Schedule V

For undercounter applications.

For undercounter installation order SINK CLIPS.



W 27⁷/₈"
D 17"

Basin interior: 25³/₈" x 14¹/₂" • Basin depth: 6³/₈"

Marysol Undercounter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-143WH	No-hole

Schedule V

For undercounter applications.

For undercounter installation order SINK CLIPS.

Color Code **WH** White

Undercounter Sinks



W 21"
D 15"

Basin interior: 18½" x 12¼" • Basin depth: 6½"

Oriana Undercounter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-133WH	No-hole

Schedule V

For undercounter applications.
For undercounter installation order SINK CLIPS.

Consoles



W 36½"
D 20"
H 35¼"

Basin bowl diameter: 17½" • Basin depth: 3¼"
Back of basin to center of drain: 10"
Mount bolts height: 33"
Stand bolt: 21" W x 29½" H
Faucet and spout holes: 1¼"

Valet 36" Console

- Fire clay
- Decorative matte black metal legs

Color	Product Number	Description
WH	640WH-MB	No-hole
WH	641WH-MB	1-hole

Schedule F

Mounting hardware included.

Color Code **WH** White

Vitreous China Vessels



W 18"
D 13³/₈"

Basin interior: 17" x 12¹/₂" • Basin depth: 4¹/₄"
Above counter height: 5⁵/₈"

Cavalier Above Counter Basin

- Vitreous china
- No overflow

Color	Product Number	Description
WH	4-152WH	No-hole

Schedule V

Compatible with Grid Drain #5601, Pop-up Drain #5610 or Umbrella Drain #UD701.



W 19"
D 14"

Basin interior diameter: 13³/₈" • Basin depth: 3¹/₂"
Above counter height: 5¹/₄"

Valet Round Above Counter Basin

- Vitreous china
- No overflow

Color	Product Number	Description
WH	5-401WH	No-hole

Schedule V

Compatible with Grid Drain #5601, Pop-up Drain #5610 or Umbrella Drain #UD701.



W 25¹/₂"
D 14¹/₄"

Basin interior: 19³/₈" x 13³/₈" • Basin depth: 3³/₄"
Above counter height: 5"

Valet Oval Above Counter Basin

- Vitreous china
- No overflow

Color	Product Number	Description
WH	5-411WH	No-hole

Schedule V

Compatible with Grid Drain #5601, Pop-up Drain #5610 or Umbrella Drain #UD701.



Basin diameter 17¹/₄"

Basin interior diameter: 14¹/₂" • Basin depth: 3³/₄"
Above counter height: 5¹/₄"

Wyre Above Counter Basin

- Vitreous china
- Overflow

Color	Product Number	Description
WH	4-153WH	No-hole

Schedule V

Compatible with Grid Drain #5600, Pop-up Drain #5611 or #57080.

Color Code **WH** White

Concrete Sinks



W 17½"
D 10½"
H 6¾"

Basin interior: 13½" x 7½" • Basin depth: 4½"

Alaine Wall Mounted Concrete Basin

- Seamless casted concrete
- Finished by hand
- 3-Layer protective coating
- No overflow

Color	Product Number	Description
CDG	5-304CDG	No-hole
CDRG	5-304CDRG	No-hole
CGC	5-304CGC	No-hole
CLG	5-304CLG	No-hole
CTB	5-304CTB	No-hole
VBC	5-304VBC	No-hole

Schedule M

Compatible with Pop-up Drain #5610.

Includes maintenance kit.



W 15¾"
D 9½"
H 4¾"

Basin interior: 11¼" x 7¼" • Basin depth: 3½"

Brixton Wall Mounted Concrete Basin

- Seamless casted concrete
- Finished by hand
- 3-Layer protective coating
- No overflow

Color	Product Number	Description
CDG	5-302CDG	1-hole
CDRG	5-302CDRG	1-hole
CGC	5-302CGC	1-hole
CLG	5-302CLG	1-hole
CTB	5-302CTB	1-hole
VBC	5-302VBC	1-hole

Schedule M

Compatible with Pop-up Drain #5610 or #57100.

Stand available for separate purchase #CS/302-BL.

Includes maintenance kit.



W 15¾"
D 8¾"
H 8¾"

Wall Mounted Stand for Brixton Concrete Basin

- Brass construction

Color	Product Number
BL	CS/302-BL

Schedule C

Concrete Sinks



W 20"
D 15"

Basin interior: 15½" x 9¼" • Basin depth: 4¼"
Above counter height: 6¼"

Kyan Concrete Basin

- Seamless casted concrete
- 3-Layer protective coating
- Finished by hand
- No overflow

Color	Product Number	Description
CDG	5-308CDG	No-hole
CDRG	5-308CDRG	No-hole
CGC	5-308CGC	No-hole
CLG	5-308CLG	No-hole
CTB	5-308CTB	No-hole
VBC	5-308VBC	No-hole

Schedule M

Compatible with Pop-up Drain #5610 or #57100.

Includes maintenance kit.



W 23½"
D 15½"

Basin interior: 13½" x 9¼" • Basin depth: 2½"
Above counter height: 4¾"

Maia Concrete Basin

- Seamless casted concrete
- 3-Layer protective coating
- Finished by hand
- No overflow

Color	Product Number	Description
CDG	5-306CDG	1-hole
CGC	5-306CGC	1-hole
VBC	5-306VBC	1-hole

Schedule M

Compatible with Pop-up Drain #5610 or #57100.

Includes maintenance kit.



W 22¾"
D 14"

Basin interior: 21" x 12¼" • Basin depth: 3⅞"
Above counter height: 7⅞"

Uri Oval Concrete Basin

- Seamless casted concrete
- 3-Layer protective coating
- Finished by hand
- No overflow

Color	Product Number	Description
CDG	5-312CDG	No-hole
CDRG	5-312CDRG	No-hole
CGC	5-312CGC	No-hole
CLG	5-312CLG	No-hole
CTB	5-312CTB	No-hole
VBC	5-312VBC	No-hole

Schedule M

Compatible with Pop-up Drain #5610 or #57100.

Includes maintenance kit.

Stainless Steel Sinks



Basin diameter 15¾"

Bottom basin diameter: 10"

Basin interior diameter: 15½" • Basin depth: 4½"

Above counter height: 5"

Adaliz 15" Stainless Steel Basin

- 304 Grade stainless
- PVD Coating
- Includes matching drain
- No overflow

Color	Product Number	Description
BG	7-801D-BG	No-hole
BL	7-801D-BL	No-hole
CO	7-801D-CO	No-hole
G	7-801D-G	No-hole
LG	7-801D-LG	No-hole

Schedule M

Vessel Faucets



Ceramic disc cartridge

Maximum 1.2 GPM @ 60 psi

Wren Vessel Lavatory Faucet

- Solid brass construction
- Matching drain included
- Single handle operation

Color	Product Number
WT	LFV408-WT

Schedule C

Color Code **BG** Blue Gray **BL** Black **CO** Copper **G** Gold **LG** Light Gold **WT** Wooden

Vessel Drains

1 1/4" Diameter



without overflow



with overflow

Pop-up Drain

- Brass construction

Color	Product Number	Description
BN	5610-BN	Without overflow
CP	5610-CP	Without overflow
MB	5610-MB	Without overflow
ORB	5610-ORB	Without overflow
PB	5610-PB	Without overflow
PN	5610-PN	Without overflow
WH	5610-WH	Without overflow
BN	5611-BN	With overflow
CP	5611-CP	With overflow
MB	5611-MB	With overflow
ORB	5611-ORB	With overflow
PB	5611-PB	With overflow
PN	5611-PN	With overflow
WH	5611-WH	With overflow

Schedule C

Kitchen Sinks



W 33"
D 20 7/8"
H 10"

Basin interior: 31 1/2" x 19 1/2"

Basin depth: 9"

Gherdy 33" Curved Single Bowl Farmer Sink

- Fire clay
- Curved front
- Accommodates 3 1/2" drain
- Finished on all 4 sides

Color	Product Number
WH	FSSB1008-WH

Schedule F

Color Code **BN** Brushed Nickel **CP** Polished Chrome **MB** Matte Black **ORB** Oil Rubbed Bronze **PB** Polished Brass
PN Polished Nickel **WH** White



BARCLAY

4000 Porett Drive • Gurnee IL 60031

Toll free 800.446.9700

Fax 847.244.1259

www.barclayproducts.com

sales@barclayproducts.com

©2024 Barclay Products Limited



Shown on cover is our Porter freestanding acrylic tub model ATOVN611D