



Staying protected just got a whole lot cooler.

At Superior Recreational Products (SRP), we provide our customers with standard and custom shade structures for nearly every outdoor location. Our line delivers creative solutions and unique designs while providing protection from the sun's harmful UV rays. Our 20 years of experience allows us to provide the superior shade products you've been searching for.

OUR TOP FEATURES AND BENEFITS



COASTAL COMMUNITIES

Our framework can withstand wind gusts of up to 150 mph with fabric removed.



LONG LASTING FABRIC

Our UV stabilized fabric is rachelknitted and resists fading, abrading, rotting, shrinkage, and unraveling.



BUILDING CODE

Our team of engineers ensure all shade structures meet local building codes.



Need another reason to buy?

Most shades have the option of including our **Glide Elbow™**, which allows for quick release of the shade's fabric. Learn more on page 50.



BLOCK UV RAYS

Our shade fabrics block up to 99% of harmful UV rays, depending on your color.



STAY COOL

Depending on the fabric color, you can reduce the temperature of your space up to 25 degrees.



SUPERDURABLE

Our Superdurable powder coat is paired with zinc-rich primer — a standard at Superior.

CONTENTS

- 14 Umbrellas
- Hip End
- 28 Sail
- Cantilever
- Playgrounds & Cabanas
- Superior Products
- Features & Colors
- 52 Warranty

IT'S EASY TO BUY AND BID

Ask us about all of our buying and leasing affiliations.



















































































OPTIONS, FEATURES, AND FABRIC

Frame Support Upgrade* Fixed Position Ferrari 502 Satin or Stam 6002 Textured

*Frame support upgrades are needed when standard frames are modified causing additional load requirements.

Our aluminum frame waterproof umbrellas feature an approximate 7' eave height, 316 stainless steel hardware, a marine grade finish, and are wind tested to 75 mph. Fabric color options include fabrics in the Ferrari 502 or Stam 6002 Textured collections.



FEATURES AND FABRIC

Retractable

Ferrari 502 Satin or Stam 6002 Textured

*SRP does not recommend or warrant the deployment or use of any collapsible umbrella in wind conditions which exceed 45 mph unless where specifically designated and approved in writing by qualified SRP engineers.

STEEL FRAME WATERPROOF umbrella options




OPTIONS, FEATURES, AND FABRIC

360° Pivot Upgrade Double Cantilever Upgrade Electrical Access Height Extensions Retractable and Pivots Aluminum Supports 7' Eave Height Ferrari 502 Satin or Stam 6002 Textured









Wind Rated to 90 MPH Ferrari 502 Satin or Stam 6002 Textured

OPTIONS, FEATURES, AND FABRIC

Surface or In-Ground Mount 8' or 10' Eave Height Fixed Position Glide Elbow™ Wind Rated to 90 MPH Ferrari 502 Satin or Stam 6002 Textured



Ideal for shading pools and guest areas, our Hypar umbrella provides shade with a unique look. Hypar umbrellas feature a low-profile canopy that will not obstruct your view.

SHAPE AND SIZES



Square

10'-16'

FEATURES AND FABRIC

Fixed Position 7' Eave Height Ferrari 502 Satin or Stam 6002 Textured











TRADITIONAL STEEL FRAME umbrella options

Our traditional steel frame umbrellas are available as surface or in-ground mount in 8', 10', or 12' height, with or without Superior's Glide Elbow™. Choose between your choice of marine grade powder coat colors and our Traditional Shade fabrics.

Single Post Umbrella

Umbrellas represent one of the most economical ways of shading spaces and can cover up to nearly 600 square feet of space with a single unit. Single Post Umbrellas are available in square, hexagon, or octagon shapes.

SHAPES AND SIZES









Available in 2' Increments from 10'-24'


Available in 2' Increments from 10'-27'


Octagon

OPTIONS, FEATURES, AND FABRIC


Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric

TRADITIONAL STEEL FRAME umbrella options









Our dual column umbrella is a great solution for shading picnic tables, benches, or small gathering areas due to the space between columns. With its two column design, it is easily installed and more affordable than a traditional four post hip structure.

SHAPES AND SIZES



Rectangle

10' x 20' 12' x 16', 18', or 20' 14' x 20' or 24'

OPTIONS AND FABRIC

Surface or In-Ground Mount 8' or 10' Height With or Without Glide Elbow™ Traditional Shade Fabric

Tilt and Swivel Umbrella

Tilt and swivel this umbrella during installation for maximum sun protection based on your location. Once installed, the canopy will not continue to swivel or tilt to different degrees.

SHAPES AND SIZES



8'-18'

OPTIONS AND FABRIC

Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric





Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric



alter - m



TRADITIONAL STEEL FRAME hip end options

Our traditional steel frame hip end structures are available as surface or in-ground mount in 8', 10', or 12' height, with or without Superior's Glide Elbow™. Choose between your choice of marine grade powder coat colors and our Traditional Shade fabrics.

Standard Hip Shade 🤒 The most versatile and economical shade on the market, our Standard Hip is a great solution for schools, parks, and churches. Available in square,

SHAPES AND SIZES

rectangle, or hexagon.



Square





Rectangle

Available in 2' Increments from 10'-38'

Available in Over 25 Sizes

Available in 2' Increments from 20'-40'

Hexagon

OPTIONS AND FABRIC

Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric

* Glide Elbow™ only available up to 30'.



Multi-Domes — a series of hip end shades that share posts — are a great solution for sports complex seating and parking lots. Multi-Dome shades are an economical way of shading a very large area. To ensure uniform tension throughout your Standard Hip Shade canopy, we may design a Multi-Dome should the length to width ratio of your shade structure require it. Shade fabric can match or have alternating colors. Available in a variety of sizes.

OPTIONS, FEATURES, AND FABRIC

Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric

TRADITIONAL STEEL FRAME hip end options







Rectangle

OPTIONS AND FABRIC

Surface or In-Ground Mount With or Without Glide Elbow™ Traditional Shade Fabric

* Glide Elbow™ must be custom designed.








^{*} Glide Elbow™ must be custom designed.





TRADITIONAL STEEL FRAME sail options

Top View



8', 10', or 12' Height Traditional Shade Fabric

*For spans exceeding 50', please contact your SRP shade representative.







*For spans exceeding 50', please contact your SRP shade representative.







8', 10', or 12' Height Traditional Shade Fabric

TRADITIONAL STEEL FRAME sail options



SHAPES AND SIZES




OPTIONS, FEATURES, AND FABRIC









Rectangle

10' × 20', 12' × 20', 14' × 24'

Surface or In-Ground Mount 8', 10', or 12' Height

With or Without Glide Elbow™ Traditional Shade Fabric

OPTIONS, FEATURES, AND FABRIC

18' x 20', 18' x 27', 18' x 36'

OPTIONS, FEATURES, AND FABRIC

Surface or In-Ground Mount 8', 10', or 12' Height With or Without Glide Elbow™ Traditional Shade Fabric

TRADITIONAL STEEL FRAME cantilever options



OPTIONS, FEATURES, AND FABRIC







TRADITIONAL STEEL FRAME cantilever options

Traditional Wavecrest The Wavecrest's engineered design allows it to work well in almost any space. Great at the local park or the golf course, our Wavecrest is the

OPTIONS, FEATURES, AND FABRIC

perfect shade when total coverage is critical and

style is essential. The Wavecrest is available in a

Surface or In-Ground Mount 8', 10', or 12' Height Traditional Shade Fabric

variety of sizes.

TRADITIONAL STEEL FRAME cantilever options

8', 10', or 12' Height

Traditional Shade Fabric





T-Cantilever

OPTIONS, FEATURES, AND FABRIC

27' before additional bays are required.

The T-Cantilever shade is perfect for bleachers,

fuel stations, or parking lots. This shade typically

features a single column per beam up to 18' in

support column will be needed with a maximum

beam width of 36'. Columns can be spaced up to

width. When beam length exceeds 18', an additional



STEEL FRAME WATERPROOF cantilever options

18' x 20'


Surface Mount

7' Height

OPTIONS, FEATURES, AND FABRIC


Ferrari 502 Satin or Stam 6002 Textured Fabric

Our steel frame waterproof cantilever features an approximate 7' eave height, 316 stainless steel hardware, a marine grade finish, and is wind tested to 75 mph. Fabric color options include fabrics in the Ferrari 502 or Stam 6002 Textured collections.









Custom made for your location.

OPTIONS, FEATURES, AND FABRIC

Surface or In-Ground Mount 8', 10', or 12' Height Traditional Shade Fabric

Traditional Shade Fabric



TRADITIONAL STEEL FRAME modular shade options



Our traditional steel frame modular structures are available for additions to new or existing play structures. Choose between your choice of marine grade powder coat colors and our Traditional Shade fabrics. Consult your sales representative for the best shade option for your play structure.

Standard Modular Shade

Our Standard Modular shade is a great solution for school, park, and church playgrounds. Available in square, rectangle, hexagon, or octagon.

SHAPES, SIZES, DECKS, AND POSTS

Square	Rectangle	Hexagon	Octagon
Available in 2' Increments from 10'-18'	9' x 12' and 10.5' x 14'	Available in 2' Increments from 12'-18'	14' 4"
Available for 36" x 36" and 48" x 48" Decks	Available for 36" x 46.5" and 36" x 48" Decks	Available for all Deck Configurations	Available for 48" x 48" Decks
Fits 3.5" and 5" Posts	Fits 3.5" and 5" Posts	Fits 3.5" and 5" Posts	Fits 5" Posts

OPTIONS AND FABRIC

Available Only with Glide Elbow™ Traditional Shade Fabric

TRADITIONAL STEEL FRAME modular shade options



sun protection. Only for square or rectangular decks and available exclusively with our Glide Elbow™. Fits 3.5" and 5" diameter posts.

SHAPES, SIZES, DECKS, AND POSTS



Square



Rectangle

9' x 12' and

Available for

36" x 46.5" and

36" x 48" Decks

10.5' x 14'

Available for 36" x 36" and 48" x 48" Decks

10', 12', 14', 18'

Fits 3.5" and 5" Posts

Fits 3.5" and 5" Posts

OPTIONS AND FABRIC

Available Only with Glide Elbow™ Traditional Shade Fabric

Modular Crescent

If you are looking for shade with style, this shade is perfect. The Modular Crescent shade is available for any deck configuration and fits 3.5" and 5" diameter posts.

SHAPES, SIZES, DECKS, AND POSTS



Rectangle

7' 4" x 5' 3" and 8' 4" x 6' 3"

Available for 36" x 36", 48" x 48", 36" x 48", and 36" x 46.5" Decks


> Fits 3.5" and 5" Posts

OPTIONS AND FABRIC

Traditional Shade Fabric

44 | PLAYGROUND & CABANA SHADES PLAYGROUND & CABANA SHADES | 45

^{*}Canopy will be dependent upon deck and post size, limiting size options.



OPTIONS, FEATURES, AND FABRIC

With or Without Glide Elbow™

Traditional Shade Fabric

With or Without Glide Elbow™ Traditional Shade Fabric STEEL FRAME WATERPROOF hospitality shade options

Cabana
Our cabanas are spacious solutions that provide unsurpassed durability with an elegant and unique one-of-a-kind look. Our cabanas provide great shade for guests at the pool and can become premium rental spaces for resorts.

SHAPES AND SIZES





Square 10', 12', 13'

OPTIONS, FEATURES, AND FABRIC

Curtains or Drapery Upgrade Surface Mount 7' Eave Height Wind Rated to 80 MPH Ferrari 502 Satin or Stam 6002 Textured Our waterproof steel frame hospitality shade options are available in two designs — all designed for comfort and possible revenue generating purposes. Choose between your choice of marine grade powder coat colors and fabric options in the Ferrari 502 or Stam 6002 Textured collections.



SHAPES AND SIZES



0 9 4 4 1 0

10', 12', 13'


OPTIONS, FEATURES, AND FABRIC

Curtains or Drapery Upgrade Surface Mount 7' Eave Height Wind Rated to 80 MPH Ferrari 502 Satin or Stam 6002 Textured

46 | PLAYGROUND & CABANA SHADES PLAYGROUND & CABANA SHADES







Panorama

Our Panorama is a permanent perimeter framed structure allowing you to enjoy a unique outdoor gathering space year round.

SHAPES, SIZES, DECKS, AND POSTS







Square

Square Gazebo

Cantilever

10', 13', 16', 20' 10', 13', 16', 20' 16', 20', 26'

OPTIONS, FEATURES, AND FABRIC

Clear Drop Curtain Upgrade Water Flow Controlled Gutter Upgrade Permanent Structure Fixed Position Surface Mounts to Existing Concrete Slab Engineered Per Local Building Code 7' Eave Height Wind Rated to 93 MPH Ferrari 502 Satin or Stam 6002 Textured









With Superior, you know you'll receive a quality shade.

FEATURES AND BENEFITS



TRADITIONAL FABRIC

- Made from 80% water repellent, UV stabilized high density polyethylene fabric that prevents fading from the sun
- Rachel-knitted to prevent fraying and shades 34' and larger receive Kevlar® reinforced corners
- Blocks up to 99% of harmful UV rays, depending upon color choice
- Fabric breathes allowing hot air to rise and escape, thus creating a cooler environment
- Available fabric to meet California State Fire Marshal requirements, NFPA 701, and ASTM E84



STEEL FRAMES

- Coated with Superdurable powder coat, which carries a 5-year limited warranty
- Engineered to withstand wind speeds of up to 150 mph with fabric removed
- All structural tubing complies with ASTM standards
- Our finished product includes 6 mils of powder coat, with 3 being zinc-rich primer and 3 being Superdurable powder coat
- Our powder coat is backed by 5,000 hours of testing per ASTM Method B117

FABRIC HOOK WITH CABLE GUIDE CABLE SADDLE BOTATE DRIVE NUT TO TENSION FABRIC GLIDE ELBOW COLUMN

GLIDE ELBOW™

With our Glide Elbow™ quick release mechanism, installation and removal of your fabric is completed with the use of a wrench or cordless drill that has an appropriate sized socket. Not only does our Glide Elbow™ make updating fabric easier, it allows you to easily remove fabric for severe weather. Additionally, metalon-metal wear is minimized with our fabric hook connection.

SUPERDURABLE POWDER COAT

Our Superdurable powder coat is one of the best in the industry. After removing all surface rust and oil, our steel frames are coated with an Epoxy TGIC Powder Coating Zinc-Rich Primer. After the primer application, Superior applies Superdurable Polyester TGIC powder coating.




MADE IN THE USA

COLOR OPTIONS

FRAMES | STEEL FRAME

Our Superdurable powder coat is backed by a 5-year limited warranty.



FABRIC | TRADITIONAL SHADE

This selection of fabric colors are fire retardant and pass the NFPA 701 and ASTM E84 tests. All fabric colors, with the exception of Rivergum Green and Turquoise, are California Fire Marshal certified, which is the highest standard for flame resistance. Our traditional shade fabric is backed by a 10-year limited warranty.



FABRIC | FERRARI 502 SATIN



FABRIC | SUNBRELLA MARINE



Stam 6002 Textured fabric is available for a portion of our waterproof designs at an up-charge. To view these colors, please contact your sales representative.

50 | FEATURES & COLORS | 51

WARRANTY

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps
- 20-Year Limited Warranty on Steel Shade Structure
- 10-Year Limited Warranty on Shade Fabric
- 5-Year limited Warranty on Site Amenities, cables, and nets
- 1-Year Limited warranty on moving parts and materials not covered above

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, immersion in salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to "acts of God" such as hail, flooding, lightning, tornadoes, sand storms, shifts of terrain, earthquakes, mudslides, and windstorms.

If product has shade fabric and installed in an area exposed to hurricanes, removal of the shade fabric is required when a hurricane warning is issued.

In the unlikely event of failure, SRP reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). SRP has the option to repair or replace any defect in materials.

The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

No signs, objects, ornaments, fans, lights, fixtures, or decorations may be hung from the top part of a shade structure unless specifically designed and engineered by the manufacturer. These items may interfere with the fabric causing the warranty to be void.

SRP excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will SRP be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify SRP with original Sales Order Number issued from SRP to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design.

This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

Powder Coat

Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors, (Yellows, Reds, Oranges, ETC.) and a ΔE of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original glass level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Traditional Steel Frame Shade Structures

Thread shall be 100% expanded PTFE fiber that is high strength and low shrinkage, which carries a 10-year warranty. This warranties that the sewing thread will be free from defects in material and workmanship and will not be damaged by exposure to sunlight, weather, and water. All other warranties are disclaimed.

SRP fabrics carry a 10-year limited manufacturer's warranty from the date of delivery against failure from significant fading**, deterioration, breakdown, outdoor heat, cold, or discoloration. Should the fabric need to be replaced under the warranty, SRP will manufacture and ship new fabric at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

**The colors red and yellow are warranted against significant fading for only two years. If the corners of the fabric are equipped with both holes in the fabric corner PLUS reinforcing straps, BOTH the strap and fabric hole must be placed over each corner hook or the fabric warranty is void.

Fabric curtains, valences, or flat vertical panels are not covered under the warranty.

Fabric is not warranted where it is installed on a structure that is not engineered and built by SRP or its agents.

This warranty shall be void if damage to or failure to the shade structure is caused by contact with chemicals, chlorine, bleaching agents, hydrocarbons or hydrocarbon containing solvents, misuse, vandalism, or any act of God, including but not limited to wind in excess of the wind limitations set forth below.

All fabric tops are warranted for sustained winds up to 76 mph (Hurricane Force 1) and for gusts of up to 3 seconds duration up to 90 mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season."

These structures have been designed to eliminate any friction between the rafters and the fabric. The warranty will, therefore, be voided if any modification (temporary or permanent) is made to the rafter, cross pieces, or ridge beams, or if the fastening apparatus or canopy are not secured accordingly.

The structural steel frames are covered for a period of twenty years against failure due to rust-through corrosion under normal environmental conditions. Workmanship is warranted for a period of five years.

Structures are warranted for winds up to 90 mph only if shade canopies have been removed as per requirement set forth above in the fabric paragraph. Removal and reinstallation must be performed by a qualified person or authorized dealer.

This steel warranty shall be void if damage to the steel frame is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

Aluminum and Steel Frame Waterproof Umbrellas

Although all aluminum and steel frame waterproof umbrellas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 70 mph, SRP does not recommend or warrant the deployment or use of any collapsible umbrella in wind conditions which exceed 45 mph unless where specifically designated and approved in writing by qualified SRP engineers. Horizon umbrellas outfitted with SRP's additional bracing supports will be warranted for wind conditions up to 60 mph and 3-second wind gusts. SRP's warranty will only cover umbrellas that have been properly secured (installed according to manufacturer's installation instructions with a level canopy and plum column) to an approved footer or other approved mounting system. SRP recommends that all retractable umbrellas be securely closed when not in use.

SRP's Cabanas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 90 mph. However, SRP does not recommend the use of any Cabana in wind conditions which exceed 75 mph unless where specifically designated and approved in writing by qualified SRP engineers. SRP's warranty will only cover Cabanas that have been properly secured to an approved footer or other mounting system.

Waterproof Hypar, Wavecrest, Panorama, and Custom Structures

SRP's fixed waterproof structures are warranted for sustained winds up to 76 mph (Hurricane Force 1) and for gusts of up to 3 seconds duration and up to 90 mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season." SRP will only warranty products which are properly secured to a footer according to engineering drawings or approved anchoring system.

Further, SRP will not cover any damage to any umbrella frame, canopy, shade, or base device which occurs as a result of contact with the ground or any other foreign object including damage which occurs as a result of sudden and severe weather events or other extreme acts of nature.

Please contact SRP directly if requesting products and mounting foundations to be warranted in sustained wind conditions which exceed the stated warranties per each model.

Cancellation, Return, and Shipping Policy

To view our return policy, please visit superiorrecreationalproducts.com/returns. To view our shipping policy, please visit superiorrecreationalproducts. com/shipping. For information on return material authorizations or any additional information, please call 1.800.327.8774.

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.





Distributed by



Trassig, The Playground people 65 Redding Rd. #874 Georgetown CT 06829

Phone: 203-659-0456 Fax: 203-549-0409 Email: info@trassig.com Web: www.trassig.com











