

# **DIRT JUICE HERO - DJH1**

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Date of issue: 10/28/2013 Revision date: 4/27/2016 Supersedes: Version: 1.0

SECTION 1: Identification of the su	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: DIRT JUICE HERO
Product code	: 60081
Vaporizer	: Aerosol
Uses Advised Against	: This product must not be used in applications other than those recommended in Section 1.2.1,
	without first seeking the advice of the supplier.
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	: Consumer use
Main use category	
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	data sheet
VeloBrands Ltd	
Copplestone Mill	
Copplestone Devon	
EX17 5NF	
sales@juicelubes.co.uk	
1.4. Emergency telephone number	
Emergency number	: 01363 85617
SECTION 2: Hazards identification	
2.1. Classification of the substance or I	nixture
Classification according to Regulation (EC)	
Classification according to Regulation (EC)	
Aerosol, Category 1	H222;H229 On basis of test data
Skin corrosion/irritation, Category 2	H315 Calculation method
Specific target organ toxicity — Single exposure	e, Category 3, Narcosis H336 Calculation method
Hazardous to the aquatic environment — Chror	ic Hazard, Category 2 H411 Calculation method
Full text of H statements : see section 16	
Classification according to Directive 67/548/	EEC [DSD] or 1999/45/EC [DPD]
Carc.Cat.1; R45	
Muta.Cat.2; R46	
Full text of R-phrases: see section 16	
Adverse physicochemical, human health and	d environmental effects
Not expected to present a significant hazard un	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1	272/2008 [C] P]
Hazard pictograms (CLP)	
hazaru pictograms (CEF)	
	$\langle \psi \rangle \rangle \langle \downarrow \rangle \langle + \chi_2 \rangle$
Signal word (CLP)	GHS02 GHS07 GHS09
Signal word (CLP)	: Danger
Hazardous ingredients Hazard statements (CLP)	<ul> <li>PROPAN-2-OL; HYDROCARBONS, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane</li> <li>H222 - Extremely flammable aerosol</li> </ul>
Hazaru Statements (ULF)	H222 - Extremely naminable aerosol H229 - Pressurised container: May burst if heated
4/27/2016	EN (English) 1/8
4/21/2010	בוא (בווטווסוו) 1/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

	H315 - Causes skin irritation H336 - May cause drowsiness or dizziness H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (CLP)	<ul> <li>P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P251 - Do not pierce or burn, even after use P261 - Avoid breathing vapours, spray, mist P264 - Wash hands, forearms and face thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P273 - Avoid release to the environment P280 - Wear protective gloves, eye protection P302+P352 - IF ON SKIN: Wash with plenty of water P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see Treat symptomatically on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container to an authorised waste collection point</li> </ul>
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

: None under normal conditions.

## 2.3. Other hazards

Other hazards not contributing to the classification

**SECTION 3: Composition/information on ingredients** 

## 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Petroleum gases, liquefied, Petroleum gas, [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).] (Note K)(Note S)(Note U)	(CAS No) 68476-85-7 (EC no) 270-704-2 (EC index no) 649-202-00-6	60 - 100	F+; R12 Carc.Cat.1; R45 Muta.Cat.2; R46	Flam. Gas 1, H220 Press. Gas
HYDROCARBONS, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	(EC no) 921-024-6	30 - 60	Not classified	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
PROPAN-2-OL	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0	1 - 5	F; R11 Xi; R36 R67	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Note K : The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

Note S : This substance may not require a label according to Article 17 (see section 1.3 of Annex I) (Table 3.1). This substance may not require a label according to Article 23 of Directive 67/548/EEC (see section 8 of Annex VI to that Directive) (Table 3.2).

Note U : When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Full text of R- and H-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	<ul> <li>Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).</li> </ul>
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Gently wash with plenty of soap and water, Get medical advice/attention. Get medical advice/attention.
First-aid measures after eye contact	<ul> <li>Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.</li> </ul>
First-aid measures after ingestion	. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Causes skin irritation.
4.3. Indication of any immediate medical a	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Special hazards arising from the sub-	-
No additional information available	
5.3. Advice for firefighters	
	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equ	pment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	Avoid contact with skin and eyes.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions Prevent entry to sewers and public waters. Notify a	authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containment	· · ·
	<ul> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li> </ul>
6.4. Reference to other sections	
See also sections 8 and 13. See Heading 8. Expo	sure controls and personal protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Take precautionary measures against static discharge. Use only non-sparking tools. Wash
	hands and other exposed areas with mild soap and water before eating, drinking tools. Wash and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including	
7.2. Conditions for safe storage, including Storage conditions	
	any incompatibilities
Storage conditions	any incompatibilities Store in original container. Protect from moisture. Keep cool. Keep container tightly closed.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### 7.3. Specific end use(s)

### Lubricant oil.

## **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure exposure is below occupational exposure limits (where available).
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: In case of repeated or prolonged contact wear gloves. Standard EN 374 - Protective gloves against chemicals. Wear protective gloves
Eye protection	: If there is a risk of liquid being splashed : Standard EN 166 - Personal eye-protection. Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended
Thermal hazard protection	: Not specifically applicable.
Environmental exposure controls	: SECTION 6.
Other information	: Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
рН	: Not classified
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: < 100 °C IBP
Flash point	: - 40 °C PMCC
Auto-ignition temperature	: > 410 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available

#### 9.2. **Other information**

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below.

#### 10.2. **Chemical stability**

Stable under recommended handling and storage conditions (see section 7). Not established.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

10.3.	.3. Possibility of hazardous reactions			
May rea	May react violently with oxidants. Not established.			
10.4.	10.4. Conditions to avoid			
Direct s	unlight. Extremely high or low temperatures.			
10.5.	Incompatible materials			
Strong	acids. Strong bases.			
10.6.	Hazardous decomposition products			

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

<b>SECTION 11: Toxicological informati</b>	on	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation. pH: Not classified	
Serious eye damage/irritation	: Not classified pH: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
DIRT JUICE HERO		
Vaporizer	Aerosol	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
<b>SECTION 12: Ecological information</b>		
12.1. Toxicity		
Ecology - water	: Toxic to aquatic life with long lasting effects.	
12.2. Persistence and degradability		
DIRT JUICE HERO		
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
DIRT JUICE HERO		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
DIRT JUICE HERO		
Results of PBT assessment	Not classified as PBT or vPvB.	
12.6. Other adverse effects		
Additional information	: Avoid release to the environment	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECT	ION 13: Disposal considerations
13.1.	Waste treatment methods

- Waste disposal recommendations
- Ecology waste materials

: Dispose in a safe manner in accordance with local/national regulations. : Avoid release to the environment.

#### **SECTION 14: Transport information** In accordance with ADR / RID / IMDG / IATA / ADN **UN number** 14.1. UN-No. (ADR) : 1950 UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950 UN-No. (ADN) : Not applicable UN-No. (RID) : 1950 14.2. **UN proper shipping name** Proper Shipping Name (ADR) : AEROSOLS Proper Shipping Name (IMDG) : AEROSOLS Proper Shipping Name (IATA) : AEROSOLS Proper Shipping Name (ADN) : Not applicable Proper Shipping Name (RID) : Not applicable Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS Transport document description (IMDG) : UN 1950 AEROSOLS, 2. MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS Transport document description (IATA) : UN 1950 AEROSOLS, 2, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 1950, 2.1, ENVIRONMENTALLY HAZARDOUS Transport hazard class(es) 14.3.

ADR	
Transport hazard class(es) (ADR)	
Danger labels (ADR)	



### IMDG

Transport hazard class(es) (IMDG)



: 2.1 : 2.1

### ΙΑΤΑ

Transport hazard class(es) (IATA)

### ADN

Transport hazard class(es) (ADN)



: Not applicable



# Safety Data Sheet

Transport hazard class(es) (RID)	: 2.1
Danger labels (RID)	: 2.1
	· · · · · · · · · · · · · · · · · · ·
	$\langle \stackrel{\frown}{\rightarrow} \langle \stackrel{\bullet}{\ast} \rangle$
	2
14.4. Packing group	• •
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625 : 1l
Limited quantities (ADR)	: E0
Excepted quantities (ADR)	: E0 : 2
Transport category (ADR) Tunnel restriction code (ADR)	: 2 : D
- Transport by sea	
MFAG-No	: 126
- Air transport	
No data available	
- Inland waterway transport	
No data available	
- Rail transport	
No data available	
	Annex II of MARPOL and the IBC Code
Not applicable	
SECTION 15: Regulatory inform	
	tal regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no substances with Annex XVII re Contains no substance on the REACH can	
Contains no REACH Annex XIV substance	
15.1.2. National regulations	
No additional information available	

**SECTION 16: Other information** 

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of R-, H- and EUH-s	tatements:
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
R11	Highly flammable
R12	Extremely flammable
R36	Irritating to eyes
R45	May cause cancer
R46	May cause heritable genetic damage
R67	Vapours may cause drowsiness and dizziness
F	Highly flammable
F+	Extremely flammable
Xi	Irritant

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product