



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

March 2, 2023

CONTROL DEVICES LLC  
1555 LARKIN WILLIAMS RD  
FENTON MO 63026

**Workorder Type:** Registration - Fitting(Conventional)  
**Workorder No:** 8233143  
**Your Reference No.:**  
**Registered to:** CONTROL DEVICES LLC

Dear JEFF VANHORN,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0G8703.5R4  
Main Design No.: Safety Relief valves Models ST, SA, SP, SF, SB, SW, SCB &SN  
Expiry Date: Mar 02, 2033

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Amir Hariri P.Eng.  
Engineer, BPV  
Tel. : +1 416-734-3461  
Email : [ahariri@tssa.org](mailto:ahariri@tssa.org)

TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ON M9W 6N9

**Date:** May 9, 2023  
**Account #:** 35231  
**Journal #:** 82549

**Attn:** TSSA BPV NATIONAL REGISTRATION

**Re: Application for Design Registration**

The design, as detailed in your, 0G8703.5R4 CONTROL DEVICES LLC, for a Fitting is accepted for registration as follows:

**Registered To:** CONTROL DEVICES, LLC      **CRN:** 0G8703.51

**Drawing #:** Scope of Registration

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

**Reviewer's Notes:**

Scope of Registration: Safety Relief valves Models ST, SA, SP, SF, SB, SW, SCB &SN

As required by CSA B51 4.2.1, this registration expires on 2033-Mar-02. This CRN is valid until the expiry date as long as the manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void.

Any conditions of registration stated in TSSA CRN# 0G8703.5R4 shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

janina.mihailescu@technicalsaftybc.ca  
Design Administration

**cc:**

April 10, 2023

**Attention:** Cecylia Garbacz  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO, ON M9W 6N9

The design submission, Tracking Number 2023-01724, Web Portal Number 2023-S1000, originally received on March 17, 2023 was surveyed and accepted for registration as follows:

**CRN :** 0G08703.52 **Accepted on:** April 10, 2023  
**Reg Type:** RENEWAL **Expiry Date:** March 02, 2033  
**Drawing No. :** MODELS ST,SA,SP,SB,SW,SCB & SN  
**Fitting type:** SAFETY RELIEF VALVES  
Design registered in the name of : CONTROL DEVICES LLC

**The registration is conditional on your compliance with the following notes:**

*\*\* The scope of this registration include renewal. There is no design change, nor any scope change.*

*As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is SECTION VIII, DIV. 1.*

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,




DICK, ASHLING, P. Eng.  
DOP Cert. No. D00007936



Technical Standards and Safety Authority  
 345 Carlingview Drive  
 Toronto, Ontario M9W 6N9  
 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

 ST. L. MO.

## STATUTORY DECLARATION Registration of Fittings

I, Jeff VanHorn, Director of Product Engineering  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Control Devices, LLC  
(Name of Manufacturer)

Located at 1555 Larkin Williams Rd. (636) 660-7100 (636) 660-7200  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME Section VIII Division 1, Case Code 1750  
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.


I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, DQS Inc.

The items covered by this declaration, for which I seek registration, are category G type fittings. In support of this application, the following information and/or test data are attached as follows:  
ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf & NB18RatingsWithCertification.pdf

(drawings, calculations, test reports, etc.)

Declared before me at 1:00 in the afternoon of \_\_\_\_\_  
 the 14<sup>th</sup> day of December AD 2022.

**GWENDOLYN PHILLIPS**  
 Notary Public - Notary Seal  
 STATE OF MISSOURI  
 St. Louis County  
 My Commission Expires: June 27, 2025  
 Commission #21529257

Commissioner for Oaths:  
Gwendolyn Phillips  
(Printed name)  
  
(Signature)

  
(Signature of Declarer)

### FOR OFFICE USE ONLY


To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category G.

CRN: \_\_\_\_\_

Registered by: \_\_\_\_\_

Dated: 2023-04-10

NOTE: This registration expires on: 2033-03-02

2023-01724  
**ABSA**  
 SAFETY CODES ACT - PROVINCE OF ALBERTA  
**ACCEPTED: 0G08703.52**  
 See acceptance letter for conditions of registration.  
 Date: 2023-04-10 By:   
 ASHLING DICK, P. Eng.  
 DOP: D00007936

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

*\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

PV 09553 (04/17) **\*\* This is a renewal, safety relief valve shall have UV stamp.**

**\*\* Model ST, SA, SP, SF, SB, SW, SCB, SN**

# Saskatchewan Exemption

The following information was provided to Control Devices by TSSA in regards to CRN registration of model ST, SA, SP, SF, SB, SW, SCB & SN safety valves in Saskatchewan:

***“A fitting is not required to be registered in Saskatchewan pursuant to The Boiler and Pressure Vessel Act if:***

- *It is registered by the CSA (Contact: Janet Townsend)*

*CSA International*

*178 Rexdale Boulevard*

*Toronto, ON M9W 1R3*

*Ph: 416.747.4291*

*Fax: 416.401.6795*

*Email: [janet.townsend@csagroup.org](mailto:janet.townsend@csagroup.org); or*

- *It is a Standard Category A, B, C, or G fitting, as set out in the CSA B51 code and complies with the specifications and standards listed in:*
- *Table 126.1 of ASME B31.1-2016*
- *Table 326.1 of ASME B31.3-2016*
- *Table 526.1 of ASME B31.5-2016*
- *Pressure relieve devices that comply with ASME/NBBI codes”*

Control Devices model ST, SA, SP, SF, SB, SW, SCB & SN safety valves are Standard Category G fittings compliant with all relevant ASME specifications and standards.

May 13, 2023

TSSA  
345 Carlingview Drive  
Toronto, ON M9W 6N9

**Dear Cecylia Garbacz,**

**Re: Reciprocal CRN Registration in Manitoba**

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number: 74-R3094  
CRN: 0G8703.54  
Scope: Safety Relief valves Models ST, SA, SP, SF, SB, SW, SCB &SN  
Manufacturer: CONTROL DEVICES LLC  
Expiry Date: 2 March 2033

Along with this letter is the invoice for registration.

In addition, every Pressure Vessel, Boiler, and Heat Exchanger shall be stamped with the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to [gasupport@gov.mb.ca](mailto:gasupport@gov.mb.ca). In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact [gasupport@gov.mb.ca](mailto:gasupport@gov.mb.ca) for any questions or concerns.

**Inspection and Technical Services**

Labour, Consumer Protection and Government Services  
508 – 401 York Avenue, Winnipeg, MB R3C 0P8  
T (204) 945-3373 | F (204) 948-2089



Technical Standards and Safety Authority  
 345 Carlingview Drive  
 Toronto, Ontario M9W 6N9  
 www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

## STATUTORY DECLARATION Registration of Fittings

I, Jeff VanHorn, Director of Product Engineering  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Control Devices, LLC  
(Name of Manufacturer)

Located at 1555 Larkin Williams Rd. (636) 660-7100 (636) 660-7200  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME Section VIII Division 1, Case Code 1750  
(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, DQS Inc.

The items covered by this declaration, for which I seek registration, are category G type fittings. In support of this application, the following information and/or test data are attached as follows:  
ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf & NB18RatingsWithCertification.pdf

(drawings, calculations, test reports, etc.)

Declared before me at 1:00 in the afternoon of \_\_\_\_\_  
 the 14<sup>th</sup> day of December AD 2022.

**GWENDOLYN PHILLIPS**  
 Notary Public - Notary Seal  
 STATE OF MISSOURI  
 St. Louis County  
 My Commission Expires: June 27, 2025  
 Commission #21529257

Commissioner for Oaths:  
Gwendolyn Phillips  
(Printed name)  
[Signature]  
(Signature)

[Signature]  
(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category G.

CRN: 0G8703.5R4  
 Registered by: Amir Hariri  
 Dated: March 2, 2023



This Document has been digitally signed and approved. The stamp size has been optimized for 11 x 17 documents.

**NOTE: This registration expires on: March 2, 2033**

<p>Technical Standards and Safety Authority</p>	<p>Boilers and Pressure Vessels Safety Program</p>
REGISTERED	
C.R.N.: <u>0G8703.5R4</u>	
Signed: <u>[Signature]</u>	
Date: <u>March 2, 2023.</u>	

*\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

See registration letter for any terms and conditions for this registration. March 2, 2023. TSSA

Registration Note: Safety Relief Valve shall have UV stamp.



Montréal, 21 avril 2023.

MADAME CECYLIA GARBACZ  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ONTARIO  
CANADA M9W 6N9

Fabricant : CONTROL DEVICES LLC  
1555 LARKIN WILLIAMS RD  
FENTON MO  
USA 63026

Numéro de dossier : 946152  
Numéro(s) de dessin(s) : ST,SA,SP,SF,SB,SW,SCB,SN

**Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement**

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **OG08703.56**.

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de l' *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Bureau d'expertise et d'homologation en équipements sous pression

Montréal, le 21 avril 2023.

MRS. CECYLIA GARBACZ  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ONTARIO  
CANADA M9W 6N9

Manufacturer : CONTROL DEVICES LLC  
1555 LARKIN WILLIAMS RD  
FENTON MO  
USA 63026

OUR REFERENCE : 946152  
Design number : ST,SA,SP,SF,SB,SW,SCB,SN

**Subject: Design registration confirmation**

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **OG08703.56.**

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each equipment manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

**Montréal**

545, boul. Crémazie Est, 7ième étage  
Montréal (Québec) H2M 2V2  
Téléphone : 514 873-6459  
Sans frais : 1 866 262-2084  
[www.rbq.gouv.qc.ca](http://www.rbq.gouv.qc.ca)


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: Control Devices, LLC	
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p align="center"><b>Category of Fittings to be registered, Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME Section VIII Division 1, Case Code 1750</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:                  Machined Brass</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I, Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DAS Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Fenton Missouri  
 This 14<sup>th</sup> day of December AD 2022  
 Commissioner of Oaths [Signature]  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0G8703.5 Rev.4

FID#: 2972

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope: CRN renewal. CRN expires March 2nd, 2033  
 11/2016 (DGallant)

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND  
 COMMUNITIES, LAND & ENVIRONMENT

C.R.N. 0G8703.59 Rev4  
 DATE: March 23 2023

[Signature]  
 INSPECTION SERVICES SECTION  
 BOILER/PRESSURE VESSEL BRANCH

Sect 1.0 - Fittings Rev.2

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Control Devices, LLC	
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>ASME Section VIII Division 1, Case Code 1750</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:  <p align="center"><b>Machined Brass</b></p> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CD's Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Fenton Missouri

This 14th day of December AD 2022

Commissioner of Oaths 

Or Notary Public: (sign) 

(Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0G8703.5 Rev.4

FID#: 2972

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.


Score: CRN renewal. CRN expires March 2nd, 2033  
11/2016 (DGallant)

**BOILER PRESSURE VESSEL**  
NOVA SCOTIA

Date: 28 May 2023

C.R.N. 0G8703.58 Rev 4

Dwg. As described

Signed 

Sect 1.0 - Fittings Rev  
1 of 1  
Part

**ACT & REGULATIONS**


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon


Prince Edward Island  
Northwest Territories



Newfoundland and Labrador


Manufacturers Name: Control Devices, LLC	
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME Section VIII Division 1, Case Code 1750</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:  <p align="center" style="font-size: 1.2em;"><b>Machined Brass</b></p> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DQS Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Fenton Missouri  
 This 14<sup>th</sup> day of December AD 2022  
 Commissioner of Oaths   
 Or Notary Public: (sign) 



This space for Regulatory Authority use.  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OG8703.5 Rev.4  
 FID#: 2972  
 Notes:  
 1. All Fittings shall be registered in the name of the Manufacturer.  
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality Control programs shall be resubmitted for validation.  
 Scope: CRN renewal. CRN expires March 2nd, 2033  
 11/2016 (DGallant)

**REGISTRATION ONLY**

CRN OG8703.57 Rev 4  
  
 CHIEF BOILER INSPECTOR  
 DATE 3/24/23

BLRs       PVs      Sect 1.0 - Fittings Rev.2  
 FITTINGS     NUCLEAR COMPONENTS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon




Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: Control Devices, LLC	
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME Section VIII Division 1, Case Code 1750</p>
<p align="center"><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:  <p align="center"><b>Machined Brass</b></p> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I, Jeff Verton (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DCS Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at Fenton Missouri  
 This 14<sup>th</sup> day of December AD 2022  
 Commissioner of Oaths   
 Or Notary Public: (sign)   
 (Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.


CRN: OG8703.5 Rev.4

FID#: 2972

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope: CRN renewal. CRN expires March 2nd, 2033  
11/2018 (DGallant)

Registered OG8703.50 Rev 4  
 Date April 3, 2023  
 Engineering and Inspection Services  
 Registered by   
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS Sect 1.0 - Fittings Rev.2


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> Control Devices, LLC	
<b>Manufacturers Address:</b> 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<b>Plant Locations:</b> 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p> <p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center; font-size: 2em; font-weight: bold;">  </div>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">ASME Section VIII Division 1, Case Code 1750</p> <hr/> <p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:  <div style="font-size: 1.5em; font-weight: bold;">Machined Brass</div> </p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I, Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DOS Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Fenton Missouri


This 14<sup>th</sup> day of December AD 2022

Commissioner of Oaths 

Or Notary Public: (sign) 

(Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0G8703.5 Rev.4</u></p> <p>FID#: <u>2972</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>Scope: CRN renewal. CRN expires March 2nd, 2033 11/2016 (DGallant)</p>	 ', 'CRN 0G8703.5Y REV4', 'DATE 27/03/2023', and 'BOILERS BRANCH'. To the right of the seal is the text 'Sect 1.0 Fittings Rev.2'." data-bbox="555 730 805 905"/>
---	--


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Control Devices, LLC		
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63028, USA		
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63028, USA		
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G <u>Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</u>                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>		<p align="center"><b>Title of the Standard of Construction</b></p> ASME Section VIII Division 1, Case Code 1750
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>		<p align="center"><b>Type of Construction</b></p> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other # _____ Describe other: Machined Brass
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> All ASME Code Safety Valves, listed in ASME Safety Valve Catalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST & SW. Supported by ASME Safety Valve Drawings.pdf, ASME Safety Valve Calculations.pdf and NB18 Ratings With Certifications.pdf.		

**Declaration:**

I, Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by CD Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Fenton Missouri

This 14<sup>th</sup> day of December AD 2022

Commissioner of Oaths [Signature]

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.


CRN: 0G8703.5 Rev.4

FID#: 2972

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope: CRN renewal. CRN expires March 2nd, 2033  
11/2015 (DGallant)



Northwest Territories

**REGISTERED**  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT.

C.R.N. 0G8703.5 Rev.4  
 SIGNED [Signature]  
 DATE Nov 24 2022

65.00




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Control Devices, LLC	
Manufacturers Address: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
Plant Locations: 1555 Larkin Williams Rd., Fenton Missouri, 63026, USA	
<p><u>Category of Fittings to be registered. Circle one Category only</u></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters  <input checked="" type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p><u>Title of the Standard of Construction</u></p> <p>ASME Section VIII Division 1, Case Code 1750</p>
<p><u>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</u></p> <p align="center"></p>	<p><u>Type of Construction</u></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/>                  Describe other:                  Machined Brass</p>
<p><u>List of supporting documentation and identification of the actual items to be registered:</u></p> <p>All ASME Code Safety Valves, listed in ASMESafetyValveCatalog.pdf and including Models SA, SB, SCB, SF, SN, SP, ST &amp; SW. Supported by ASMESafetyValveDrawings.pdf, ASMESafetyValveCalculations.pdf and NB18RatingsWithCertifications.pdf.</p>	

**Declaration:**

I Jeff VanHorn (see note 3) employed by Control Devices, LLC and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DCS Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Fenton Missouri  
 This 14<sup>th</sup> day of December AD 2022  
 Commissioner of Oaths [Signature]  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)

**GWENDOLYN PHILLIPS**  
 Notary Public - Notary Seal  
 Use this space for the Notary Seal  
 St. Louis County  
 My Commission Expires: June 27, 2025  
 Commission #21529257

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0G8703.5 Rev.4  
 FID#: 2972

Notes:  
 1. All Fittings shall be registered in the name of the Manufacturer.  
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality Control programs shall be resubmitted for validation.

Scope: CRN renewal. CRN expires March 2nd, 2033  
 11/2016 (DGallant)

NUNAVUT  
 Boilers and Pressure Vessels Act  
 REGISTERED  
 CRN 0G8703.5N Rev 4  
 Date March 24, 2023  
 Signed [Signature]  
 Chief Inspector [Signature] Part 1.0 - Fittings Rev.2

Territorial Registration Fee