

VPC-50 NM

Open-Cell | Polyol Component B



Safety Data Sheet

Sect	tion 1: Product and Company Identific	cation			
	Product Name		VPC-50 NM		
	Chemical Name		Polyurethane Resin/B-side		
	Product Type		Liquid		
	Product Use		Component B of a Spray-Applied Polyurethane System		
.2	Name, Address, and Telephone of the	Responsible Party			
	Company		Victory Polymers Corp. 1700 Post Oak Boulevard 2 BLVD Place, Suite 600 Houston, TX 77056 U.S.A.		
	Telephone Number		1-832-240-7222 / International: 001-832-240-7222		
	Email		info@VictoryPolymers.com		
	Website		VictoryPolymers.com		
.3	Emergency Telephone Number				
	For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC Day or Night:		1-800-424-9300		
			1-800-424-9300		
		ay or Night:	+1-703-527-3887 CCN838152		
Sect	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification	ay or Night:			
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept	ay or Night:			
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings	ay or Night:	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg		
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accu	ay or Night: ed):	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l		
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accuracy	ed): te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue,		
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acculinhalation Toxicity Acculinhalation	ed): te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure,		
Sect 2.1	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Acculated Accula	ed): te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation		
	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accu Inhalation Toxicity Accu Skin Corrosive 2 Eye Corrosive 1	ed): te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accepts tion 2: Hazards Identification GHS Ratings Oral Toxicity Acculation Acculation Toxicity Skin Corrosive 2 Eye Corrosive 1 Aquatic toxicity C3 GHS Hazards	ed): te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accu Inhalation Toxicity Accu Skin Corrosive 2 Eye Corrosive 1 Aquatic toxicity C3 GHS Hazards Har	te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accepted tion 2: Hazards Identification GHS Ratings Oral Toxicity Accumulation Toxicity Accumulation Toxicity Accumulation Toxicity Accumulation Toxicity Skin Corrosive 1 Aquatic toxicity C3 GHS Hazards H302 Harards H315 Cau	te Tox. 4 te Tox. 4	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		
2.1	Fire, Exposure, or Accident, Call CHEMTREC D Outside USA and Canada (collect calls accept tion 2: Hazards Identification GHS Ratings Oral Toxicity Accu Inhalation Toxicity Accu Skin Corrosive 2 Eye Corrosive 1 Aquatic toxicity C3 GHS Hazards H302 Har H315 Cau H318 Cau	mful if swallowed ses skin irritation	+1-703-527-3887 CCN838152 Oral>300+<=2000mg/kg Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid degradability		



Open-Cell | Polyol Component B



GHS Precautions	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER in case of overexposure.
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment is urgent (see Section 4 First Aid measures)
P330	Rinse mouth
P362	Take off contaminated clothing and wash before reuse
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352	IF ON SKIN: Wash with soap and water
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P501	Dispose of contents/container in accordance with existing federal, state, and local environmental control laws.

2.4 GHS Label Elements Including Precautionary Statements

Hazard Pictograms





Signal Word	Danger		
Acute Toxicity			
Eyes	Corrosive to eyes.		
Skin	Irritating to skin.		
Inhalation	Not expected to be a route of exposure.		
Ingestion	Harmful if swallowed. Consult physician.		
Chronic Effects	Possible harmful target organ effects.		

Section 3: Composition/Data on Components

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20.00% - 30.00%
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	127087-87-0	10.00% - 20.00%
Tertiary amine	N/A	1.00% - 5.00%
Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-	2212-32-0	1.00% - 5.00%
Bis(2-dimethylaminoethyl) ether	3033-62-3	0.10% - 1.00%
1,4-Dioxane	123-91-1	0.00% - 0.10%



Open-Cell | Polyol Component B



ection 4: First-Aid Measures				
Inhalation	If inhaled and symptoms ensue,	move to fresh air. If breathing is difficult, give	e oxygen.	
After Eye Contact	Rinse opened eye for at least 15 rinsing. If irritation persists cont		ct lenses if present and easy to do so, and continue	
After Skin Contact	Clean affected area with soap ar	nd plenty of water.		
After Swallowing	Consult physician.			
Notes to Physician	Treat symptomatically.			
ection 5: Firefighting Measures				
Flash Point	200°C (392°F)			
LEL	N/A			
UEL	N/A			
Upper and Lower Explosive Limits liste	· · · · · · · · · · · · · · · · · · ·			
Suitable Extinguishing Agents	Water spray, CO ² , Foam, Dry che	mical.		
Information about Protection against Explosions and Fires	• • • • • • • • • • • • • • • • • • • •	rces of heat. Closed containers may rupture v	when exposed to extreme heat.	
Dangerous Products of Decomposition	· · · · · · · · · · · · · · · · · · ·	ogen, oxides of phosphorus, hydrocarbons, tra		
Protective Equipment	Firefighters should wear a pressi	ure demand self-contained breathing apparat	tus and protective clotning.	
ction 6: Accidental Release Meas			11	
Person-Related Safety Precautions	Use appropriate personal protec Avoid contact with skin and eye	tive equipment during clean up. Evacuate an s.	d keep unnecessary people out of spill area.	
Measures for Environmental Protection	n Cover and contain spill with abs	orbent material. Collect for proper disposal a	ccording to local, state, and federal regulations.	
Small Spills		r non-combustible material and transfer to consure the consum surface thoroughly to remove residual contains.	ontainers for later disposal. Wipe up with absorben amination.	
Large Spills			ere this is possible. Use a non-combustible material ner for later disposal. Following product recovery, flu	
ection 7: Handling and Storage				
Information for Safe Handling	Avoid contact with eyes, skin, or	inhalation.		
Storage Requirements	Store in dry, well ventilated area	. Keep containers tightly closed. Store betwe	en 60°F-100°F. Material may settle.	
Regulatory Requirements	Obey all local, state, and federal	requirements.		
ection 8: Exposure Controls and Pe	ersonal Protection			
Occupational Exposure Limits				
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits	
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy branched 127087-87-0	Not Established y-,	Not Established	Not Established	
Tertiary amine N/A	Not Established	Not Established	Not Established	
Ethanol, 2-[[2-(dimethylamino)ethyl] methylamino]- 2212-32-0	Not Established	Not Established	Not Established	
Bis(2-dimethylaminoethyl) ether	Not Established	0.15 ppm STEL 0.05 ppm TWA	Not Established	
1,4-Dioxane 123-91-1	100 ppm TWA	20 ppm TWA	Not Established	
Engineering Controls	No specific measures required if proper PPE precautions are followed.			



8.2 Individual Protection Measures			
General Protective and Hygienic Measures	Usual precautionary measures should be adhered to when handling chemicals.		
Respiratory Protection	In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary.		
Protection of Hands	Protective chemical resistant gloves.		
Eye Protection	Chemical resistant goggles must be worn.		
Body Protection	Protective work clothing. Launder separately.		
Contaminated Gear	Observe local requirements. Dispose of in accordance with local/state/federal regulations.		

Section 9: Physical and Chemical Properties

Physical properties listed where known			
Appearance	Amber liquid	Odor	Amine odor
Vapor Pressure	N/A	Odor Threshold	N/A
Vapor Density	N/A	pH	N/A
Specific Gravity	1.14	Melting Point	N/A
Freezing Point	N/A	Solubility	N/A
Boiling Range	100 - 342°C	Flash Point	392°F (200°C)
Evaporation Rate	N/A	Flammability	N/A
Explosive Limits	N/A	Partition Coefficient (n-octanol/water)	N/A
Autoignition Temperature	N/A	Decomposition Temperature	N/A

Section 10: Stability and Reactivity

Chemical Incompatible Materials	Avoid contact with isocyanates and strong oxidizing agents.
Hazardous Polymerization	Not expected to occur.
Dangerous Products of Decomposition	Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas.

Section 11: Toxicological Information

11	1	8.4	:4	1	:	-:4
11		M	ixtu	re I	UXI	citv

Oral Toxicity LD50	I,653mg/kg
Dermal Toxicity LD50	2,547mg/kg
Inhalation Toxicity LC50	16mg/L

I1.2 Component Toxicity

Product	Description	Oral LD50	Dermal LD50	Inhalation LC50
13674-84-5	2-Propanol, 1-chloro-, phosphate (3:1)	500 mg/kg (Rat)	1,230 mg/kg (Rabbit)	5 mg/L (Rat)
127087-87-0	Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	1,310 mg/kg (Rat)	2,000 mg/kg (Rabbit)	
Tertiary amine	Tertiary amine	1,290 mg/kg (Rat)	370 mg/kg (Rabbit)	3 mg/L (Rat)
2212-32-0	Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-	2,000 mg/kg (Rat)	2,000 mg/kg (Rabbit)	20 mg/L (Rat)
3033-62-3	Bis(2-dimethylaminoethyl) ether	910 mg/kg (Rat)	238 mg/kg (Rabbit)	117 ppm (Rat)
123-91-1	1,4-Dioxane	4,200 mg/kg (Rat)		49 mg/L (Rat)



I.3 Individual Toxicity Values Listed if Known

Acute Toxicity			
Eyes	Corrosive to eyes.	Chronic Effects	Possible harmful target organ effects.
Skin	Irritating to skin.	Routes of Entry	Ingestion, skin contact, eye contact.
Inhalation	Not expected to be a route of exposure.	Target Organs	Skin, eyes, reproductive system, kidneys
Ingestion	Harmful if swallowed. Consult physician.		

Chemicals with Known or Possible Carcinogenic Effects

CAS Number	Description	% Weight	Carcinogen Rating
123-91-1	1,4-Dioxane	0.0 to 0.1%	1,4-Dioxane: IARC group 2B -
			Possibly carcinogenic to humans

Section 12: Ecological Information

12.1 General Information

Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13.

Individual component ecotoxicity listed if known.

12.2 Component Ecotoxicity

Product/Ingredient Name	Result			
2-Propanol, 1-chloro-, phosphate (3:1)	96 Hr LC50 Brachydanio rerio:	56.2 mg/L [static]	48 Hr EC50 Daphnia magna:	63 mg/L
	96 Hr LC50 Pimephales promelas:	98 mg/L [static]	72 Hr EC50 Desmodesmus subspicatus:	45 mg/L
	96 Hr LC50 Poecilia reticulata:	30 mg/L [static]	96 Hr EC50 Pseudokirchneriella subcapitata:	4 mg/L
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy branched	48 Hr LC50 Pimephales pormelas (fathead minnow):	3.8 - 6.2 mg/L		
	48 Hr EC50 Daphnia magna:	9.3 - 21.4 mg/L		
	16 Hr IC50 Bacteria:	>1,000 mg/L		
Tertiary amine	72 Hr ErC50 Selenastrum capricornutum:	7.9 mg/L		
	72 Hr NOEC Selenastrum capricornutum:	1.2 mg/L		

Section 13: Disposal Considerations

Recommendation	Observe local requirements. Dispose of in accordance with local/state/federal regulations.
Empty Container Precautions	Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

Section 14: Transport Information

14.1 DOT Regulated Components

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods unless specifically cited below:

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
	None			



Section 15: Regulatory Information

15.1 OSHA Hazard Communication Standard:

This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

15.2 SARA 311/312 Hazard Categories

Acute health hazard, chronic health hazard

15.3 WARNING

This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Chemical	CAS#			
Ethylene Oxide	75-21-8	1 PPM	CARC	
1.4-Dioxane	123-91-1	4 PPM	CARC	

15.4 State Regulations

Massachusetts Right To Know List	None
New Jersey Right To Know List	None
Pennsylvania Right To Know List	None

15.5 SARA 302 Extremely Hazardous Substances

None

15.6 Chemicals subject to SARA 313 Reporting

None

Country	Regulation	All Components Listed
Canada	Canada DSL	Yes
US	Toxic Substances Control Act	Yes

Section 16: Other Information

Safety Data Sheet issued by Product Safety Department	This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Victory Polymers Corp. The data on these sheets relates only to the specific material designated herein. Victory Polymers Corp. assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.
Prepared By	Victory Polymers Corp.
Current Issue Date	1/1/2023
Revision Date	2/15/2023