C9DP+ Envelope Print Systems



Target new markets and grow your business with color production envelope printing

C9DP+ Envelope Print Systems:

- C931DP+ CMYK
- C941DP+ CMYK + White or Clear
- C942DP+ CMYK + White and Color-on-Color
- Broaden your services: expand short-run offerings; offer variable data printing in high-definition color
- New design: built "from the ground up" simplifies job setup, delivers new levels of production reliability
- Incredibly sharp text; rich, saturated press-like colors
- Broadest range of envelope sizes (through Feeder): A2 to 13" x 15"
- Broadest range of media sizes (through Printer): 3" x 5" cards to 52" banners
- Straight-through print path handles envelopes and ultraheavy card stocks/postcards (up to 360 gsm) with ease
- Optional Fiery[®] C9 Server or Harlequin[®] DirectPrint RIP: process complex jobs fast, expand color management, support VDP formats



Shown: C942DP+ Envelope Print System (Printer/Feeder/Conveyor/Cabinet). Also available: C941DP+ and C931DP+ systems.

Introducing C9DP+ Envelope Print Systems from OKI[®]: Next-generation short-run digital production from the leader in envelope printing solutions.

C9DP+ System Highlights:

Envelope sizes supported through Feeder

- Standard sizes: A2, A6, A7, A8, A9, A10, Invitation, Com-9, Com-10, Monarch, 6x9, 7x9, 9x12, 10x13, 10x15
- Custom sizes: Widths from 2.5" to 13"; Lengths from 4.5" to 15"; or 2.5" x 4.5" to 13" x 15"

Printer-supported media

- Straight-through paper path supports envelopes, magnetic media, polyester, transparent film, and heavier stock (up to 360 gsm)
- 3" x 5" cards to 52" banners; Tabloid extra (12" x 18") and Super-B (13" x 19")

Improved window envelope support

 Raised and angled envelope stack ensures smooth separation of typically challenging media

Short-run production savings

 C9DP+ Printers' drum life can exceed 100,000 Com-10 envelopes (based on print runs of 50 or more continuous envelopes), dramatically lowering CPP

Press quality without the mess. Fast digital turnaround. And no setup costs.

Customer requests for short-run envelope production (runs of 5,000 or less) used to be a headache for print shops large and small: not economical for traditional offset printers, too much trouble even for small digital print shops. Until now.

With the C9DP+ Envelope Print Systems from OKI[®], a formerly under-serviced market represents an opportunity to expand your business.

Press quality that's easy – Each C9DP+ model enables you to print short runs in less time than it takes to produce printing plates and ink up a press. Print up to 500 Com-10 envelopes in under 12 minutes¹— with output that rivals traditional offset printing presses.

Beyond 4-color printing – The addition of White toner lets you do something very unique. Broaden your printed offerings with stunning white on color stocks offered by both the C941DP+ and C942DP+. And the C942DP+ intelligently and accurately applies White under CMYK to produce brilliant color on dark media.

Generate additional sources of revenue with the ability to print brilliant white and striking color on color envelopes and stock for breathtakingly unique applications.

Print for Profit – OKI's range of C9DP+ models lets you extend your in-house color printing capabilities from the expected to the extraordinary. It's a new breed of print devices, perfect for short runs and, with a duty cycle rated at up to 300,000 pages per month, rugged enough for longer runs.

Add an optional EFI[®] Fiery[®] C9 Server or Harlequin[®] DirectPrint RIP to your system and offer your customers short-run, targeted variable data printing (VDP) with accurate, consistent color.

With their ease of use and low total cost of ownership, these affordable envelope printing systems enable you to produce premium printed products, offer new services, and grow your business and your profits.

C9DP+ Systems have what you need to grow your business

Here's what you get with C9DP+ Systems:
Cost-effective means to produce short runs with little overhead or job start-up costs, and full control over timing
Print on color envelopes in a variety of sizes and weights, using white or clear toner, or color on white in one pass
Optional RIP (see above) enables and greatly accelerates VDP processing time, perfect for personalized data/graphics
Accurate color through printer or RIP provides consistent output for all deliverables
Quickly go from design (in-house or client-provided) to production, no setup required
Easy to produce mock-ups using same system that will produce final envelope or print piece

Results that transcend expectations – through versatility, fast print speed, ease of use, and unique output choices. C9DP+ Systems: the top of the line in LED envelope printing.

C9DP+ Systems: Color Printing Capabilities at a Glance



C931DP+ System: Affordability (Low CPP)

4-Color Digital Printing (CMYK)



C941DP+ System: Versatility (5+ Color)

• 5-Color Digital Printing (CMYK + Clear or CMYK + White)



C942DP+ System: Creativity (5+ Color-on-Color)

- 5-Color Digital Printing (CMYK + White, CMYK over White in 1 pass)
- Straight-through paper path for envelopes and heavy stock
 True 1200 x 1200 dpi resolution
 Robust media support
 50 ppm on letter-size sheets¹
 38,000-page CMYK toners²
 High-resolution color LCD display panel with alphanumeric keypad
 2 GB memory, 1 Gigabit network and 2-sided sheet-fed printing, standard
 - PC and Mac[®] OS Postscript[®] print drivers with trapping Easy front access to toner cartridges and image drums

Look what else you can produce with a C9DP+ System from OKI:



Signage and Posters – Print CMYK over White toner on clear polyester windowcling media for attention-grabbing results.

Eye-popping Polyester Door Hangers – White toner gives powerful emphasis to text and graphics, making for a unique application.





Envelopes – Print color on color to produce brilliant full-color images, especially impactful on dark-colored envelope media.

EFI Fiery C9 Server with Command WorkStation



Harlequin DirectPrint RIP

Optional RIP ensures color accuracy and streamlines color management

Equipped with an optional external RIP, C9DP+ Systems expedite and streamline job processing while maintaining industry-standard color management for consistent, predictable results.

- The optional Fiery[®] C9 Server from EFI[®] offers fast, precise color reproduction and flexible job management. It uses the most popular Fiery features—including Command WorkStation[®], Spot-On[™] and Adobe[®] PDF Print Engine 3.0—to expand the production capabilities and improve the operational efficiencies of print shops and in-house printing services.
- The optional Harlequin[®] DirectPrint RIP is a cost-effective way to take full advantage of the C9DP+ Systems' color-on-color capabilities. It's both fast and easy to use, ensuring beautiful and accurate color every time. The "HDP" uses a PDF workflow, accepting jobs from both Mac and PC. Built-in Harlequin Dispersed Screening (HDS) and Hybrid Screening (HXM) produce sharp details and highfidelity color transitions.

PANTONE[®] libraries are included in both the Fiery C9 Server and Harlequin DirectPrint RIP, to ensure accurate color matching job to job. For details on the optional RIPs, please contact your OKI representative.

C9DP+ Envelope Print Systems

Specifications		
Performance		
Print Speed ¹	CMYK/Mono	All Models: Up to 500 Com 10 envelopes in under 12 minutes;
		50 ppm Letter-size sheets, 27 ppm Tabloid sheets
	CMYK + White	C942DP+/C941DP+: Up to 45 ppm Letter, 24 ppm Tabloid
	CMYK + Clear	C941DP+ only: Up to 17 ppm Letter
Duty Cycle	Printers	300,000 pages max per month
Print Quality	Resolution	Up to 1200 x 1200 dpi; ProQ 1200 x 600 x 16 levels
Memory	RAM (Standard/Max)	2 GB
	Processor	1.2 GHz ARM CPU
Compatibility	Printer Languages	Adobe® PostScript 3 [™] , PCL® 6, PCL 5c, XPS®
	Connectivity	High-speed USB 2.0, 10 Base-T/100 Base-TX/1000 Base-T Ethernet
	Operating Systems	Windows [®] 8, Windows 7, Windows Vista [®] , Windows XP,
		Windows Server 2012, Windows Server 2008,
		Windows Server 2008 R2, Windows Server 2003; Mac® OS 10.3.9 – 10.9
	Network Protocols	TCP/IP, EtherTalk
Color Features/	Standard	OKI PostScript [®] driver supports trapping; Embedded ICC
Solutions	Standard	Profile-based workflow; Simulations for SWOP, ISO Coated,
		Japan Color; PDF Direct Print; PS Gamma Adjust; and Color
		Correct
	Optional	External PC-based RIP: Global Graphics® Harlequin®
		DirectPrint RIP or Fiery® C9 Server with Command
		WorkStation® from EFI®
Media Handling	Media Sizes	Envelope Feeder: A2, A6, A7, A8, A9, A10, Invitation, Com-9, Com-10, Monarch, 6x9, 7x9, 9x12, 10x13, 10x15; Custom size
		range: 2.5" x 4.5" to 13" x 15"
		Paper Trays: Tabloid extra (12" x 18"), Tabloid (11" x 17"),
		Legal, Letter, Executive, 3" x 5" Index cards
	Media Weight	Trays 1 & 2 and optional High-Capacity Feeder: 52–320gsm;
		Multi-purpose Tray/Feeder: 80–360gsm
Media Capacity	Multi-purpose Tray/Feeder	Up to 600 Com-10 envelopes
	Trays 1 & 2	Up to 530 sheets each
	High-Capacity Feeder (Optional)	Up to 1,590 sheets (3 trays, 530 sheets each)
Media Output	Face Down	Max 610 sheets
	Face Up	500 envelopes via Stacking Conveyor
Environmental	Size (WxDxH)	Printer: 27.5" x 24.6" x 25.2" (699 mm x 625 mm x 640 mm)
		Printer/Feeder/Conveyor: 103.5" x 24.6" x 48.6" (2629mm x
	Waisht	625mm x 1234mm)
	Weight	C942DP+/C941DP+ (Printer): 244.4 lb. (110.8 kg) including consumables
		C931DP+ (Printer): 215.2 lb. (97.6 kg) including consumables
		Feeder: 86.4 lb. (39.2 kg); Conveyor: 60.6 lb. (27.5 kg)
	Temperature/Humidity	50° – 90°F (10° – 32°C) / 20% – 80%RH
	Power Consumption	Printer: Active 1600W max. /1100W avg.; Standby avg. 40W;
		PowerSave mode 30W or less; Sleep mode 4W or less; Auto
		Shutoff 0.4W or less. Feeder/Conveyor: 180W max.
	Noise Levels	Printer: Active 57dBA or less; Standby 34dBA or less;
		PowerSave mode – Inaudible
Warranty	Limited	C942DP+/C941DP+: 3-Year On-Site, 2nd Business Day
		Service ³ ; 5-Year Digital LED Printheads
		C931DP+: 2-Year On-Site, 2nd Business Day Service ³ ; 5-Year Digital LED Printheads
		J TOU DISITULED FINITION

Ordering Information Part Number Description 5-Color Envelope Print Systems C942DP+ (120V) 91692904 C941DP+ (120V) 91691304 4-Color Envelope Print System C931DP+ (120V) 91690704 C941DP+ Spot Color Kits (White or Clear kit must be purchased with C941DP+; required for operation) (C941DP+ spot color kits have clear and white starter toner at 10,000 pages) White 45531302 Clear 45531402 C942DP+ White Color Kit (Included with purchase of C942DP+ model) (C942DP+ White is a 10,000 page starter toner cartridge) **Toner Cartridges** Cyan (38,000 pages²) 45536515 Magenta (38,000 pages²) 45536514 Yellow C941DP+/C931DP+ (38,000 pages²) 45536513 C942DP+ (24,000 pages²) 45536438 Black (38,000 pages²) 45536516 White C942DP+ (15,000 pages⁴) 45536542 C941DP+ (10,000 pages⁴) 45536405 Clear (C941DP+ only - 20,000 pages⁴) 45536406 Image Drums Cyan (40,000 pages⁵) 45103727 Magenta (40,000 pages⁵) 45103726 Black (40,000 pages⁵) 45103728 White C942DP+ (20,000 pages⁵) 45103764 C941DP+ (20,000 pages⁵) 45103729 Clear (C941DP+ only - 20,000 pages⁵) 45103730 Waste Toner Box (Approx. 40,000 pages⁵) 45531502 Fuser (Approx. 150,000 pages⁵) 45531112 **Transfer Belt** Approx. 150,000 pages⁵ 45531222 Options 530-Sheet 2nd Tray 45530702 High-Capacity Feeder w/caster base 45530802 **Base Cabinet** 70065701 160 GB Hard Disk Drive 44622302 EFI Fiery C9 Server 46299302

Distributed by:



Harlequin DirectPrint RIP PC-based Server 70066201

Image Control Systems Northwest

GRAPHIC ARTS EQUIPMENT & SUPPLIES 206-551-6732 • www.imagecontrolsystems.com



¹ Published performance results based on laboratory testing. Individual results may vary.

- individual results may vary
- ² Based on ISO/IEC 19798.
 ³ On-site 2nd business day service available in the U.S. and Canada only.
- ⁴ Based on 5% coverage of letter-size sheet, simplex.
- ⁵ Estimated life based on 3 pages per job (single sided letter-size, long-edge feed).

Specifications are subject to change without notice.

© 2016 Oki Data Americas, Inc. OKI Reg. T.M., M.D., Oki Electric Industry Co., Ltd. 5+ Color logo T.M., Oki Data Americas, Inc. Adobe Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. PCL Reg. T.M., Hewlett-Packard Co. Windows, Windows Vista Reg. T.M., Microsoft Corp. XPS Reg. T.M., Dell, Inc. Mac Reg T.M., Apple Inc. Harlequin Reg. T.M., MultiRIP, DirectPrint, T.M., Global Graphics Software Ltd. EFI Reg. T.M., Lettronics for Imaging, Inc.