






FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE m/m	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	X-1	3/4	1.300		13.34		MX-25	25	1.100		15.61
	X-2	7/8	1.200		13.34		MX-30	30	1.200		17.14
	X-3	1	1.100		13.34		MX-35	35	2.400		22.39
	X-4	1 1/8	1.100		13.80		MX-40	40	3.200		30.28
	X-5	1 1/4	1.150		14.38		MX-45	45	2.800		31.66
	X-6	1 3/8	1.300		17.37		MX-50	50	3.000		33.73
	X-7	1 1/2	2.100		20.48	MX-55	55	5.400		61.15	
	X-8	1 3/4	2.800		26.10	MX-60	60	6.400		65.90	
	X-9	2	3.550		30.28	MX-65	65	5.700		68.62	
	X-10	2 1/4	5.150		55.19	MX-70	70	9.100		77.77	
	X-11	2 1/2	5.800		62.45	MX-75	75	8.200		87.43	
	X-12	2 3/4	9.100		77.77	MX-80	80	7.200		96.45	
	X-13	3	7.900		75.06	MX-85	85	10.000		105.42	
	X-14	3 1/4	11.200		109.48	MX-90	90	9.000		108.22	
	X-15	3 1/2	9.800		100.71	MX-95	95	13.800		177.98	
	X-17	4	12.100		162.14	MX-100	100	12.600		179.33	
	X-19	4 1/2	17.400		285.92	MX-105	105	11.200		182.13	
	X-21	5	23.000		410.82	MX-110	110	18.600		301.76	
	X-23	5 1/2	38.000		744.89	MX-115	115				
	X-25	6	32.400		729.82	MX-120	120	25.200		442.50	
	X-26	6 1/2	26.000		910.40	MX-125	125	23.600		445.25	
	NOTE: All zincs on this page include copper contacts for permanent ground and stainless screws with washer retainers.					MX-130	130	22.000		448.12	
						MX-140	140	38.000		777.89	
						MX-150	150	33.500		764.69	

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.















FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	
	R-1	D: 1 7/8"	0.250		6.47		C-3	D: 1"	1.200		14.63	
	R-2	D: 2 15/16"	1.050		10.93		C-4	D: 1 1/8"	1.150		14.63	
	R-3	D: 3 11/16"	1.700		16.17		C-5	D: 1 1/4"	1.100		14.63	
	R-4	D: 4 9/32"	2.450		21.87		C-6	D: 1 3/8"	1.750		17.63	
	R-5	D: 5 1/16"	3.550		28.53		C-7	D: 1 1/2"	1.700		17.63	
	R-5 HD	D: 5 1/16"	5.100		39.82		C-8	D: 1 3/4"	2.700		26.87	
	R-7	D: 6 1/2"	9.700		86.20		C-9	D: 2"	2.400		26.87	
NOTE: All these models include copper contacts for permanent ground and a stainless screw.							NOTE: All these models include copper contacts for permanent ground and stainless screws.	C-10	D: 2 1/4"			
	RP-4	D: 3 15/16" T: 1"	2.000		45.03			C-11	D: 2 1/2"			
	RP-5	D: 4 15/16" T: 1"	4.400		72.57			C-12	D: 2 3/4"			
	RP-6 S	D: 5 3/4" T: 1"	6.200		128.67	C-13		D: 3"	6.000		48.13	
	RP-6	D: 5 3/4" T: 1 1/2"	8.800		144.87	C-14		D: 3 1/4"				
	RP-7	D: 6 5/8" T: 1"	7.800		139.27	C-15		D: 3 1/2"	7.200		59.85	
	RP-7 HD	D: 6 3/4" T: 2 5/8"	22.800		335.72	C-17		D: 4"				
	RP-8	D: 7 3/4" T: 1"	11.500		173.80	C-19		D: 4 1/2"				
	RP-9	D: 8 3/4"	14.900		217.23	C-21		D: 5"				
		T: 1"				C-23		D: 5 1/2"				
							P-1 1/2 W	10 ft Cable	3.800		37.93	
								P-3 W	10 ft Cable	6.500		91.25
								P-5 W	10 ft Cable	11.000		123.19
						Z-6 W	10 ft Cable	4.800		82.35		

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752

FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	A-20	L: 3 1/4" W: 2 3/4" T: 1/2"	1.060		10.67		M-12 WS	L: 12 1/8" W: 3" T: 1 1/4"	11.230		90.84
	A-25	L: 9" W: 3 3/8" T: 7/8"	4.000		32.85		A-6x6	L: 6" W: 6" T: 1/2"	4.700		43.56
	A-26	L: 9 1/4" W: 3 3/8" T: 7/8"	3.600		29.83		A-1 1/2x12	L: 12" W: 1 1/2" T: 1/2"	2.350		21.98
	A-30	L: 6 1/4" W: 2 3/4" T: 9/16"	2.330		18.96		A-2x12	L: 12" W: 2" T: 1/2"	2.950		27.57
	A-40	L: 8 5/8" W: 3 1/4" T: 5/8"	4.050		38.08		A-3x12	L: 12" W: 3" T: 1/2"	4.700		43.56
	A-50	L: 12" W: 6" T: 1/2"	8.800		80.40		A-3x16	L: 16" W: 3" T: 1/2"	6.000		59.20
	A-50 HD	L: 12" W: 6" T: 5/8"	11.850		95.36		B-24	L: 24" W: 2" T: 1/2"	5.850		61.70
	SP-50	L: 12" W: 6" T: 1/2"	7.530		84.62		B-48	L: 48" W: 2" T: 1/2"	11.900		160.07
	SP-100	T: 1 1/8"	14.800		190.38		B-96	L: 96" W: 2" T: 1/2"	23.800		316.63
	M-24 WS	L: 12 1/8" W: 6" T: 1"	18.200		147.32						

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752

FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	UP-5	L: 12" W: 6 1/2" T: 1" c/c: 5"	18.200		148.15		SR-12	L: 8 5/8" W: 4 1/4" T: 1 1/8" c/c: 5"	8.000		95.72
	UP-6	L: 12" W: 6 1/2" T: 1" c/c: 6"	18.200		148.15		SR-24	L: 14" W: 6 1/2" T: 1 1/8" c/c: 5"	20.800		245.91
	UP-7	L: 12" W: 6 1/2" T: 1" c/c: 7"	18.200		148.15		VT-8	L: 5 7/8" W: 2 1/4" T: 1" c/c: 3 1/8" or 80mm	2.400		43.70
	UP-8	L: 12" W: 6 1/2" T: 1" c/c: 8"	18.200		148.15		VT-14	L: 9 1/4" W: 2 1/2" T: 1" c/c: 5 1/2" or 140mm	4.800		84.32
	TA-3	L: 6" W: 2 3/4" T: 7/8" c/c: 3"	2.750		41.60		CL-12	L: 12" W: 3" T: 1 1/2" c/c: 8"	9.360		102.20
	TA-4	L: 6 7/8" W: 3 3/8" T: 7/8" c/c: 4"	4.000		70.27		CL-18	L: 17 5/8" W: 3 3/4" T: 1 5/8" cc: 9"	18.000		203.98
		CL-18HD	T: 2 1/8"				27.000		305.58		
	TA-5	L: 7 7/8" W: 3 7/8" T: 1 3/16" c/c: 4 3/8"	8.100		91.96		AR-6	L: 6" W: 1 1/4" T: 1 1/8" c/c: 3 1/2"	1.800		61.83
	TH-24	L: 12" W: 6" T: 1 1/4" c/c: 6 1/8"	21.000		189.13		AR-7	L: 7" W: 1 15/16" T: 1 1/2" c/c: 5"	4.200		74.20
	K-15	L: 15" W: 2" T: 1" c/c: 5 1/2"	6.200		211.27		Z-20	L: 3 3/4" W: 2 3/4" T: 9/16" c/c: 1 5/16"	0.550		16.39
	K-15 HD	W: 3"	10.000		283.17						

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752









FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	FE-9	L: 6 3/4" OL: 11" W: 2 1/2" T: 1 1/4" c/c: 9"	5.200		72.94		SP-2	H: 29/32" D: 1 3/4"	0.350		23.05
	FE-10	L: 7 3/4" OL: 11 3/4" W: 3" T: 1 3/8" c/c: 10"	7.200		91.62		VT-1	H: 1 21/32" D: 1 29/32"	0.650		29.03
	FE-1	H: 2 9/16" D: 1 7/8"	1.200		154.00		VT-2	H: 1 21/32" D: 2 25/64"	1.100		39.58
	FE-2	H: 3 1/2" D: 2 5/16"	2.500		180.55	VT-3	H: 2" D: 2 7/8"	3.000		236.11	
	FE-80	H: 4 5/8" D: 6 1/8"	26.500		873.82		W-B	H: 2 1/16" D: 1 11/16"	0.600		23.20
	FE-90	H: 3 9/16"	25.000		850.00		W-C	H: 2 11/16" D: 2"	1.200		35.49
	FE-112	H: 6 1/2" D: 8"	61.000				BCS	H: 2 9/32" D: 2 21/32"	2.100		160.65
	AZ-125	D: 125mm T: 22mm	2.000		37.70		RV-72	H: 3 7/8" D: 5 1/2"	18.800		550.00
	AZ-140	D: 140mm T: 22mm	4.000		54.66		RV-80	H: 4" D: 6 3/4"	29.800		833.82
	AS-45	H: 2 7/8" D: 2 3/8"	1.800		62.58		UN-70	H: 3 1/2" D: 4 1/2"	15.000		550.00
	AS-50	H: 3 1/4" D: 2 7/8"	2.650		75.30		AZ-68S	H: 1" D: 4 7/8"	4.800		165.00
	AS-60	H: 3 7/8" D: 3 1/4"	4.250		113.22		AZ-70	H: 1" D: 5 1/2"	5.800		180.00
	AZ-75	H: 1 3/4" D: 7"	12.000				AZ-75	H: 1 3/4" D: 7"	12.000		
	AZ-105	H: 3 1/2" D: 7 7/8"	22.000				AZ-105	H: 3 1/2" D: 7 7/8"	22.000		

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752


FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	K-5	L: 4 3/8" OL: 6 5/8" W: 1 3/4" T: 15/16" c/c: 5 1/2"	1.350		33.54		P-15 K	L: 14 1/4" OL: 18 3/4" W: 5 7/8" T: 2"	33.000		273.51
 Galvanized steel mounting straps.	P-1.3 K	L: 4 1/2" OL: 8 3/8" W: 2 7/8" T: 1 1/8"	3.100		37.71		Z-4	L: 6" OL: 10" W: 3 3/8" T: 1 3/4"	4.750		68.81
	P-1.5 K	L: 6 7/8" OL: 10 1/8" W: 2 1/2" T: 1 1/8"	3.500		40.81		Z-6	L: 8 1/2" OL: 12 1/2" W: 3" T: 1 1/2"	5.000		71.86
	P-2.5 K	L: 6 1/2" OL: 10" W: 3" T: 1 1/8"	5.000		64.00		M-24	L: 12" W: 6 1/2" OW: 10" T: 1 1/8"	20.000		176.99
	P-3 K	L: 8 1/2" OL: 12 1/2" W: 2 3/4" T: 1 1/2"	6.600		74.61		M-24 HD	L: 12" W: 6" OW: 10" T: 1 1/4"	22.500		193.20
	P-5 K	L: 11" OL: 14 3/4" W: 3 1/2" T: 1 9/16"	11.000		91.94		M-40	L: 12" W: 6" OW: 10" T: 2"	38.000		356.20
	P-7.5 K	L: 11 5/8" OL: 15 3/4" W: 4 1/8" T: 1 9/16"	16.500		136.62		MR-24	L: 14" W: 6 1/2" OW: 10" T: 1 1/4"	23.000		200.81
	P-10 K	L: 13 1/2" OL: 17 3/4" W: 4 3/4" T: 1 5/8"	23.000		186.44		M-12	L: 12 1/8" OL: 16" W: 3" T: 1 1/4"	11.570		95.31
						M-12 S Slotted Strap	c/c: 14 3/8"	100.44			

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752

FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	UM-5	L: 11" c/c: 5"	6.800		97.16		RB-1/2"	D: 1/2"	1.200		28.98
	UM-6	L: 12" c/c: 6"	7.800		109.56		RB-5/8"	D: 5/8"	1.800		36.90
	UM-7	L: 13" c/c: 7"	8.250		119.16		RB-3/4"	D: 3/4"	2.700		48.47
	UM-8	L: 14" c/c: 8"	9.200		132.74		RB-7/8"	D: 7/8"			
	UM-9	L: 15" c/c: 9"	10.200		145.12		RB-1"	D: 1"	4.800		73.89
	UM-10	L: 16" c/c: 10"	10.800		156.67		RB-1 1/4"	D: 1 1/4"	7.500		105.84
	UM-11	L: 17" c/c: 11"	11.000		167.28		RB-1 1/2"	D: 1 1/2"	11.200		149.40
	UM-12	L: 18" c/c: 12"	12.300		180.04		RB-1 3/4"	D: 1 3/4"	14.800		193.59
	UM-13	L: 19" c/c: 13"	12.800		194.92		RB-2"	D: 2"	20.600		259.56
	UM-14	L: 20" c/c: 14"	13.400		207.38		RB-2 1/4"	D: 2 1/4"			
	UM-15	L: 21" c/c: 15"	14.600		221.07	RB-2 1/2"	D: 2 1/2"	30.200		313.97	
						RB-2 3/4"	D: 2 3/4"				
						RB-3"	D: 3"	43.400		358.56	
						RB-4"	D: 4"	77.800		640.67	
						M-6x6	L: 6" OL: 10" W: 6" T: 1 1/4"	11.200		98.40	
						RIV-440	L: 13 1/4" OL: 18 3/4" W: 5 3/8" T: 1 1/8" c/c: 17 1/4"	21.000		231.25	

NOTE: All these models have the same width and thickness. W: 3" T: 1"

NOTE: All these models have the same length. L: 24"

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752

FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)	FIGURE	MODEL	SIZE inches	WEIGHT lbs.	* DIST. PRICE (\$)	* RETAIL PRICE (\$)
	N-70	D: 2 25/32" T: 3/4"	0.850		18.67		VP-140	L: 14" W: 3" T: 1" c/c: 7" or 140mm	6.000		125.98
	N-90	D: 3 15/32" T: 1"	1.700		36.32						
	SL-18	L: 18" W: 4" T: 1 3/8" c/c: 7 1/4- 9 1/4"	18.000		214.13		VP-ES	D: 1 15/16" H: 1 7/16"	1.000		54.95
							VP-EL	D: 1 15/16" H: 2 3/4"	1.800		67.62
	RP-6WC	D: 5 1/2" H: 2"	11.500		360.40		WP-112	D: 6" H: 5 3/4"	28.600		
							WP-130	D: 6 7/8" H: 6 3/8"	40.000		
	R-2 S	D: 2 15/16"	0.480		7.49		SL-108	D: 9 7/16" H: 5 1/8"	45.000		
	R-7 S	D: 6 1/2" T: 13/16"	4.850		45.23						
	BNTT-115BT	D: 2 7/8" H: 3 1/4"	3.200		162.90		BT-25	D: 1 5/16" H: 1 1/2"	0.200		16.24
							BT-30	D: 1 5/8" H: 2 1/16"	0.400		20.15
	BNTT-115PN	D: 6 3/8" T: 2"	14.800		398.69		BT-35	D: 1 13/16" H: 2 7/16"	0.800		25.55
	BNTT-120PN	D: 7 1/2" T: 2 3/4"	30.000		541.68		BT-40	D: 2 1/16" H: 2 5/8"	1.200		34.10
							BT-45	D: 2 7/16" H: 3"	1.800		55.30
	BNTT-115H	L: 19" W: 3 1/4" T: 1 1/8" c/c: 6 1/4"	25.000				BT-50	D: 2 7/8" H: 3 1/4"	2.400		74.35
							BT-100	D: 4 7/8" H: 3 1/2"	6.000		388.90

* PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MADE IN THE U.S.A.

THE ZINC GUY
ZINC ANODES
CATALOG

WEBSITE: www.thezincguy.com
EMAIL: sales@thezincguy.com
TEL: (954) 907-2752