

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

### 1 Identification

- **Product identifier**
- **Trade name: Ecotex Hyper-Haze**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Screen Print Direct  
2621 Green River RD., Ste 105, 303  
Corona, CA 92882
- **Information department: Product safety department**
- **Emergency telephone number: INFOTRAC 1-800-535-5053**

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H319 Causes serious eye irritation.
- **Precautionary statements**
  - P264 Wash thoroughly after handling.
  - P280 Wear eye protection / face protection.
  - P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P337+P313 If eye irritation persists: Get medical advice/attention.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: **Ecotex Hyper-Haze**

(Contd. of page 1)

**· Dangerous components:**

|            |   |        |
|------------|---|--------|
| 106-65-0   | dimethyl succinate                        | 10-20% |
| 497-19-8   | sodium carbonate                          | 10-20% |
| 64366-70-7 | 2-Ethyl Hexanol EO-PO Nonionic Surfactant | 1-10%  |

## 4 First-aid measures

**· Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
For large spills: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**· PAC-1:**

|            |                    |                       |
|------------|--------------------|-----------------------|
| 106-65-0   | dimethyl succinate | 2.5 ppm               |
| 497-19-8   | sodium carbonate   | 7.6 mg/m <sup>3</sup> |
| 13463-67-7 | titanium dioxide   | 30 mg/m <sup>3</sup>  |

**· PAC-2:**

|            |                    |                       |
|------------|--------------------|-----------------------|
| 106-65-0   | dimethyl succinate | 28 ppm                |
| 497-19-8   | sodium carbonate   | 83 mg/m <sup>3</sup>  |
| 13463-67-7 | titanium dioxide   | 330 mg/m <sup>3</sup> |

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: Ecotex Hyper-Haze**

(Contd. of page 2)

| · <b>PAC-3:</b> |                    |                         |
|-----------------|--------------------|-------------------------|
| 106-65-0        | dimethyl succinate | 170 ppm                 |
| 497-19-8        | sodium carbonate   | 500 mg/m <sup>3</sup>   |
| 13463-67-7      | titanium dioxide   | 2,000 mg/m <sup>3</sup> |

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: *Ecotex Hyper-Haze*

(Contd. of page 3)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:**

Fluid

- **Color:**

According to product specification

- **Odor:**

Characteristic

- **Odor threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/Melting range:**

Undetermined.

- **Boiling point/Boiling range:**

93 °C (199.4 °F)

- **Flash point:**

100 °C (212 °F)

- **Flammability (solid, gaseous):**

Not applicable.

- **Ignition temperature:**

445 °C (833 °F)

- **Decomposition temperature:**

Not determined.

- **Auto igniting:**

Product is not selfigniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:**

2.7 Vol %

- **Upper:**

15.6 Vol %

- **Vapor pressure at 20 °C (68 °F):**

&gt;1 hPa (&gt;0.8 mm Hg)

- **Density at 20 °C (68 °F):**

1.1 g/cm<sup>3</sup> (9.1795 lbs/gal)

- **Relative density**

Not determined.

- **Vapor density**

Not determined.

- **Evaporation rate**

Not determined.

- **Solubility in / Miscibility with**

- **Water:**

Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

- **Dynamic:**

Not determined.

- **Kinematic:**

Not determined.

- **Solvent content:**

- **VOC content:**

907.5 g/l / 7.57 lb/gal

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: Ecotex Hyper-Haze

(Contd. of page 4)

· **Other information**

No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

13463-67-7 titanium dioxide

2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

Trade name: *Ecotex Hyper-Haze*

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

· **Uncleaned packagings:**· **Recommendation:**

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

· **UN-Number**· **DOT, ADN, IMDG, IATA** *not regulated*· **UN proper shipping name**· **DOT, ADN, IMDG, IATA** *not regulated*· **Transport hazard class(es)**· **DOT, ADN, IMDG, IATA**· **Class** *not regulated*· **Packing group**· **DOT, IMDG, IATA** *not regulated*· **Environmental hazards:**· **Marine pollutant:** *No*· **Special precautions for user***Not applicable.*· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code***Not applicable.*· **UN "Model Regulation":***not regulated*

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 355 (extremely hazardous substances):***None of the ingredients is listed.*· **Section 313 (Specific toxic chemical listings):***None of the ingredients is listed.*· **TSCA (Toxic Substances Control Act):***None of the ingredients is listed.*· **Hazardous Air Pollutants***None of the ingredients is listed.*

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: Ecotex Hyper-Haze**

(Contd. of page 6)

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

- **Pennsylvania Right-to-Know List:**

13463-67-7 titanium dioxide

- **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

13463-67-7 titanium dioxide

A4

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07

- **Signal word** Warning

- **Hazard statements**

H319 Causes serious eye irritation.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

California AQMD rule 1171 compliant when used as a dehazer for the removal of cured inks / stains  
 This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/23/2019

Reviewed on 04/23/2019

**Trade name: Ecotex Hyper-Haze**

(Contd. of page 7)

- **Contact:** H.S.D
- **Date of preparation / last revision** 04/23/2019 / -
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - ACGIH: American Conference of Governmental Industrial Hygienists
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - VOC: Volatile Organic Compounds (USA, EU)
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - NIOSH: National Institute for Occupational Safety
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

US