

Printing date 05/05/2021

Reviewed on 04/06/2021

1 Identification

- · Product identifier
- · Trade name: ecotex® Liquid Haze
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Screen Print Direct®
 30 N Gould St
 Ste 7001
 Sheridan, WY 82801
- · Information department: Product safety department
- Emergency telephone number: INFOTRAC 1-800-535-5053

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

· Hazard statements

H227 Combustible liquid.

H319 Causes serious eye irritation.

Precautionary statements

P210	Keep away from flames and hot surfaces. – No smoking.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US -

Page 1/8

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

	•	
96-48-0	4-Hydroxybutanoic acid lactone	50-70%
106-65-0	dimethyl succinate	1-10%
64366-70-7	2-Ethyl Hexanol EO-PO Nonionic Surfactant	1-10%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. **Special hazards arising from the substance or mixture** No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
- For large spills: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 3)

US

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

See Secti See Secti See Secti	e to other sections fon 7 for information on safe handling. fon 8 for information on personal protection equipment. fon 13 for disposal information. e Action Criteria for Chemicals	(Contd. of page 2)
· PAC-1:		
96-48-0	4-Hydroxybutanoic acid lactone	3.6 mg/m ³
106-65-0	dimethyl succinate	2.5 ppm
· PAC-2:		
96-48-0	4-Hydroxybutanoic acid lactone	39 mg/m ³
106-65-0	dimethyl succinate	28 ppm
· PAC-3:		
96-48-0	4-Hydroxybutanoic acid lactone	310 mg/m ³
106-65-0	dimethyl succinate	170 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.

(Contd. on page 4)

US -

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

· Protection of hands:

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 93-95 °C (199.4-203 °F)	
Flash point:	90 °C (194 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	2.7 Vol %	
Upper:	15.6 Vol %	

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

		(Contd. of page 4
· Density at 20 °C (68 °F):	1.10748 g/cm³ (9.24192 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	1,030.0 g/l / 8.60 lb/gal	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

96-48-0 4-Hydroxybutanoic acid lactone

- Oral LD50 1,540 mg/kg (rat)
- Dermal LD50 5,000 mg/kg (gui)

· Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

96-48-0 4-Hydroxybutanoic acid lactone

(Contd. on page 6)

З

JS

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

(Contd. of page 5)

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

- · Uncleaned packagings:
- · Recommendation:

Dispose of content and/or container in accordance with local, regional, national and/or international regulations

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

• Special precautions for user Not applicable.	107
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation": not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
No further relevant information available.
· Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· New Jersey Special Hazardous Substance List:
None of the ingredients is listed.
· Pennsylvania Right-to-Know List:
None of the ingredients is listed.
· Pennsylvania Special Hazardous Substance List:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)
None of the ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 8

Printing date 05/05/2021

Reviewed on 04/06/2021

Trade name: ecotex® Liquid Haze

· Hazard pictogi	(Contd. of page 7)
\wedge	
\sim	
GHS07	
· Signal word W	'arning
Hazard statem	
H227 Combusti	
	erious eye irritation.
· Precautionary	
P210	Keep away from flames and hot surfaces. – No smoking.
P264 P280	Wash thoroughly after handling.
	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Chemical safe	ty assessment: A Chemical Safety Assessment has not been carried out.
16 Other inforn	hation
This information	n is based on our present knowledge. However, this shall not constitute a guarantee for
	duct features and shall not establish a legally valid contractual relationship.
	D rule 1171 compliant when used as a dehazer for the removal of cured inks / stains
Date de révisior	า
· Department is	suing SDS: Environment protection department.
· Contact: H.S.D	
· Date of prepara	ation / last revision 05/05/2021 / -
Abbreviations	
	I Maritime Code for Dangerous Goods
	ent of Transportation Air Transport Association
	Inventory of Existing Commercial Chemical Substances
	List of Notified Chemical Substances
	stracts Service (division of the American Chemical Society) nic Compounds (USA, EU)
	entration, 50 percent
I D50: Lethal dose	

- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- Flam. Liq. 4: Flammable liquids Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A

US