

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

## 116105-CN

ID	Weight %	Concentration (mg/mL)			
<b>Δ9-THC</b>	0.251	2.31			
THCV	ND	ND			
CBD	10.8	99.4			
CBDV	0.0416	0.383			
CBG	0.107	0.984			
CBC	0.0296	0.272			
CBN	<loq< td=""><td><loq< td=""><td></td><td></td><td></td></loq<></td></loq<>	<loq< td=""><td></td><td></td><td></td></loq<>			
THCA	ND	ND			
CBDA	ND	ND			
CBGA	ND	ND			
CBDVA	ND	ND			
Δ8-THC	ND	ND			
exo-THC	ND	ND			
Total	11.2	103	0%	Cannabinoids (wt%)	10.8%
Max THC	0.251	2.31		Limit of Quantitation $(LOQ) = 0$	0.0113 wt%
Max CBD	10.8	99.4		Limit of Detection $(LOD) = 0$ .	.00375 wt%

## Ratio of Total CBD to THC 43.0:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC =  $(0.877 \times THCA) + THC$ . This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

## **END OF REPORT**