
SEAVIEW// ELEVATE YOUR ELECTRONICS



INSTALLATION INSTRUCTIONS

For Seaview Top Down Risers:

FTDR3, FTDR4, FTDR500

Refer to website for most up to date instructions and videos.

WWW.SEAVIEWGLOBAL.COM

NOTE:


It is strongly advised that all installations are carried out by an authorized installer who possesses the necessary expertise and experience in marine equipment installation.

Furthermore, prior to the final installation process, we recommend performing a dry fit assembly of all components. This entails fitting the components in their designated positions on the boat without permanently affixing them. This step allows for careful assessment of compatibility, alignment, and any potential adjustments that may be required before proceeding with the actual installation.


PARTS INCLUDED



X1 (FTDR3GSK) (FTDR4IGSK used w/FTDR4 & FTDR500 only)



X1(FTDR3P)
(FTDR4P)
(FTDR500P)



M6 × 16mr

X6 (M616SHCS PATCH)




X6 (M6WASHER)




X6 Only for FTDR500 (SP12)


TOOLS NEEDED






Sudbury Elastomeric Marine Sealant is recommended. To purchase call 800-655-7922 or visit www.seaviewglobal.com Mark all the holes to drill, and then drill.







Use a hole saw to cut a hole for the center cable.



Bolt the camera to the Top Down Riser using the six bolts and washers.




Note, when mounting the Sionyx Nightwave you will need to drill the cable hole in the FTDR3. You will also need to apply marine sealant in and around the slotted hole to keep water out.



4


Apply marine adhesive sealant to the rubber gasket and underside of the Top Down Riser.

Secure the Top Down Riser to the surface with your hardware. Be sure to not exceed 20 inch pounds. Use the six provided black nylon shoulder washers for the FTDR500.



OPTIONAL


You may consider using a Seaview Cable Gland for routing the cables through the mounting surface.



OPTIONAL ACCESSORIES

Call 800-655-7922 or visit www.seaviewglobal.com for available accessories.

CABLE GLANDS



Seaview Cable Glands provide waterproof cable routing.



SEAVIEW//

Tel: 800-655-7922 www.seaviewglobal.com **EUROPEAN OFFICE**

Tel: +33 4 94 53 27 70 www.seaviewprogress.com