

Anthem[®] MAXX Herbicide



CORN & SOYBEANS

PRODUCT INFORMATION:

Labeled for corn and soybeans, Anthem[®] MAXX herbicide from FMC is a concentrated formulation that offers growers superior control and long-lasting residual control with a dramatically lower use rate.

Anthem MAXX herbicide also provides growers a wide application window and helps control a wide spectrum of broadleaves, including ALS-, triazine- and glyphosate-resistant weeds like waterhemp, Palmer pigweed and others. Tough grasses such as foxtails, crabgrass and fall panicum are no match for its superior residual.

Anthem MAXX herbicide comes in an easy-to-handle formulation that's easily and effectively tank mixed with burndown, preplant and preemergence herbicides, glyphosate, post herbicides and liquid fertilizers. It often follows Authority[®] brand herbicides in soybeans to provide season long, overlapping residual coverage.


For maximum flexibility, maximum control and maximum yields, choose Anthem MAXX herbicide.

QUICK FACTS:


- Labeled for both corn and soybeans.
- Preplant, preemergence and early postemergence application options.
- Low use rate:
 - Corn:** 2.0 - 6.5 fl. oz. /A
 - Soybeans:** 2.0 - 5.7 fl. oz./A
- Controls and suppresses key broadleaf weeds and grasses.
- Highly effective pre and postemergence control of weeds with resistance to glyphosate, triazines and ALS-inhibiting products.




**Corn Systems Trial
University of Illinois – Urbana, IL 2021
14 DAT**




**Iowa On Farm Network
2019**



**Influence of Using Multiple SOA on Soil Seed Bank Dynamics Over a Three Year Period
Purdue University
DPAC Farmland, IN 2018/19/20
Waterhemp - Count # per M-2**



**Influence of Using Multiple SOA on Soil Seed Bank Dynamics Over Time
University of Tennessee
WTREC Jackson, TN 2018 -2020
Grow out Data**



Target Weeds:

- Annual grasses
- Eastern black nightshade
- Giant foxtail
- Kochia
- Lambsquarters
- Morningglories
- Palmer amaranth
- Pigweed
- Velvetleaf
- Waterhemp

Application Timing:

Corn: Postemergence through V4 corn stage; early post provides best control of small weeds plus residual.

Soybeans: Early postemergence through V6 soybean stage; apply in a tank mix with other post herbicides for broad-spectrum grass and broadleaf control.

Application Guidelines:

Preharvest Intervals:

Corn (Field, seed, silage, popcorn): 30 days forage; 70 days grain/stover

Sweet corn: 40 days forage, ears

Soybeans: 60 days

Product use rates:

Corn: 2.0 - 6.5 fl. oz./A

Soybeans: 2.0 - 5.7 fl. oz./A

Restrictions:

Do not apply more than 0.0089 lb. ai/A of fluthiacet-methyl or 0.266 lb. ai/A of pyroxasulfone per acre in a 12-month cropping year including preplant burndown.

Please see product label for a complete list of restrictions.

Label:

Active Ingredient: Pyroxasulfone, fluthiacet-methyl Group 14 & 15 herbicide.

To learn more about Anthem MAXX herbicide, contact your FMC retailer or visit AnthemMAXX.Ag.FMC.com.

Atrazine and XtendiMax herbicide are Restricted Use Pesticides. Always read and follow all label directions, precautions and restrictions for use. Some products may not be registered for sale or use in all states. FMC, the FMC logo, Anthem and Authority are trademarks of FMC Corporation or an affiliate. Callisto and Halex GT are trademarks of a Syngenta Group Company. Roundup PowerMAX, Harness MAX, XtendiMax and Warrant are trademarks of Bayer Group. ©2022 FMC Corporation. All rights reserved. 22-FMC-1425 05/22

