CATEGORY:

Range & Pasture

ACTIVE INGREDIENT:
Clopyralid 5.1% 2,4-D Amine 39%



Cody Herbicide

Selective Weed Control



Broad spectrum selective herbicide for post-emergent control of deep rooted perennials.

Alligare. The Leader In Advanced Herbicide Solutions.sm

Range & Pasture

ACTIVE INGREDIENT:
Clopyralid 5.1% 2,4-D Amine 39%



PRODUCT:

Cody Herbicide

Selective Weed Control





Cody Herbicide Use Sites

 For selective, post-emergence control of broadleaf weeds in wheat and barley not underseeded with a legume, fallow cropland (including summer fallow, post-harvest, and set-aside acres) rangeland and permanent grass pastures, land in the Conservation Reserve Program (CRP) and non-cropland. Cody Herbicide is a broad spectrum selective herbicide that can be used in a variety of sites including pastures, rangeland, fallow cropland, wheat, barley, CRP, and non-cropland. Cody Herbicide is the clear choice for post-emergent control of deep rooted perennials like Canada thistle.

- Control of glyphosate-tolerant broadleaf species such as marestail/fleabane and Amaranth species
- Flexible tank mix options for location-specific recommendations
- Favorable profile for use around sensitive crop sites

Targeted Weeds

Alfalfa
Clover (black medic, hop,
sweet, red , white)
Common cocklebur
Dandelion
Hawkweed (orange, yellow)
Horseweed
Jimsonweed

Knapweed (diffuse, Russian, spotted)
Kochia
Lambsquarters
Locoweed (Lambert, white)
Nightshade (black, cutleaf, eastern black, hairy)

Pigweed Pineappleweed Prickly lettuce Ragweed (common, giant) Sicklepod Sowthistle (annual, perennial) Thistle (bull, Canada, musk, Russian)

Volunteer beans, lentils, peas Yellow starthistle

Vetch

Mixing Instructions

- 1. Add 3/4 of the required spray volume to the spray tank and start agitation.
- 2. Add the required amount of Cody Herbicide.
- 3. Add any surfactants, adjuvants or drift control agents according to manufacturer's label.
- 4. Agitate during final filling of the spray tank and maintain sufficient agitation during application to ensure uniformity of the spray mixture.

Note: Allow time for thorough mixing of each spray ingredient before adding the next. If allowed to stand after mixing, agitate spray mixture before use.

Active Ingredient(s):

Clopyralid MEA salt: 3,6-dichloro-2-pyridinecarboxylic acid, monoethanolamine salt	5.1%
2,4-dichlorophenoxyacetic acid, triisopropanolamine salt*	39.0%
OTHER INGREDIENTS:	55.9%
TOTAL:	.100.0%
Acid Equivalents: clapsyralid: 3.6 dichlora 2 pyridipagarbovylic acid. 3.0%. 0.38 lb/gal 2.4 dichloraphopoyyagatic acid. 30.0%	2 O lb/gal

For Best Results:

Cody Herbicide contains the active ingredients 2,4-D and Clopyralid. These active ingredients are Group 4 herbicides, mimicking growth regulator hormones in the plant. Cody Herbicide is absorbed through the roots foliage of plants, causing unregulated growth of susceptible weeds, ultimately causing death. For best results, apply Cody Herbicide when plants are small and actively growing.

For more information on Cody Herbicide or other Alligare products, or to find a regional specialist near you, call (888) 255-4427 or visit Alligare.com. Check with your Alligare regional manager for product state registration status. ©2017 Alligare LLC Always read & follow label directions.