HERBICIDE

EFFECTIVE CONTROL, FLEXIBLE APPLICATION SITES

Cryder[™] is a selective herbicide for the control of certain annual and perennial grasses and broadleaf weeds in select pasture grasses and rangelands, noncrop areas and in winter and spring wheat. This herbicide is an ideal tool for roadside vegetation managers for difficult-to-control weeds. Cryder can be used in a variety of pastures, grasslands, and non-crop areas including dry ditches, ditch banks, industrial sites and others.

KEY BENEFITS

- Effective on difficult-to-control roadside weeds
- Numerous application sites and crops
- Controls many weeds at low use rates

KEY USES

- Ditches
- Grasslands

Industrial Sites

- Pastures
- Railways
 - Rangelands
- Non-crop areas Winter and Spring Wheat

PRODUCT NOTES

EPA REGISTRATION NUMBER 91234-119

ACTIVE INGREDIENT Sulfosulfuron 75%

FORMULATION Water Dispersible Granule

HRAC NUMBER 2

SIGNAL WORD Caution

PACKAGE SIZE 10 x 20 wt oz

RESTRICTED USE No

8888888

Refer to label for specific use restrictions.



WEED RESISTANCE MANAGEMENT

For resistance management, Cryder is a Group 2 herbicide. Any weed population may contain or develop plants naturally resistant to Cryder and other Group 2 herbicides. The resistant biotypes may eventually dominate the weed population if these herbicides are used repeatedly in the same field. Appropriate resistance-management strategies should be followed.

To delay herbicide resistance take one or more of the following steps:

- Rotate the use of Cryder or other Group 2 herbicides within a growing season sequence or among growing seasons with different herbicide groups that control the same weeds in a field.
- Use tank mixtures with herbicides from a different group if such use is permitted; where information on resistance in target weed species is available, use the less resistance-prone partner at a rate that will control the target weed(s) equally as well as the more resistance-prone partner. Consult your local extension service or certified crop advisor if you are unsure as to which active ingredient is currently less prone to resistance.
- Adopt an integrated weed-management program for herbicide use that includes scouting and uses historical information related to herbicide use and crop rotation, and that considers tillage (or other mechanical control methods), cultural (e.g., higher crop seeding rates; precision fertilizer application method and timing to favor the crop and not the weeds), biological (weed-competitive crops or varieties) and other management practices.
- Scout after herbicide application to monitor weed populations for early signs of resistance development. Indicators of possible herbicide resistance include: (1) failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds; (2) a spreading patch of non-controlled plants of a particular weed species; (3) surviving plants mixed with controlled individuals of the same species. If resistance is suspected, prevent weed seed production in the affected area by an alternative herbicide from a different group or by a mechanical method such as hoeing or tillage. Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment when moving between fields, and planting clean seed.
- If a weed pest population continues to progress after treatment with this product, discontinue use of this product, and switch to another management strategy or herbicide with a different mode of action, if available.
- Contact your local extension specialist or certified crop advisors for additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes or to find out if suspected resistant weeds have been found in their region.

Refer to product label for complete application and mixing instructions.

©2019 Atticus. Important: Always read and follow label instructions. Not all products are registered for use in every state. Cryder™ is not manufactured, or distributed by Valent U.S.A. Corporation, seller of Outrider[®]. Outrider[®] is a registered trademark of Valent U.S.A. Corporation. Cryder[™] is a trademark of Atticus, LLC.



KEY WEEDS

Barley, volunteer Bedstraw, catchweed Bentgrass, creeping Bluegrass, bulbous Bluegrass, roughstalk Brome, downy Brome, Japanese Brome, ripgut Buttercup Chamomile, mayweed Cheat Chess, hairy Chickweed, common Cocklebur, common Fiddleneck, tarweed Flixweed Galium aparine Henbit Hordeum vulgare Horseweed Johnsongrass Lady's-thumb Mustard, tumble Mustard, wild Nutsedge, purple Nutsedge, yellow Oat, wild (fall germinating) Oat, wild (spring germinating) Pennycress, field Quackgrass Rescuegrass Ryegrass, Italian Shepherd's-purse Sunflower, common Tansymustard, pinnate Wallflower, bushy

(Refer to product label for complete list)

www.AtticusLLC.com