

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 1/12  
(30523442/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

**Facet L**

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, herbicide  
Recommended use\*: herbicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 252437  
EPA Registration number: 7969-315  
Molecular formula: C10 H5 Cl2 N O2  
Chemical family: quinoline derivative  
Synonyms: quinclorac

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
STOT RE	2	Specific target organ toxicity — repeated

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 2/12  
(30523442/SDS\_CPA\_US/EN)

Aquatic Acute	3	exposure
Aquatic Chronic	4	Hazardous to the aquatic environment - acute
		Hazardous to the aquatic environment - chronic

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H373 May cause damage to organs through prolonged or repeated exposure.  
H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.  
P260 Do not breathe dust/gas/mist/vapours.  
P273 Avoid release to the environment.  
P270 Do not eat, drink or smoke when using this product.  
P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P330 Rinse mouth.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

### Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 0 - 1 % Inhalation - mist

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
84087-01-4	15.95 %	quinclorac
107-21-1	25.0 - 75.0%	ethylene glycol
124-40-3	1.0 - 5.0%	dimethylamine

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 3/12  
(30523442/SDS\_CPA\_US/EN)

---

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

Remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

##### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

##### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
foam, dry powder, carbon dioxide, water spray

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons,  
To be archived: Hydrocarbons,  
Traces of the substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 4/12  
(30523442/SDS\_CPA\_US/EN)

---

### 6. Accidental release measures

#### **Personal precautions, protective equipment and emergency procedures**

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

#### **Methods and material for containment and cleaning up**

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

### 7. Handling and Storage

#### **Precautions for safe handling**

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

#### **Conditions for safe storage, including any incompatibilities**

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C  
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30

Version: 6.0

Page: 5/12

(30523442/SDS\_CPA\_US/EN)

### 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

#### Components with occupational exposure limits

ethylene glycol

ACGIH TLV CLV 100 mg/m<sup>3</sup> aerosol ; TWA value 25 ppm  
Vapor fraction ; STEL value 50 ppm Vapor  
fraction ; STEL value 10 mg/m<sup>3</sup> Aerosol,  
inhalable. ;

dimethylamine

OSHA PEL PEL 10 ppm 18 mg/m<sup>3</sup> ; TWA value 10 ppm  
18 mg/m<sup>3</sup> ;  
ACGIH TLV TWA value 5 ppm ; STEL value 15 ppm ;

#### **Advice on system design:**

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### Personal protective equipment

#### **RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

##### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

##### **General safety and hygiene measures:**

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30

Version: 6.0

Page: 6/12

(30523442/SDS\_CPA\_US/EN)

### 9. Physical and Chemical Properties

Form:	liquid
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	yellow clear
pH value:	approx. 7.9 - 9.9 ( 1 %(m), 25 °C)
Boiling point:	approx. 197.4 °C ( 1,013 hPa)
Flash point:	Information applies to the solvent. approx. 111 °C
Flammability:	Information applies to the solvent. not applicable
Autoignition:	approx. 398 °C
Vapour pressure:	Information applies to the solvent. approx. 0.123 hPa (measured) ( 25 °C)
Density:	Information applies to the solvent. approx. 1.13 g/cm3 ( 20 °C) 9.4378 Lb/USg ( 68 °F)
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
<i>Information on: quinclorac</i>	
Partitioning coefficient n-octanol/water (log Pow):	-0.74 (Directive 92/69/EEC, A.8) ( 20 °C) -3.74 (Directive 92/69/EEC, A.8) ( 20 °C) 1.76 (Directive 92/69/EEC, A.8) ( 20 °C)
-----	
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.
Viscosity, dynamic:	approx. 10.27 mPa.s ( 20 °C)
Solubility in water:	dispersible
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Not an oxidizer.

#### Chemical stability

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 7/12  
(30523442/SDS\_CPA\_US/EN)

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is chemically stable.  
Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

### Incompatible materials

strong oxidizing agents, strong bases, strong acids

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, Hydrogen chloride, halogenated hydrocarbons,  
To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

No mortality was observed.

#### Inhalation

Type of value: LC50

Species: rat

Value: > 5.2 mg/l

Exposure time: 4 h

No mortality was observed.

#### Dermal

Type of value: LD50

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30

Version: 6.0

Page: 8/12

(30523442/SDS\_CPA\_US/EN)

Species: rat

Value: > 5,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

### Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

### Eye

Species: rabbit

May cause slight but temporary irritation to the eyes.

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: ethylene glycol*

*Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.*

*Information on: dimethylamine*

*Assessment of repeated dose toxicity: The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.*

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity



# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 9/12  
(30523442/SDS\_CPA\_US/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### *Information on: Quinclorac*

*Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.*

-----

### *Information on: ethylene glycol*

*Assessment of teratogenicity: Developmental toxicity was observed after oral ingestion of high doses in studies with rats and mice, but this effect was not seen in a study with rabbits. Mechanistic studies show that the rabbit is the relevant species for the classification for human health. As such, and since ethylene glycol is not a developmental toxicant in the rabbit, no classification is warranted. However, the relevance of this result for humans is unclear.*

-----

### Other Information

Misuse can be harmful to health.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

---

## 12. Ecological Information

### Toxicity

#### Toxicity to fish

##### *Information on: Quinclorac*

*LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)*

*LC50 (96 h) > 100 mg/l, Lepomis macrochirus (EPA 72-1, static)*

-----

#### Aquatic invertebrates

##### *Information on: Quinclorac*

*EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

-----

#### Aquatic plants

##### *Information on: Quinclorac*

*EC50 (96 h) > 100 mg/l (biomass), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*EC50 (96 h) > 100 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)*

-----

#### Chronic toxicity to fish

*Information on: quinclorac*

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 10/12  
(30523442/SDS\_CPA\_US/EN)

*No observed effect concentration (38 d) 31 mg/l, Pimephales promelas*  
-----

### Chronic toxicity to aquatic invertebrates

*Information on: quinclorac*

*No observed effect concentration (21 d) 110 mg/l, Daphnia magna*  
-----

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

### Other terrestrial non-mammals

*Information on: Quinclorac*

*LC50, Anas platyrhynchos*

*With high probability not acutely harmful to terrestrial organisms.*

*LD50 > 100 ug/bee, Apis mellifera*

*With high probability not acutely harmful to terrestrial organisms.*  
-----

## **Bioaccumulative potential**

### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

## **Mobility in soil**

### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: quinclorac*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*  
-----

## **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 11/12  
(30523442/SDS\_CPA\_US/EN)

recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### RCRA:

This product is not regulated by RCRA.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this MSDS for the RQ for this product.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection      TSCA, US    released / exempt

Chemical              TSCA, US    blocked / not listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### EPCRA 313:

##### CAS Number

107-21-1

124-40-3

##### Chemical name

ethylene glycol

dimethylamine

##### CERCLA RQ

5000 LBS

##### CAS Number

107-21-1

##### Chemical name

ethylene glycol

#### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

#### BASF Risk Assessment, CA Prop. 65:

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

# Safety Data Sheet

## Facet L

Revision date : 2018/10/30  
Version: 6.0

Page: 12/12  
(30523442/SDS\_CPA\_US/EN)

### NFPA Hazard codes:

Health: 1      Fire: 1      Reactivity: 0      Special:

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### CAUTION:

Causes eye irritation.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

HARMFUL IF INHALED.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2018/10/30

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET