Product: Piccolo 10 XC Issue Date: 10/18/16

Version: 8



SAFETY DATA SHEET

1. Identification:				
Product Identifier:	Piccolo® 10 XC			
Other Means of Identification:	EPA registration number 62097-25-82917			
Distributed by:	Fine Americas, Inc.			
	1850 Mt. Diablo Blvd., Suite 405, Walnut Creek, CA 94596, USA			
	Tel: 925-932-8800			
Emergency Phone Number:	Chemtrec 1-800-424-9300 (24 hours)			
Recommended Use:	Ornamental plant growth regulator			
Restrictions on Use:	Keep out of reach of children			
Hazard(s) Identification (This produc 29 CFR 1910.1200):	t is classified as hazardous as defined by OSHA Hazard Communication Standard,			
Class/Category:	Eye damage Category 1			
	STOT SE Category 3			
Route of Exposure:	Potential for exposure via Dermal, Oral and Inhalation routes			
Hazards Not Otherwise Classified:	None			
Signal word: Symbol(s):	DANGER			
Hazard Statements:	H318 Causes serious eye damage			
	H335 May cause respiratory irritation			
Precautionary Statements:	Prevention: P261 Avoid breathing fumes/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye / face protection Response: P304+340+312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P310 Immediately call a POISON CENTER/doctor Storage: P403+233 Store in a well ventilated place. Keep container tightly closed. P405 Store locked up Disposal: P501 Dispose of contents/container to an approved waste disposal plant.			

Com	ibosi		n -
	110705	1114	

This product contains the following components classified as hazardous under 29 CFR 1910.1200				
CAS number:	Component:	Percent:		
76738-62-0	Paclobutrazol	4%		
577-11-7	Sodium dioctyl sulfosuccinate	5-10%		
136817-80-1	2-Ethylhexyl –S-lactate	30-40%		
667-47-8	Ethyl-(S)-2-hydroxy propanate	30-40%		
The remainder of the mixture is not required to be disclosed by 29 CFR 1910.1200.				

Product: Piccolo 10 XC Issue Date: 10/18/16

Version: 8



4. First Aid Measures:	
Inhalation:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice
Eyes:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice / attention.
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
Symptoms/Effects:	Acute: Not known Delayed: Not known
Indication of immediate medical attention and special treatment	No applicable information
needed, if necessary: 5. Fire Fighting Measures:	
Extinguishing Media:	Suitable: For small fires use foam, carbon dioxide, halon or dry
Extinguishing Media:	powder extinguishers. For large fires use foam or water-fog. Keep fire exposed containers cool by spraying with water. Unsuitable: Avoid the use of water jets.
Specific Hazards Arising from the	Water used for extinguishing must be retained and not allowed
Chemical:	to contaminate water courses. Products of combustion and decomposition: carbon oxides and aldehydes. May evolve hazardous fumes.
Protective Equipment and Precautions for Firefighters:	Wear full protective clothing and self-contained breathing apparatus.
6. Accidental Release Measures:	
Personal Precautions, Protective Equipment and Emergency Procedures:	Refer to Section 8 "Exposure controls/personal protection".
Methods for Containment and Clean-Up:	Isolate spilled material for safe disposal, using suitable absorbent media, and collect in sealable poly-lined containers. Clean contaminated area with water and dispose of waste water safely.
	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
	See also Section 13. Disposal Considerations.
7. Handling and Storage:	
Precautions for Safe Handling:	Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
Conditions for Safe Storage:	Keep container closed when not in use. See also Section 10. Stability and Reactivity.

Product: Piccolo 10 XC Issue Date: 10/18/16

Version: 8



8. Exposure Controls/Personal Protection:								
Component Exposure Limits:								
Substance		A PEL	Cal/OSHA PEL	NIOSH REL	ACGIH TLV			
	ppm	Mg/m3	8-hr TWA	Up to 10 hr TW	8-hr TWA			
			(ST) STEL	(ST) STEL	(ST) STEL			
			(C) Ceiling	(C) Ceiling A	(C) Ceiling			
No listed components	-	-	-	-	-			
Appropriate Engineering Co			cable information avail					
Personal Protective Equipme	ent:	Eyes/Face:		r (goggles, face sh	ield, or safety			
		glasses).						
		Skin: Long-sleeved shirt and long pants. Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile						
		rubber, neoprene rubber, polyvinyl chloride or viton.						
		Shoes plus socks.						
		Respiratory	•					
9. Physical and chemical pro								
Appearance:		Clear/pale	yellow liquid					
Odor:		Aromatic	, I					
Odor Threshold:		No data av	ailable					
pH:		5.5 (1% so	lution) at 70°F (21°C)					
Melting Point/Freezing Point		Not applica						
Boiling Point:		>212°F (10	0°C)					
Flash Point:		Approx 158	B°F (70°C) (Closed cup	o)				
Evaporation Rate:		No data available						
Flammability/Limits:	Not flammable							
-		LFL: not applicable						
		UFL: not applicable						
Vapor Pressure:		No data av						
Vapor Density:		No data av						
Relative Density:		1.016 g/cm						
Solubility (H₂O):		Completely						
Partition Coefficient:		No data av						
Auto-Ignition Temperature:		No data av						
Decomposition Temperature:		No data av						
Viscosity:		24 cSt at 6	\ /					
10. Chemical Stability and Re								
Reactivity:		No applicable information available						
Chemical Stability:		Stable in original containers for at least 2 years at ambient temperatures. (40-70°F)						
Possibility of Hazardous		No applicable information available						
Reactions:		140 applical						
Conditions to Avoid:	No applicable information available							
Incompatible Materials:		No applicable information available						
Hazardous Decomposition								
Products:		None under normal conditions of storage and use.						
11. Toxicological Information								
Likely Routes of Exposure:		Dermal, Or	al and Inhalation expo	sure routes possib	le			
Symptoms:			Irritating to mucosal m	•				
		Eye: Severe iritation						
		Skin: mild irritation						
		Ingestion: No data available						
Acute Toxicity:		Oral:	7 0 0 \ 0 7 7					
			LC ₅₀ Rat >2.14 mg/l	,	tegory IV)			
		Dermal:	LD ₅₀ Rat >5,000 mg/k	kg (EPA ca	ategory IV)			

Product: Piccolo 10 XC Issue Date: 10/18/16

Version: 8



Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 13. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcess of container disposations or a meto drip. Fill the container of a metod of a	mouse) ponents of this prode SHA. No data available in the second seco	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Germ Cell Mutagenicity: Carcinogenicity: None of the comp NTP, IARC or OS Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Bioaccumulation Potential: Mobility in Soil: Other Adverse Effects: No data available None known Jisposal Instructions: Wastes resulting site or at an appro Container disposa Non-refillable con rinse as follows: E equipment or a m to drip. Fill the co	No data availal re: No data availal	ble ble LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Carcinogenicity: Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcument of a metodrip. Fill the contribution of the component of the com	No data availal Inc: No data a	ble ble LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Carcinogenicity: Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcument of a metodrip. Fill the contribute of the cont	No data availal Ire: No data availal Ire: No data availal Exposure Time 96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	ble ble LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Reproductive/Developmental Toxicity: Specific Target Organ Toxicity: Specific Target Organ Toxicity: Single Exposure: Repeated	No data availal ure: No data availal Exposure Time 96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Toxicity: Specific Target Organ Toxicity: Single Exposure: Repeated	No data availal lire: No data availal lire: No data availal Exposure Time 96hr 48hr 72hr n/a n/a n/a ingredient is between, <140 d in coarse,	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Specific Target Organ Toxicity: Single Exposure: Repeated Exposure: R	Exposure Time 96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Repeated Exposulation: Ecotoxicity: Species:	Exposure Time 96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
2. Ecological Information: Ecotoxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approact Container disposation Non-refillable container as follows: Equipment or a mit odrip. Fill the container in the container of the container and to drip. Fill the container in the contai	Exposure Time 96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	LC50/EC50/IC50 NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Ecotoxicity: Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcess of Container disposation or a material to drip. Fill the container of a material to drip. Fill the container with the container of a material to drip. Fill the container disposation.	96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Species: Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approact Container disposation Non-refillable container as follows: Equipment or a mato drip. Fill the container with the container of the container of the container of the container disposation.	96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Fish Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approact Container disposation Non-refillable con rinse as follows: Equipment or a mato drip. Fill the container of the containe	96hr 48hr 72hr n/a n/a ingredient is between, <140 d in coarse,	NOEC >100 mg/l NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Daphnia Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcess Container disposation Non-refillable container as follows: Equipment or a material to drip. Fill the container with the container of the container o	48hr 72hr n/a n/a n/a ingredient is between, <140 d in coarse,	NOEC >100 mg/l EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Algae Bird (Mallard Duck) Bee Persistence and Degradability: Half-life of active in calcareous clay Bioaccumulation Potential: No data available Mobility in Soil: No data available Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approact Container disposal Non-refillable con rinse as follows: E equipment or a m to drip. Fill the container was to drip. Fill the container was to drip. Fill the container disposal to drip. Fill the container disposal to drip. Fill the container was to drip. Fill the container disposal to drip.	72hr n/a n/a ingredient is between, <140 d in coarse,	EC50 >100 mg/L LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Bird (Mallard Duck) Bee Persistence and Degradability: Bioaccumulation Potential: Mobility in Soil: Other Adverse Effects: No data available None known 3. Disposal Considerations: Wastes resulting site or at an approcess of Container disposations or a magnitude of the container of of the conta	n/a n/a ingredient is between v, <140 d in coarse,	LC50 >7,900 mg/kg NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Persistence and Degradability: Bioaccumulation Potential: Mobility in Soil: Other Adverse Effects: Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approx Container disposa Non-refillable con rinse as follows: E equipment or a m to drip. Fill the con	n/a ingredient is betwe ,, <140 d in coarse,	NOEL >0.002 mg (oral) NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
Persistence and Degradability: Bioaccumulation Potential: Mobility in Soil: Other Adverse Effects: Disposal Considerations: Wastes resulting site or at an approact Container disposa Non-refillable con rinse as follows: E equipment or a m to drip. Fill the con	ingredient is between, <140 d in coarse,	NOEL >0.04 mg (percutaneous) en 0.5-1.0 years in general, <42d			
in calcareous clay Bioaccumulation Potential: No data available No data available No data available None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcent Container disposation Non-refillable contrinse as follows: E equipment or a me to drip. Fill the contrinse in the contrinse of the contrinse as follows: E equipment or a me to drip. Fill the contrinse in the contrinse as follows: E equipment or a me to drip. Fill the contrinse as follows: E equipment or a me to drip. Fill the contributions in the contribution of the contri	v, <140 d in coarse,	en 0.5-1.0 years in general, <42d			
in calcareous clay Bioaccumulation Potential: No data available No data available No data available None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approcent Container disposation Non-refillable contrinse as follows: E equipment or a me to drip. Fill the contrinse in the contrinse of the contrinse as follows: E equipment or a me to drip. Fill the contrinse in the contrinse as follows: E equipment or a me to drip. Fill the contrinse as follows: E equipment or a me to drip. Fill the contributions of the contribution of the contri	v, <140 d in coarse,				
Bioaccumulation Potential: Mobility in Soil: Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approact Container disposal Non-refillable con rinse as follows: E equipment or a m to drip. Fill the container contains the container of the con		sandy loam			
Mobility in Soil: Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approx Container disposal Non-refillable con rinse as follows: E equipment or a m to drip. Fill the container container container disposal non-refillable con rinse as follows: E		in calcareous clay, <140 d in coarse, sandy loam.			
Other Adverse Effects: None known 3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an approximate Container disposal Non-refillable container as follows: E equipment or a material to drip. Fill the container cont					
3. Disposal Considerations: Disposal Instructions: Wastes resulting site or at an appro Container disposal Non-refillable con rinse as follows: E equipment or a m to drip. Fill the container to the container of the container					
Disposal Instructions: Wastes resulting site or at an approximate Container disposal Non-refillable container as follows: Execution in the container of a material to drip. Fill the container site of the container of the contai	,				
store rinsate for la flow begins to drip for recycling or re landfill, by incinera burning. If burned	Container disposal: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanital landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.				
4. Transport Information:					
UN Proper Shipping Name: Not applicable					
	Not applicable				
UN Number: Not applicable					
Packaging Group: Not applicable					
Marine Pollutant: Not applicable	41 1 1 11 12	100000			
	growth inhibitor, m	nodifier or regulator, NOIBN			
5. Regulatory Information:					
SARA: No reportable components					
	No reportable components				
TSCA inventory.		All components of this product are either listed or are exempt on the TSCA inventory. The following components of this product are subject to the reporting requirements of Section 12(b) of TSCA: None			

The following components appear on one or more of the following state hazardous substances lists:

Product: Piccolo 10 XC Issue Date: 10/18/16

Version: 8



Component	CAS	CA	MA	MN	NJ	PA	RI
No component listed							
California Prop 65:	No listings						
This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.					ria and		
EPA signal word:	DANGER						
Classifications under 40 CFR 156.63 are given in sections 9 and 11 where applicable							
Precautionary Statements:	DANGER. Cornot get in eyes Wear protective shoes) and eye and gloves. Wa before eating, of toilet. Remove	or on clothi e clothing (le wear such ash thoroug drinking, che	ng. Avoiong-slee as goggl hly with sewing gu	d contact ved shirt, es, face s soap and im, using	with sking particular, long particular, or shield, or water at tobacco	n or clothints, sock r safety g fter handl or using	ing. s, and lasses, ing and the
Pictograms/Symbols:	None						

16. Other Information:

Fine Agrochemicals Limited ("FINE") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, FINE makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for a particular purpose. No agent of FINE or any other person is authorized to make any representation or warranty beyond those contained herein.

It is impossible to eliminate all risks associated with this Product. Plant injury, lack of performance, or other unintended consequences may result because of factors such as abnormal weather conditions, use of the Product other than in strict accordance with this label's instructions, presence of other materials, the manner of application or other factors, all of which are beyond the control of FINE or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

To the extent consistent with applicable law: 1) FINE disclaims any liability whatsoever for special, incidental or consequential damages resulting from the handling or use of this Product and 2) FINE's liability under this label shall be limited to the amount of the purchase price or, at the election of FINE, the free replacement of the Product.

Issue Date/Version:	10/18/16 version 8			
Supersedes:	10/19/15 version 7			