

Cotton, Field Corn, Peanuts, Rice, Sorghum, Soybeans, Wheat

Valor® SX: Proven Residual Control of Tough Weeds

Valor® SX Herbicide is a quality, WDG formulation of *Valor*, offering growers long-lasting, residual control of tough weeds like Palmer amaranth, waterhemp, lambsquarters, velvetleaf, dandelion, marestail and other broadleaf weeds.

Valor SX provides a strong residual herbicide foundation for a grower's field:

- ▶ Broad Spectrum: Excellent residual control of a broad spectrum of broadleaf weeds including Palmer amaranth and waterhemp
- Flexibility: Rotational flexibility to many crops such as corn, cotton, peanuts, rice, sorghum, soybeans and wheat in any geography
- ▶ Residual Control: Maintains 4–6 weeks residual control at the labeled rate
- **Effective, Low Use Rate:** Controls weeds at a lower labeled rate than the competition

Valor SX—Residual Control of Tough Weeds in Soybeans





Valor—30 days after treatment



How To Use

Rate / Timing	Field Corn: 2 oz/A preplant burndown up to 7 days prior to planting
	Cotton: Conventional Tillage—2 oz/A 30 days prior to planting Minimum/Reduced Tillage—2 oz/A 21 days prior to planting Layby—Apply when cotton is at least 16 inches tall. Direct spray to lower 2 inches of the cotton stem.
	Peanuts: 3 oz/A preplant burndown up to 2 days after planting
	Rice, Sorghum, Wheat: 2 oz/A 30 days prior to planting
	Soybeans: 2–3 oz/A preplant burndown up to 3 days after planting
Method	Ground or air
Spray Volume	Ground: Minimum 15 GPA Air: Minimum 5 GPA

Valor Performance





