SAFETY DATA SHEET AMBITION HERBICIDE

SDS #: 6304-3-A

Revision date: 2021-02-12

Format: NA Version 1.01



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name AMBITION₁ HERBICIDE

Other means of identification

Product Code(s) 6304-3-A

Synonyms SULFENTRAZONE (FMC 97285):

2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)

methanesulfonanilide (IUPAC name);

N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-

1,2,4-triazol-1-yl]phenyl] methanesulfonamide (CAS name)

Active Ingredient(s) Sulfentrazone

Chemical Family Triazolinones

Recommended use of the chemical and restrictions on use

Recommended Use: Herbicide

Restrictions on Use: Use as recommended by the label.

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

SDS-Info@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (U.S.A. & Canada)

1 651 / 632-6793 (All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)

Category 4

Version 1.01

Specific target organ toxicity (repeated exposure)

Category 2

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P314 - Get medical advice/ attention if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Triazolinones.

Chemical name	CAS-No	Weight %
Sulfentrazone	122836-35-5	39.7
Propylene glycol	57-55-6	5-10
Toluene	108-88-3	1-5
n-Butanol	71-36-3	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

AMBITION¹ HERBICIDE

SDS #: 6304-3-A Revision date: 2021-02-12

Version 1.01

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for

further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

None known.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Small Fire Dry chemical. Carbon dioxide (CO₂).

Large Fire Water spray. Foam.

Unsuitable extinguishing media Avoid heavy hose streams.

Specific Hazards Arising from the

Chemical

None known

Hazardous Combustion Products See Section 10.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge No information available. No information available.

Protective equipment and precautions for firefighters

Isolate fire area. Evaluate upwind. As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for ContainmentDike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Methods for cleaning upClean and neutralize spill area, tools and equipment by washing with water and soap.

Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior

to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Store in original

Version 1.01

container.

Packaging material Must only be kept in original packaging.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	Chemical name ACGIH TLV		NIOSH	Mexico
Toluene	TWA: 20 ppm	TWA: 200 ppm	IDLH: 500 ppm	Mexico: TWA 20 ppm
(108-88-3)		Ceiling: 300 ppm	TWA: 100 ppm	
			TWA: 375 mg/m ³	
			STEL: 150 ppm	
			STEL: 560 mg/m ³	
n-Butanol	TWA: 20 ppm	TWA: 100 ppm	IDLH: 1400 ppm	Mexico: TWA 20 ppm
(71-36-3)		TWA: 300 mg/m ³	Ceiling: 50 ppm	
, ,			Ceiling: 150 mg/m ³	
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol	-	-	TWA: 10 mg/m ³	-
(57-55-6)			aerosol only	
			TWA: 50 ppm	
			aerosol and vapor	
			·	
			TWA: 155 mg/m ³	
			aerosol and vapor	
Toluene	TWA: 20 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 50 ppm
(108-88-3)		TWA: 188 mg/m ³		TWA: 188 mg/m ³
		Skin		Skin
n-Butanol	TWA: 15 ppm	Ceiling: 50 ppm	TWA: 20 ppm	TWA: 20 ppm
(71-36-3)	Ceiling: 30 ppm	Ceiling: 152 mg/m ³		TWA: 60 mg/m ³
(3 9	Skin		22g,

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear

chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

Version 1.01

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Off-white Liquid

Physical State Liquid
Color Off-white
Odor Low Alcohol

Odor threshold No information available

pH 5.3-6.0 @ 20°C Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point > 94 °C / > 201 °F Tag Closed Cup

Evaporation RateFlammability (solid, gas)
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 10.0 lb/gal Specific gravity 1.206 @ 20°C Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available No information available Oxidizing properties No information available Molecular weight **Bulk density** No information available

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Hydrogen

fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 2084 mg/kg (rat)

 LD50 Dermal
 > 2000 mg/kg (rabbit)

 LC50 Inhalation (dust)
 > 2.72 mg/L 4 hr (rat)

Version 1.01

Serious eye damage/eye irritation

Skin corrosion/irritation Sensitization

Slightly or non-irritating (rabbit). Slightly or non-irritating (rabbit).

Non-sensitizing.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation (vapor)
Propylene glycol (57-55-6)	20000 mg/kg(Rat)	20800 mg/kg(Rabbit)	
Toluene (108-88-3)	= 2600 mg/kg(Rat)	= 12000 mg/kg(Rabbit)	= 12.5 mg/L (Rat)4 h
n-Butanol (71-36-3)	= 700 mg/kg(Rat)= 790 mg/kg(Rat)	= 3400 mg/kg (Rabbit)= 3402 mg/kg (Rabbit)	> 8000 ppm (Rat)4 h

Information on toxicological effects

Symptoms Signs of toxicity in laboratory animals given sulfentrazone included clonic convulsions,

ataxia, hypersensitivity to touch, chromorhinorrhea, abdominogenital staining, decreased

locomotion, lacrimation, nasal discharge, and squinting eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicitySulfentrazone: Prolonged exposure cause decreased hemoglobin content and hematocrit,

and increased spleen weight and splenic extramedullary hematopoiesis at high doses in

animal studies.

Mutagenicity Sulfentrazone: Not genotoxic in laboratory studies.

Carcinogenicity Sulfentrazone: No evidence of carcinogenicity from animal studies.

Neurological effects Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels.

Reproductive toxicity Sulfentrazone: No toxicity to reproduction in animal studies.

Developmental toxicitySulfentrazone: Fetal weight decreased; delayed skeletal ossification observed at maternally

non-toxic doses are reversible effects and a dose-response is established; malformations observed in fetuses at maternally toxic doses and consistent with the mode of action for protoporphyrongen oxidase inhibitors. Developmental toxicity testing and results were

generated for sulfentrazone with toluene present as an impurity.

STOT - single exposure Not classified.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Sulfentrazone: Hematopoietic system.

Neurological effects Sulfentrazone: Clinical signs of neurotoxicity in laboratory animals was observed at high

dose levels.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Toluene		Group 3		
108-88-3		· ·		

Legend:

IARC (International Agency for Research on Cancer)

Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sulfentrazone (122836-35-5)

Version 1.01

Active Ingredient(s)	Duration	Species	Value	Units
	96 h LC50	Onchorhyncus mykiss	> 120	mg/L
	99 d NOAEC	Onchorhyncus mykiss	2.95	mg/L
	48 h EC50	Daphnia magna	60.4	mg/L
	21 d NOAEC	Daphnia magna	0.2	mg/L
	120 h EC50	Pseudokirchneriella subcapitata	0.031	mg/L
	120 h EC50	Navivula pelliculosa	0.042	mg/L
	14-day EC50	Lemna gibba (duckweed)	0.0288	mg/L
	14-d NOAEL	Lemna gibba (duckweed)	0.019	mg/L

Chemical name Toxicity to algae		Toxicity to fish	Toxicity to daphnia and other		
			aquatic invertebrates		
Toluene 108-88-3	72 h EC50: = 12.5 mg/L (Pseudokirchneriella subcapitata) static 96 h EC50: > 433 mg/L (Pseudokirchneriella subcapitata)	96 h LC50: 11.0 - 15.0 mg/L (Lepomis macrochirus) static 96 h LC50: 14.1 - 17.16 mg/L (Oncorhynchus mykiss) static 96 h LC50: 15.22 - 19.05 mg/L (Pimephales promelas) flow-through 96 h LC50: 5.89 - 7.81 mg/L (Oncorhynchus mykiss) flow-through 96 h LC50: 50.87 - 70.34 mg/L (Poecilia reticulata) static 96 h LC50: = 12.6 mg/L (Pimephales promelas) static 96 h LC50: = 28.2 mg/L (Poecilia reticulata) semi-static 96 h LC50: = 5.8 mg/L (Oncorhynchus mykiss)	48 h EC50: 5.46 - 9.83 mg/L (Daphnia magna) Static 48 h EC50 = 11.5 mg/L (Daphnia magna) h		
Sulfentrazone 122836-35-5	32.6	94 mg/L&5.9	60.4 mg/L&0.51		
Sodium Hydroxide 1310-73-2		96 h LC50: = 45.4 mg/L (Oncorhynchus mykiss) static			
Polyethylene glycol 25322-68-3		24 h LC50: > 5000 mg/L (Carassius auratus)			
Cyclomethicone 556-67-2		96 h LC50: > 1000 mg/L (Lepomis macrochirus) 96 h LC50: > 500 mg/L (Brachydanio rerio)	24 h EC50: = 25.2 mg/L (Daphnia magna)		
n-Butanol 71-36-3	72 h EC50: > 500 mg/L (Desmodesmus subspicatus) 96 h EC50: > 500 mg/L (Desmodesmus subspicatus)	96 h LC50: 100000 - 500000 μg/L (Lepomis macrochirus) static 96 h LC50: 1730 - 1910 mg/L (Pimephales promelas) static 96 h LC50: = 1740 mg/L (Pimephales promelas) flow-through 96 h LC50: = 1910000 μg/L (Pimephales promelas) static	48 h EC50: 1897 - 2072 mg/L (Daphnia magna) Static 48 h EC50: = 1983 mg/L (Daphnia magna)		

Persistence and degradability Sulfentrazone: Persistent. Does not readily hydrolyze.

Bioaccumulation Sulfentrazone: The substance does not have a potential for bioconcentration.

Mobility Sulfentrazone: Mobile, Has potential to reach ground water.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated containers and packages

Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

Version 1.01

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation

49 CFR Parts 100 through 185, unless shipped in bulk packaging. The classification below pertains to the shipment in bulk packaging [(>119 gal, liquid) or (882 lb, solid)].

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(sulfentrazone)

Hazard class 9
Packing Group III

Marine Pollutant Sulfentrazone.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, III, Marine

pollutant

<u>TDG</u> Classification below is only applicable when shipped by vessel and is not applicable when

shipped by road or rail only.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(sulfentrazone)

Hazard class 9
Packing Group III

Marine Pollutant Sulfentrazone.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, III, Marine

pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(sulfentrazone)

Hazard class 9
Packing Group

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, III, Marine

pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.(sulfentrazone)

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Environmental Hazards Sulfentrazone

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (sulfentrazone), 9, III, Marine

pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %	
Toluene - 108-88-3	108-88-3	1-5	1.0	
n-Butanol - 71-36-3	71-36-3	1-5	1.0	

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard Yes
Fire hazard No

Version 1.01

Sudden release of pressure hazard No Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene 108-88-3	1000 lb	X	Х	X
Sodium Hydroxide 1310-73-2	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Toluene	1000 lb	
108-88-3	454 kg	
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	
n-Butanol	5000 lb	
71-36-3	2270 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Causes moderate eye irritation. Harmful if inhaled, swallowed, or absorbed through skin.

This pesticide is toxic to non-target plants and aquatic invertebrates.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Prop. 65
Toluene - 108-88-3	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	X		X
Toluene 108-88-3	X	X	X
n-Butanol 71-36-3	X	X	Х

International Inventories

_									
Ι	Chemical name	TSCA	DSL	EINECS/ELINC	ENCS	China	KECL (Korea)	PICCS	AICS

SDS #: 6304-3-A

Revision date: 2021-02-12

Version 1.01

	(United States)	(Canada)	S (Europe)	(Japan)	(IECSC)		(Philippines)	(Australia)
Propylene glycol 57-55-6	X	Х	X	X	X	Х	X	X
Toluene 108-88-3	X	Х	X	X	X	X	X	X
n-Butanol 71-36-3	Х	Х	X	Х	Х	X	X	X

CANADA

Not applicable

	16. OTHER INFORMATION									
Ī										

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 1*	Flammability 1	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Revision date: 2021-02-12

Reason for revision: SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2021 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet