



PSB Singapore

# CERTIFICATE OF CONFORMITY

No. CLS2 18 04 90079 004

<b>Certificate Holder:</b>	<b>Keding Enterprises Pte. Ltd.</b> 8 Burn Road #12-04 Trivex Singapore 369977 SINGAPORE
<b>Product:</b>	Materials For Wall/Ceiling Construction
<b>Brand Name:</b>	Kd Panels®
<b>Model(s):</b>	Kd Panels®
<b>Product Details:</b>	Wood Veneer bonded on a 6mm thick calcium silicate board Bulk Density: 1092 kg/m <sup>3</sup> Tested on the wood veneer face (Rating: Class 0)
<b>Standard(s):</b>	BS 476-6:1989/A1:2009 BS 476-7:1997
<b>Country of Origin:</b>	Taiwan
<b>Test Report(s):</b>	See COC Appendix (1 pg)
<b>Issued on:</b>	2018-04-04
<b>Valid until:</b>	2023-04-03

Page 1 of 2

Vice-President (Certification Department)  
TUV SUD PSB

This Certificate is part of a full report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at [www.tuv-sud-psb.sg](http://www.tuv-sud-psb.sg)



Cert No: PD-2002-01