







### BS3-1010

Elac is suggesting a 5.1 system consisting of bookshelf speaker and centre channel to compliment the new SUB1010.

The bookshelf speaker and centre channel are using 3.5" woofer with a 1" soft does tweeter.







### **SUB AJ 1020**

Model	10" Active Subwoofer
Woofer	10" Long throw Dynamic Woofer
Cabinet	Vinyl Wrapped MDF
Amplifier	120 Watt Class AB Amplifier (60 Watts RMS)
Inputs	L/R/LFE RCA Input High Level Speaker Input L/R)
Controls	Phase 0-180 Degrees
	Power On/Off/Automatic
	Volume/Level
	Crossover (40Hz to 150Hz)
Venting	Rear Ported
Grill	Pin Mount Fabric Wrapped
Dimensions (HxWxD)	14.5" × 14.25" × 17"
Weight	33.5lbs



#### BS3-1010

#### Satellite

Enclosure Type 2-Way Bass Reflex

Frequency Response 95Hz-20kHz

Nominal Impedance 8 Ohms

86db Sensitivity

Crossover Frequency 2500Hz

Max Power Input 80 Watts

1"Soft Dome Tweeter

Woofer 3.5" Polypropylene

Cabinet CARB2 MDF

Port **Dual Flared** 

Binding Posts Spring Clips Dimensions:

Width - 4.5"

Depth - 6.9"

Height - 7.5"



Includes mounting bracket

CS3-1010

#### Center Speaker

Enclosure Type 2-Way Bass Reflex Frequency Response 95Hz - 20kHz Nominal Impedance 8 Ohms

Sensitivity 86db

Crossover Frequency 2500Hz
Max Power Input 100 Watts
Tweeter 1" Soft Dome

Woofer Dual 3.5" Polyproylene

Cabinet CARB2 MDF
Port Dual Flared
Binding Posts Spring Clips

Dimensions:

Width - 11.2" Depth - 6.9" Height - 4.5"



