

877.247.2381 www.CompressedAirAdvisors.com



5-30 HP FIXED SPEED ROTARY SCREW COMPRESSORS D Series

# Innovative, Integrated Design

D Series compressors feature innovative, integrated airend designs that reduce connection points, enhance reliability, and promote superior serviceability. The simplified, reducedcomponent approach extends beyond the airend into the oil and air cooler. This combination cooler results in a reduction in energy consumption, low discharge air temperatures, and an increase in overall system reliability. Couple these service and reliability benefits with the unit's small footprint and it's easy to see why the integrated design approach sets the D Series apart from the competition. Best of all, its affordable.

## Quiet & Built to Perform in Demanding Environments

Designed to operate at a 100% duty cycle, D Series compressors from Champion are ideal for demanding environments where dry, clean, continuous-use compressed air is required. The quiet enclosed design enables you to install the compressor near the point-of-use without any concern of elevated noise levels. The D Series yields noise levels as low as 64 dBA allowing you to work comfortably 24/7.

## Air System Solution

A D Series Air System is a complete solution for your application featuring a:

- Rotary Screw Compressor
- Dry Tank Air Receiver
- Refrigerated Air Dryer & 1 Micron Pre-filter
- Two separate electrical connections (compressor & dryer)
- Pressure gauge
- Tank drain
- Controller

It's the compact, plug-and-play compressed air solution you've been looking for. The D Series Air System is your true compressed air system solution.



#### D5-D30 ROTARY SCREW COMPRESSOR

| MODEL  | DRIVE   | SCFM    |         | DRIVE<br>CONFIG. | MOTOR | MOUNT | TANK<br>SIZE | DIMENSIONS   | WEIGHT | SOUND          | CONTROLLER | VOLTAGE<br>60 HZ |                 |
|--------|---------|---------|---------|------------------|-------|-------|--------------|--------------|--------|----------------|------------|------------------|-----------------|
|        | MOTOR   |         |         |                  |       |       |              | L × W × H    |        |                |            | 50<br>SINGLE     | THREE           |
|        | HP      | 120 PSI | 145 PSI |                  | RPM   |       | GAL          | INCHES       | LBS.   | DBA            |            | PHASE            | PHASE           |
| D5     |         | N/A     | 16      |                  | 1740  | AS    | 60 GAL       | 52 × 23 × 44 | 505    | 65             | CSC15      | 230              | N/A             |
| DC     | 5       | N/A     | 18      |                  |       | BASE  | N/A          | 34 × 21 × 25 | 378    | 65             | - CSC50    | 230              | 200/230<br>/460 |
| D6     |         | N/A     | 19      |                  |       | AS    | 80 GAL       | 66 × 21 × 46 | 665    | 63             |            |                  |                 |
| D7.5 7 | 7.5     | N/A     | 27      |                  |       | BASE  | N/A          | 34 × 21 × 25 | 404    | 68             |            |                  |                 |
| D7.5   | 7.5 7.5 |         |         |                  |       | AS    | 80 GAL       | 66 × 21 × 46 | 715    | 66             |            |                  |                 |
| D10    | 10      | N/A     | 39      | BELT             | 1760  | BASE  | N/A          | 41 × 27 × 37 | 560    | 65             | CSC300     | N/A              |                 |
|        | 10      | N/A     |         |                  |       | AS    | 120 GAL      | 77 × 27 × 63 | 970    |                |            |                  |                 |
| D15 1  | 15      | N/A     | 57      |                  | 3450  | BASE  | N/A          | 41 × 27 × 37 | 600    | 69             |            | N/A              |                 |
|        | 12      |         |         |                  |       | AS    | 120 GAL      | 77 × 27 × 63 | 1175   |                |            |                  |                 |
| Daa    | D20 20  | 87      | 83      |                  | 3510  | BASE  | N/A          | 52 × 28 × 47 | 1010   | 67<br>68<br>69 |            | N/A              |                 |
| D20    |         |         |         |                  |       | AS    | 120 GAL      | 80 × 28 × 74 | 1480   |                |            |                  |                 |
| Dat    | 25 25   | 100     | 91      |                  |       | BASE  | N/A          | 52 × 28 × 47 | 1010   |                |            | N/A              |                 |
| D25    |         |         |         |                  |       | AS    | 120 GAL      | 80 × 28 × 74 | 1480   |                |            |                  |                 |
| D30    | 30      | 116     | 106     |                  |       | BASE  | N/A          | 52 × 28 × 47 | 1050   |                |            | N/A              |                 |
| 030 3  | 50      |         |         |                  |       | AS    | 120 GAL      | 80 × 28 × 74 | 1520   |                |            |                  |                 |

NOTES: Air System includes Air Receiver, Pre-Filter & Refrigerated Air Dryer AS = Air System

### 1 Refrigerated Air Dryer

Prevents moisture entering critical work areas downstream improving overall air quality and system efficiency.

### 2 Dry Tank Air Receiver

A unique configuration delivering clean, dry compressed air to the receiver by treating it first with a 1 micron pre-filter and air dryer. This ensures the tank is virtually dry, achieving an unprecedented level in the abatement of corrosion and maximizing the capacity of the tank for its intended use - to store and provide continuously cool, clean and dry air.

#### 3 Smart, Simplified Controls

Easy to use, intelligent control solutions that manage, monitor and maintain optimal operational parameters automatically ensuring reliable operation and protecting your investment

#### 4 Rotary Screw Compressor

D Series compressors from Champion are ideal for demanding environments where dry, clean, continuous-use compressed air is required. Its integrated design is centered on quiet delivery, durability and efficiency.











### 877.247.2381 www.CompressedAirAdvisors.com

©2019 Gardner Denver, Inc. Printed in U.S.A. CSCS-D5-D30 1st Ed. 3/19

