

Non-Heated Towel Ladder





Versions:202405




GENERAL INSTRUCTIONS AND WARNINGS


- Before installation, make sure the wall surface is clean and dry to ensure a secure attachment.
- When tightening screws, do not apply excessive force to prevent damage to the wall or the fixtures.
- Use the correct tools: a drill with a 6mm bit, screwdriver, and level.
- Wear appropriate safety gear, such as gloves and safety glasses, to protect yourself during installation.
- Before drilling, check the wall for any hidden pipes or electrical wires to avoid accidental damage.
- Ensure all measurements are accurate before drilling holes to prevent misalignment of the accessories.

MAINTENANCE AND CARE


- Clean the accessories with a soft, damp cloth. Avoid using abrasive cleaners, which can damage the finish.




1. Position the towel ladder on a secure, flat surface to avoid damage. Attach the four legs by tightening the screws with a screwdriver.




2. Hold the towel ladder against the wall, using a level to ensure it is horizontal. Mark the wall directly beneath each leg position with a marking pen.




3. Align the fixing brackets at the marked points and mark drilling points through the bracket holes.




4. Use an electric drill with a 6mm drill bit to drill holes at the marked points.



5. Insert the expansion plugs into the drilled holes using a hammer.



6. Place the fixing bracket covers over the expansion plugs and fasten them securely.



7. Mount the towel ladder onto the brackets.

Tighten the grub screws into the legs to secure the ladder firmly against the mounting brackets.



