



# STITCHIN' HEAVEN

Texas' Premier Quilt Shop

## MAKING WAVES



STITCHIN' HEAVEN | 1118 N. PACIFIC ST. MINEOLA, TX

# Galveston Island Waves

68" x 80"

## Fabrics Required:

3 1/4 yd light fabric A

2 7/8 yd dark fabric B

OR 13 dark fat quarters (18" x 20")


**TOOL: EZ Quilting TRI-RECS™ Tool**



1 1/8 yd border fabric

5/8 yd binding fabric

5 yd backing fabric



## Cutting Instructions:

From the light fabric A cut:

Two 5 1/4" strips; subcut into (10) 5 1/4" squares cut diagonally twice

Four 4 7/8" strips; subcut into (30) 4 7/8" squares cut diagonally once

Eleven 4 1/2" strips; subcut 3 strips-(20) 4 1/2" squares


8 strips-(120) 4 1/2" TRI shapes using Tri-Recs® tool

One 3 1/4" strip; subcut into (10) 3 1/4" squares cut diagonally twice

Six 2 7/8" strips; subcut into (80) 2 7/8" squares cut diagonally once

Two 2 1/2" strips; subcut into (30) 2 1/2" squares

Two 1 1/2" strips; subcut into (40) 1 1/2" squares



From the dark fabric B cut:

Two 5 1/4" strips; subcut into (10) 5 1/4" squares cut diagonally twice

Four 4 7/8" strips; subcut into (30) 4 7/8" squares cut diagonally once

Ten 4 1/2" strips; subcut into (240) 4 1/2" RECS shapes using

Tri-Recs® tool (place 2 strips right sides together to make right and left points)

Four 3 1/4" strips; subcut into (40) 3 1/4" squares cut diagonally twice

Two 2 7/8" strips; subcut into (20) 2 7/8" squares cut diagonally once

Two 1 1/2" strips; subcut into (40) 1 1/2" squares

Eight 4 1/2" strips; piece together and subcut into two 4 1/2" x 72 1/2" AND two 4 1/2" x 68 1/2" borders



From the binding fabric cut:

Eight 2 1/2" strips; piece together to make one long strip

**OR** From Dark Fat Quarters cut:

1 fat quarter - (9) 5 1/4" squares cut diagonally twice




2 fat quarters EACH cut - (12) 4 7/8" squares cut diagonally once  
(20) 1 1/2" squares



7 fat quarters EACH cut - (4) 4 1/2" x 20" strip (total 28 strips)

Place right sides together and subcut into (224) 4 1/2" RECS™ using tool



1 fat quarter cut - (30) 3 1/4" squares cut diagonally twice



1 fat quarter cut - (20) 2 7/8" squares cut diagonally once

(1) 5 1/4" square cut diagonally twice

(3) 4 7/8" squares cut diagonally once

(4) 3 1/4" squares cut diagonally twice




- 1 fat quarter cut - (3) 4 7/8" squares cut diagonally once  
 (2) 4 1/2" x 20" strips  
 Place right sides together and subcut  
 into (16) 4 1/2" RECS™ using tool  
 (6) 3 1/4" squares cut diagonally twice




### Assemble the Blocks: Snails Trail


1. Sew the 1 1/2" light and dark squares together to make a 2 1/2" four-patch. Make 20.




2. Sew the 3 1/4" light and dark triangles to the unit made above. Make 20.




3. Sew the 2 7/8" light and dark triangles to the unit made in step 2 above. Make 20



4. Sew the 5 1/4" light and dark triangles to the unit made in step 3 above. Make 20.




5. Sew the 4 7/8" light and dark triangles to the unit made in step 4 above. Make 20.



### Assemble Sashing, Corner Posts, & Borders:

1. For the 4" corner posts, sew (4) 3 1/4" dark triangles to each side of a 2 1/2" light square. Make 30. Sew (4) 2 7/8" light triangles to these units. Make 30.



2. For the star points, sew (2) 4 1/2" "RECS" units to (1) 4 1/2" "TRI" unit. Make 120.




3. For sashing and borders sew two Step 2 star points together as shown. Make 49.




4. For the 2<sup>nd</sup> border sew a light 4 7/8" light triangle to a 4 7/8" dark triangle. Make 20.



5. For the inner border, assemble the units as shown using the 4  $\frac{1}{2}$ " light squares, the star point blocks, and the 4  $\frac{1}{2}$ " step 4 half-square triangles.




6. For the sashing rows assemble the units as shown using the 4  $\frac{1}{2}$ " square in a square blocks, and the star point blocks.




#### Assemble the Quilt:


1. Sew five rows together using four Snails Trail blocks and five star point units. Make 3 "A" rows & 2 "B" rows.



2. Sew sashing rows to the top of the block row, in between each block row, and to the bottom of the last block row.



3. Sew the side inner borders to the quilt top, and then add the top and bottom borders. Sew the  $4\frac{1}{2}'' \times 72\frac{1}{2}''$  outer side borders, then the  $4\frac{1}{2}'' \times 68\frac{1}{2}''$  outer top and bottom borders.
4. Quilt as desired. Trim the backing and batting even with the quilt top.
5. Fold the long binding strip in half wrong sides together and press. Sew the binding  $\frac{1}{4}''$  to the quilt top matching raw edges. Turn to the back and stitch down.





# **MAKING WAVES**

Finished quilt size: 68" x 80"

Designer: Deb Luttrell

## **FABRIC REQUIREMENTS**

These requirements are based on fabric that is 42" - 44" wide.

Fabric A (Light) - 3 1/4 yards

Fabric B (Dark) - 2 7/8 yards or 13 fat quarters

Border Fabric - 1 1/8 yards

Binding Fabric - 5/8 yard

Backing Fabric - 5 yards

EZ Quilting TRI-RECS™ Tool is required

