

PATTERN COLLECTION: WOMEN



Dynamo Dolman

Designed by Universal Yarn Design Team

FINISHED MEASUREMENTS

Length: 20½ (21¼, 23¾, 24½, 25)" Bust: 45½ (49½, 55½, 59½, 63½)" Note: This pullover is intended to fit with up to 10 inches of positive ease.

MATERIALS

Universal Yarn *Uptown DK* (100% anti-pilling acrylic; 100g/273 yds)

337 Neon Yellow – 3 (3, 4, 4, 5) balls

Hook: US Size F-5 (3.75 mm) *or size needed to obtain gauge* **Notions:** Tapestry needle

GAUGE

16 sts x 8 rows = 4" in Mesh Patt Save time, check your gauge.

STITCH GUIDE

Mesh Pattern (odd number of sts) Row 1 (RS): Ch 4 (counts as tr), [tr in next st, ch 1, sk next st] to last 2 sts, 1 tr in each of last 2 sts, turn.

Row 2 (WS): Ch 1, hdc in each st and sp across, turn.

Rep Rows 1-2 for patt.

BACK

Ch 72 (80, 88, 96, 104).

Row 1: Hdc in 2nd ch from hook and each ch across - 71 (79, 87, 95, 103) sts.

Row 2: Ch 1, hdc in each hdc across. Rep Row 2 until Back meas 2 (21/4, 21/4, 2½, 2½)".

Establish Pattern

Row 1 (RS): Work Row 1 of Mesh Patt to end.

Inc row: Ch 1, work 2 hdc in each of next 2 tr, hdc in each st and sp to last 2 tr, work 2 hdc in each of last 2 tr – 4 sts inc'd.

Row 3: Work Row 1 of Mesh Patt to end.

Row 4: Work Row 2 of Mesh Patt to end.

Rep these 4 rows, 4 (4, 5, 5, 5) more times – 91 (99, 111, 119, 127) sts.

Yoke

Row 1: Work Row 1 of Mesh Patt to end.

Row 2: Work Row 2 of Mesh Patt to end.

Cont in patt until Yoke meas 8½ (9, 9½, 10, 10½)". Fasten off.

FRONT

Work as for Back to Yoke section.

Yoke

Shape Left Front Neck

Next row: Work Row 1 of Patt across 43 (47, 53, 57, 61) sts, tr 2tog, turn. **Next row:** Ch 1, hdc2tog, hdc in each st and sp to end.

Next row: Work Row 1 of Patt to last 2 sts, tr 2tog, turn.

Rep last 2 rows until Yoke meas 8½ (9, 9½, 10, 10½)". Fasten off.

Shape Right Front Neck

With RS facing, attach yarn at center of Neck, skipping 1 st just to the Left of Left Front.

Next row: Ch 2, tr2tog (same st and next st), [tr in next st, ch 1, sk next st] to last 2 sts, tr in each of last 2 sts. **Next row:** Ch 1, hdc in each st and sp to last 2 sts, hdc2tog. Rep last 2 rows until Rep last 2 rows until Yoke meas 8½ (9, 9½, 10, 10½)".

FINISHING

Fasten off.

Sew Shoulder Seams. Sew Side seams from bottom of Yoke to bottom edge, leaving 8½ (9, 9½, 10, 10½)" of Yoke open for Sleeves.

Knit, Relax, Smile, Repeat!

Sleeve Edging

Attach yarn to underarm.

Row 1: Ch 1, work 68 (72, 76, 80, 84) hdc evenly around Sleeve (about 4 hdc for every 2 rows), join with sl st to beg hdc.

Row 2: Ch 1, hdc in each hdc around, join with sl st to beg hdc. Fasten off.

Neck Edging

Attach yarn to Right Shoulder edge.

Row 1: Work 34 (36, 38, 40, 42) hdc along Back Neck edge, 34 (36, 38, 40, 42) hdc down Left Front Neck edge, 1 hdc in center of v-neck, and 34 (36, 38, 40, 42) hdc up Right Front Neck, join with sl st to beg hdc.

Row 2: Ch 1, hdc in each hdc to 2 sts before v-neck center st, hdc2tog, hdc in center st, hdc2tog, hdc in each hdc to end. Fasten off.

Weave in ends.

