



 Norwood

Norwood

Norwood

Designed by Rachel Brockman

SIZES

Extra Small (Small, Medium, Large, 1X, 2X, 3X, 4X, 5X)

Shown in size Small modeled with 3¼" ease.

FINISHED MEASUREMENTS

Bust: 33 (37¼, 41, 45½, 49¼, 53, 57½, 61¼, 65½)"

Length: 21¼ (21¾, 22¼, 23, 23½, 24, 24¾, 25¼, 25¾)"

MATERIALS

Fibra Natura Whisper Lace (70% superwash wool, 30% silk; 50g/440 yds)

- 104 Fog – 3 (4, 4, 5, 5, 6, 6, 7, 9) balls

Needles: US Size 3 (3.25 mm) straight and set of DPNs *or size needed to obtain gauge*

US Size 2 (2.75 mm) straight, set of DPNs, and two 16" circls (for neck band)

Notions: Tapestry needle, stitch markers, stitch holders or waste yarn, cable needle

GAUGE

34 sts x 38 rows = 4" in Cable patt

30 sts x 36 rows = 4" in St st

Save time, check your gauge.

PATTERN NOTES

This lightweight drop-shoulder pullover is a perfectly magical blend of interest and wearability. An asymmetrically placed cable panel balances out an otherwise pared back sweater. This is the garment you'll reach for again and again throughout the year.

The body of this sweater is worked flat in three pieces: Back, Front, and Side Panel. These pieces are sewn together at the seams. The Sleeves are picked



up from the underarm and worked in the round from the top down. The neckband is picked up during finishing and worked in the round. Unless otherwise noted, all slipped stitches in this pattern are worked purlwise with yarn held in front of work. This sweater calls for the long-tail tubular cast-on. You can find a tutorial for this cast-on method on our [blog](#).

STITCH GUIDE

2x1 Left Purl Cross (LPC)

Sl next 2 sts to cn and hold in front, p1 from left ndl, k2 from cn.

2x1 Right Purl Cross (RPC)

Sl next st to cn and hold in back, k2 from left ndl, p1 from cn.

2x2 Left Cross (LC)

Sl next 2 sts to cn and hold in front, k2 from left ndl, k2 from cn.

2x2 Right Cross (RC)

Sl next 2 sts to cn and hold in back, k2 from left ndl, k2 from cn.

2x2 Right Purl Cross (RPC)

Sl next 2 sts to cn and hold in back, k2 from left ndl, p2 from cn.

2x2 Left Purl Cross (LPC)

Sl next 2 sts to cn and hold in front, p2 from left ndl, k2 from cn.

K1, P1 Rib

(even number of sts, worked in the round)

Rnd 1: * K1, p1; rep from * to end.

Rep Rnd 1 for patt.

K1, P1 Rib

(odd number of sts, worked flat)

Row 1 (RS): K1, * p1, k1; rep from * to end.

Row 2 (WS): P1, * k1, p1; rep from * to end.

Rep Rows 1-2 for patt.

Norwood

Continued

K1, P1 Rib

(even number of sts, worked flat)

Row 1 (RS): * K1, p1; rep from * to end.

Rep Row 1 for patt.

Cable

(multiple of 29 sts, plus 1)

Row 1 (RS): P1, * p1, 2x2 LC, p2, 2x1 RPC, 2x2 LC, 2x2 RC, 2x1 LPC, p2, 2x2 RC, p2; rep from * to end.

Row 2 (WS): * K2, p4, k2, p2, k1, p8, k1, p2, k2, p4, k1; rep from * to last st, k1.

Row 3: P1, * 2x1 RPC, 2x1 LPC, 2x1 RPC, p1, k8, p1, 2x1 LPC, 2x1 RPC, 2x1 LPC, p1.

Row 4: * K1, p2, k2, p4, k2, p8, k2, p4, k2, p2; rep from * to last st, k1.

Row 5: P1, * k2, p2, 2x2 RPC, p2, 2x2 LC, 2x2 RC, p2, 2x2 LPC, p2, k2, p1; rep from * to end.

Row 6: * K1, p2, k2, p2, k4, p8, k4, p2, k2, p2; rep from * to last st, k1.

Row 7: P1, * 2x1 LPC, 2x1 RPC, p2, 2x2 RC, k4, 2x2 LC, p2, 2x1 LPC, 2x1 RPC, p1; rep from * to end.

Row 8: * K2, p4, k3, p12, k3, p4, k1; rep from * to last st, k1.

Rep Rows 1-8 for patt.

SWEATER

SIDE PANEL

With small ndl, cast on 61 (61, 61, 90, 90, 90, 119, 119, 119) sts using the long-tail tubular method. Work in K1, P1 Rib until piece meas 2" from cast-on edge, ending with a RS Row. Change to larger ndl.

Establish Pattern

Set-up Row (WS): Sl 1, pm, [k2, p4, k3, p12, k3, p4, k1] 2 (2, 2, 3, 3, 3, 4, 4, 4) times, k1, pm, k1.

Row 1 (RS): Sl 1, sl m, work Row 1 of Cable Panel to m, sl m, k1. Pattern will be repeated 2 (2, 2, 3, 3, 3, 4, 4, 4) times across each row.

Row 2: Sl 1, sl m, work Row 2 of Cable Panel to m, sl m, k1.

Row 3: Sl 1, sl m, work next row of Cable Panel to m, sl m, k1.

Row 4: Sl 1, sl m, work next of Cable Panel to m, sl m, k1.

Cont in patt as est'd until piece meas 15 (15, 15, 15¼, 15¼, 15¼, 15½, 15½, 15½)" from cast-on edge, ending with a WS row.

Divide Front and Back

Cont as est'd over 27 (27, 27, 41, 41, 41, 55, 55, 55) Back sts, bind off center 7 (7, 7, 8, 8, 8, 9, 9, 9) sts, cont as est'd over 27 (27, 27, 41, 41, 41, 55, 55, 55) Front sts. Place Back sts on holder or waste yarn.

Side Panel Front

Note: Maintain sts in patt as much as possible.

Cont even in patt as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)" from armhole bind-off. Bind off all sts in patt.

Side Panel Back

Return Back sts to ndl.

Cont even in patt as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)" from armhole bind-off. Bind off all sts in patt.

FRONT

With smaller ndl, cast on 100 (116, 130, 134, 148, 162, 166, 180, 196) sts using the long-tail tubular method.

Work in K1, P1 Rib until piece meas 2" from cast-on edge, ending with a RS Row. Change to larger ndl.

Set-up Row (WS): Sl 1, purl to last st, k1.

Row 1 (RS): Sl 1, knit to end.

Row 2: Sl 1, purl to last st, k1.

Rep Rows 1-2 until piece meas 15 (15, 15, 15¼, 15¼, 15¼, 15½, 15½, 15½)" from cast-on edge, ending with a RS row. On the next WS row, bind off 3 (3, 3, 4, 4, 4, 5, 5, 5) sts. Cont as est'd to end – 97 (113, 127, 130, 144, 158, 161, 175, 191) sts rem.

Cont even in patt as est'd until piece meas 2¼ (2¾, 3¼, 3¾, 4¼, 4¾, 5¼, 5¾, 6¼)" from Armhole bind-off, ending

with a WS row.

Shape Front Neck

Next Row (RS): Cont as est'd over 26 (34, 41, 35, 42, 49, 43, 50, 58) Left Front sts, bind off 18 (18, 18, 19, 19, 19, 20, 20, 20) Front Neck sts, cont as est'd over 53 (61, 68, 76, 83, 90, 98, 105, 113) Right Front sts. Place Left Front sts on holder or waste yarn.

Right Front

Row 1 (WS): Cont as est'd to end.

Bind off 6 sts at the beg of the next RS row, then bind off 3 sts at the beg of the foll 6 RS rows – 24 sts bound off, 29 (37, 44, 52, 59, 66, 74, 81, 89) sts rem.

Cont even as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)" from Armhole bind-off, ending with a WS Row. Bind off rem sts.

Left Front

Return 26 (34, 41, 35, 42, 49, 43, 50, 58) Right Back sts to ndl.

Bind off 6 sts at the beg of the next WS row, then bind off 3 sts at the beg of the foll 6 WS rows – 24 sts bound off, 2 (10, 17, 11, 18, 25, 19, 26, 34) sts rem. Cont even as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)" from Armhole bind-off, ending with a WS Row. Bind off rem sts.

BACK

Work as for Front until piece meas 15 (15, 15, 15¼, 15¼, 15¼, 15½, 15½, 15½)" from cast-on edge, ending with a WS row. On the next RS row, bind off 3 (3, 3, 4, 4, 4, 5, 5, 5) sts, cont as est'd to end – 97 (113, 127, 130, 144, 158, 161, 175, 191) sts rem.

Cont even in patt as est'd until piece meas 4¼ (4¾, 5¼, 5¾, 6¼, 6¾, 7¼, 7¾, 8¼)" from Armhole bind-off, ending with a WS row.

Shape Back Neck

Next Row (RS): Cont as est'd over 53 (61, 68, 76, 83, 90, 98, 105, 113) Right Back sts, bind off 18 (18, 18, 19, 19, 19, 20, 20, 20) Back Neck sts, cont as est'd over 26 (34, 41, 35, 42, 49, 43,

Norwood

Continued

50, 58) Left Back sts. Place Right Back sts on holder or waste yarn.

Left Back

Row 1 (WS): Cont as est'd to end.

Bind off 6 sts at the beg of the next RS row, then bind off 3 sts at the beg of the foll 6 RS rows – 24 sts bound off, 2 (10, 17, 11, 18, 25, 19, 26, 34) sts rem. Cont even as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)'' from Armhole bind-off, ending with a WS Row. Bind off rem sts.

Right Back

Return 60 Right Back sts to ndl.

Bind off 6 sts at the beg of the next RS row, then bind off 3 sts at the beg of the foll 6 RS rows – 24 sts bound off, 29 (37, 44, 52, 59, 66, 74, 81, 89) sts rem. Cont even as est'd until piece meas 6¼ (6¾, 7¼, 7¾, 8¼, 8¾, 9¼, 9¾, 10¼)'' from Armhole bind-off, ending with a WS Row. Bind off rem sts.

(60, 60, 64, 64, 70, 70, 74, 74) sts rem. Cont even in St st until Sleeve meas 14 (14, 14, 14¼, 14¼, 14¼, 14½, 14½, 14½)'' from underarm. Change to smaller set of dpns.

Sleeve Cuff

Work in K1, P1 Rib until piece meas 16 (16, 16, 16¼, 16¼, 16¼, 16½, 16½, 16½)'' from underarm. Bind off all sts in patt.

Neck Edge

With smaller 16'' circ and RS facing, beg at Right Back, pick up and knit 29 sts along Right Back Neck edge, 18 (18, 18, 19, 19, 19, 20, 20, 20) sts along Back Neck bind-off edge, 29 sts along Left Back Neck edge, 40 sts along Left Front Neck edge, 18 (18, 18, 19, 19, 19, 20, 20, 20) sts along Front Neck bind-off edge, and 40 sts along

Right Front Neck edge – 174 (174, 174, 176, 176, 176, 178, 178, 178) sts. PM and join to work in the rnd. Work in K1, P1 Rib until piece meas 5'' from picked-up edge. Fold neck out so WS is visible. Using spare circ ndl, beg at first st picked up, pick up a loop along inside of neck edge – 1 for each st along pick-up edge – 174 (174, 174, 176, 176, 176, 178, 178, 178) sts on spare ndl. Fold neck in half to inside so both needles are parallel to each other. Using the 3-ndl method, loosely bind off all sts. Weave in rem ends.

Block Sleeves and Neck Edge.



FINISHING

Block pieces to finished measurements and weave in ends. Sew sides of Side Panel to Left Front and Left Back. Sew right side seam. Sew Shoulder seams.

Sleeves

With larger set of dpns, beg at center of underarm, pick up and knit 100 (108, 114, 124, 130, 138, 146, 154, 162) sts evenly along armholes. PM and join to knit in the rnd.

Rnd 1: Knit.










Rep Rnd 1 until piece meas ¾'' from picked-up edge.

Shape Sleeve


Dec Rnd: K1, k2tog, cont as est'd to last 3 sts, ssk, k1 – 2 sts dec'd, 98 (106, 112, 122, 128, 136, 144, 152, 160) sts rem.

Rep Dec Rnd every 6 (6, 6, 4, 4, 4, 4, 4, 4) rnds, 12 (9, 2, 27, 24, 23, 20, 17, 14) more times, then rep Dec Rnd every 4 (4, 4, 2, 2, 2, 2, 2, 2) rnds, 9 (14, 24, 2, 8, 10, 17, 22, 29) times – 42 (46, 52, 58, 64, 66, 74, 78, 86) sts dec'd, 56

Key


-  pattern repeat
-  purl on RS, knit on WS
-  knit on RS, purl on WS
-  2x1 RPC
-  2x1 LPC
-  2x2 LC
-  2x2 RC
-  2x2 LPC
-  2x2 RPC

Cable



Norwood

Continued



Abbreviations

approx	approximately	pm	place marker
bef	before	prev	previous
beg	begin(ning)	psso	pass slipped stitch(es) over
blo	back loop only	pwise	purlwise
bor	beginning of round	RC	right cross
CC	contrast color	rem	remain(ing)
ch	chain	rep	repeat
circ	circular	rnd	round
cn	cable needle	RPC	right purl cross
cont	continue	RS	right side
dc	double crochet	sc	single crochet
dec('d)	decrease(d)	sk	skip
dpn(s)	double pointed needle(s)	sl	slip
dtr	double triple crochet	sp	space(s)
est'd	established	ssk	slip next 2 sts individually knitwise, slip them back to left needle in this position, knit them together through the back loops (1 st dec'd)
garter st	flat: knit every row; in the rnd: knit rnd, purl 1 rnd	ssp	slip next 2 sts individually knitwise, slip them back to left needle in this position, purl them together through the back loops (1 st dec'd)
hdc	half double crochet	St st	Stockinette stitch (knit on RS rows, purl on WS rows; in the rnd, knit every rnd stitch(es) through the back loop(s))
hk	hook	tbl	triple crochet
inc('d)	increase(d)	tr	triple crochet
k	knit	WS	wrong side
k2tog	knit 2 stitches together (1 st dec'd)	wyib	with yarn held in back
k3tog	knit 3 stitches together (2 sts dec'd)	wyif	with yarn held in front
kfb	knit into front and back of next st (1 st inc'd)	yo	yarn over
kwise	knitwise		
m	marker		
m1	insert left needle from front to back under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the back loop (1 st inc'd)		
m1L	insert left needle from front to back under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the back loop (1 st inc'd)		
m1P	insert left needle from back to front under horizontal strand of yarn lying between st just worked and next st, purl this st through the front loop (1 st inc'd)		
m1R	insert left needle from back to front under horizontal strand of yarn lying between st just worked and next st, knit or purl this st through the front loop (1 st inc'd)		
MC	main color		
meas	measures		
ndl	needle		
p	purl		
p2tog	purl 2 sts together (1 st dec'd)		
patt	pattern		
pfb	purl front and back		

Distribution

US
 Universal Yarn
 5600 David Cox Rd, Suite F
 Charlotte, NC 28269
 Tel: 877.864.9276
 Fax: 704.454.1029
 e-mail: patterns@universalyarn.com
 www.universalyarn.com

CANADA
 H.A. Kidd & Company
 5 Northline Rd
 Toronto, ON M4B 3P2
 Tel: 800.387.1753
 Fax: 416.364.4860
 email: info1@hakidd.com
 www.hakidd.com.com

TURKEY
 Defne
 DEMIRTAS ORGANIZE SANAYI BÖLGESİ
 ZAMBAK SOKAK NO:3
 OSMANGAZI/Bursa
 Tel: 90.224.261.3347-48
 Fax: 90.224.261.3332
 e-mail: info@defneplikpazarlama.com

Acknowledgements

Creative Director

Amy Gunderson

Proofreaders

Heather Hill

Rachel Brockman

Designers

Amy Gunderson

Rachel Brockman

Photographer

Rachel Brockman

Technical Editors

Rachel Brockman

Amy Gunderson

Graphic Artist

Heather Hill

Model

Mary Francis