



PATTERN COLLECTION: *WOMEN*



Valentina

Designed by Amy Gunderson

WOMEN'S SIZES

Small (Medium, Large, 1X, 2X, 3X)
Shown in Medium Size

FINISHED MEASUREMENTS

Bust: 34 (38, 42, 46, 50, 54)"

Length: 25 (26, 26½, 27½, 27¾, 28½)"

Note: Pullover is intended to fit with a few inches of positive ease

MATERIALS

Universal Yarn Deluxe Chunky (100% wool; 100g/120 yds)

- 91904 Pomegranate Heather
– 7 (8, 9, 10, 12, 13) skeins

Needles: US Size 9 (5.5 mm) 24" circular or size needed to obtain gauge

US Size 7 (4.5 mm) 24" circular, 16" circular (for Neck edging)

Notions: Cable needle (cn), tapestry needle

GAUGE

38-stitch Grillwork Cable Panel = 7½" wide using larger ndl

22-stitch Dueling Cables Panel = 4" wide using larger ndl

19 sts x 21 rows = 4" in Twisted Rib using larger ndl

13 sts x 21 rows = 4" in Seed Stitch
Gauge taken after blocking.

Save time, check your gauge.

Knit. Relax. Smile. Repeat!

2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com

This pattern may not be reproduced for business, trade or sale.

PATTERN NOTES

This sweater is a saddle-shoulder pullover worked in pieces and seamed.

STITCH GUIDE

2x2 Right Cross (RC): Sl next 2 sts to cn and hold in back, k2 from left ndl, k2 from cn.

2x2 Left Cross (LC): Sl next 2 sts to cn and hold in front, k2 from left ndl, k2 from cn.

2x2 Right Purl Cross (RPC): Sl next 2 sts to cn and hold in back, k2 from left ndl, p2 from cn.

2x2 Left Purl Cross (LPC): Sl next 2 sts to cn and hold in front, p2 from left ndl, k2 from cn.

3x3 Right Cross (RC): Sl next 3 sts to cn and hold in back, k3 from left ndl, k3 from cn.

3x3 Left Cross (RC): Sl next 3 sts to cn and hold in front, k3 from left ndl, k3 from cn.

3x2 Right Purl Cross (RPC): Sl next 2 sts to cn and hold in back, k3 from left ndl, p2 from cn.

3x2 Left Purl Cross (LPC): Sl next 3 sts to cn and hold in front, p2 from left ndl, k3 from cn.

Right Twist (RT): K2tog but do not remove from left ndl, knit first st again, slip both sts from ndl.

Twisted Cable

(multiple of 3 sts + 1)

Row 1 (RS): P1, * RT, p1; rep from * to end.

Row 2 (WS): * K1, p2; rep from * to last st, k1.
Rep Rows 1 & 2 for patt.

BACK

With smaller ndls, cast on 92 (98, 114, 120, 138, 144) sts.

Hem

Small (Medium) Sizes Only:

Row 1 (RS): K1, pm, p1, [k2, p1] 1 (2) times, pm, p1, k3, p4, k6, p4, k3, p1, pm, p1, [k4, p4] 4 times, k4, p1, pm, p1, k3, p4, k6, p4, k3, p1, pm, p1, [k2, p1] 1 (2) times, k1.

Row 2 (WS): Knit the knit sts and purl the purl sts.

Rows 3-6: Rep Rows 1 & 2.

Large (1X) Sizes Only:

Row 1 (RS): K1, pm, p1, [k2, p1] 4 (5) times, pm, p1, k3, p4, k6, p4, k3, p1, pm, RT, pm, p1, [k4, p4] 4 times, k4, p1, pm, RT, pm, p1, k3, p4, k6, p4, k3, p1, pm, p1, [k2, p1] 4 (5) times, k1.

Row 2 (WS): Knit the knit sts and purl the purl sts.

Rows 3-6: Rep Rows 1 & 2.

2X (3X) Sizes Only:

Row 1 (RS): K1, pm, p1, [k2, p1] 7 (8) times, pm, p1, k3, p4, k6, p4, k3, p1, pm, RT, p1, RT, pm, p1, [k4, p4] 4 times, k4, p1, pm, RT, p1, RT, pm, p1, k3, p4, k6, p4, k3, p1, pm, p1, [k2, p1] 7 (8) times, k1.

Row 2 (WS): Knit the knit sts and purl the purl sts.

Rows 3-6: Rep Rows 1 & 2.

Establish Pattern

Small (Medium) Sizes Only:

Switch to larger ndls.

Row 1 (RS): K1, work Row 1 of Twist Cable to m, work Row 1 of Dueling Cables Panel to m, work Row 1 of Grillwork Cable Panel to m, work Row 1 of Dueling Cables Panel to m, work Row 1 of Twist Cable to m, k1.

Row 2 (WS): P1, work next row of Twist Cable to m, work next row of Dueling Cables Panel to m, work next row of Grillwork Cable Panel to m, work next row of Dueling Cables Panel to m, work next row of Twist Cable to m, p1.

Large (1X) Sizes Only:

Switch to larger ndls.

Row 1 (RS): K1, work Row 1 of Twist Cable to m, work Row 1 of Dueling Cables Panel to m, RT (work a RT here every RS row), work Row 1 of Grillwork Cable Panel to m, RT (work a RT here every RS row), work Row 1 of Dueling Cables Panel to m, work Row 1 of Twist Cable to m, k1.

Row 2 (WS): P1, work next row of Twist Cable to m, work next row of Dueling Cables Panel to m, p2, work next row of Grillwork Cable Panel to m, p2, work next row of Dueling Cables Panel to m, work next row of Twist Cable to m, p1.

2X (3X) Sizes Only:

Switch to larger ndls.

Row 1 (RS): K1, work Row 1 of Twist Cable to m, work Row 1 of Dueling Cables Panel to m, RT, p2, RT (work RTs here every RS row), work Row 1 of Grillwork Cable Panel to m, RT (work RTs here every RS row), work Row 1 of Dueling Cables Panel to m, work Row 1 of Twist Cable to m, k1.

Knit. Relax. Smile. Repeat!

2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com

This pattern may not be reproduced for business, trade or sale.

Row 2 (WS): P1, work next row of Twist Cable to m, work next row of Dueling Cables Panel to m, p2, k1, p1 work next row of Grillwork Cable Panel to m, p2, k1, p2, work next row of Dueling Cables Panel to m, work next row of Twist Cable to m, p1.

All Sizes:

Cont in patt as est'd until Body meas 17 (17½, 17½, 18, 18, 18½)" from cast-on edge, ending with WS row.

Shape Armholes

Note: When working armhole shaping, if there are not enough sts for a full Twist Cable rep, work these sts in reverse St st.

Bind off 2 (3, 4, 6, 7, 8) sts at beg of next 2 rows – 88 (92, 106, 108, 124, 128) sts rem.

Dec row (RS): K1, p2tog, work in patt to last 3 sts, p2tog tbl, k1 – 2 sts dec'd. Work a WS row even. Rep these 2 rows, 1 (3, 3, 4, 4, 6) more time(s) – 84 (84, 98, 98, 114, 114) sts rem.

Cont to work even in patt until Armholes meas 6 (6½, 7, 7½, 7¾, 8)", ending with WS row.

Bind off Shoulders, Continue Neck

Bind off 21 (21, 28, 28, 36, 36) sts at beg of next 2 rows – 40 sts rem.

Work even in patt over rem sts, keeping 1 st each edge in St st, until work meas 2" from Shoulder bind-off. Bind off rem sts.

FRONT

Work as for Back until Armholes meas 4 (4½, 4¾, 5¼, 5¼, 5½)", ending with WS row.

Shape Neck

Work in patt over next 24 (24, 31, 31, 39, 39) sts, attach new ball of yarn and bind off center 36 sts, work in patt to end. Working each Shoulder separately, cont in patt until Armholes meas 6 (6½, 7, 7½, 7¾, 8)", ending with WS row. Bind off rem sts.

SLEEVES

With smaller ndls, cast on 44 (48, 48, 48, 52, 52) sts.

Cuff

Row 1 (RS): [K1, p1] 2 (3, 3, 3, 4, 4) times, pm, [p1, k2] twice, p1, pm, p1, k3, p4, k6, p4, k3, p1, pm, [p1, k2] twice, p1, pm, [p1, k1] 2 (3, 3, 3, 4, 4) times.

Row 2 (WS): Knit the knit sts and purl the purl sts.

Rows 3-6: Rep Rows 1 & 2.

Establish Pattern

Switch to smaller ndls.

Row 1 (RS): K1, work Row 1 of Seed Stitch patt over 3 (5, 5, 5, 7, 7) sts, pm, work Row 1 of Twist Cable over 7 sts, pm, work Row 1 of Dueling Cables Panel over 22 sts, pm, work Row 1 of Twist Cable over 7 sts, pm, work Row 1 of Seed Stitch patt over 3 (5, 5, 5, 7, 7) sts, k1.

Row 2: P1, work next row of Seed Stitch patt to m, work next row of Twist Cable patt to m, work next row of Dueling Cables Panel patt to m, work next row of Twist Cable patt to m, work next row of Seed st patt to last st, p1.

Work 2 more rows even in patt as est'd.

Increase Section

Note: When increasing, maintain new stitches in Seed Stitch.

Inc row (RS): K1, m1, work in patt to last st, m1, k1 – 1 st inc'd. Rep Inc row every 10 (10, 8, 8, 8, 6) rows, 7 (7, 9, 10, 10, 11) more times – 60 (64, 68, 70, 74, 76) sts. Work even in patt until Sleeve meas 18 (18, 18, 18½, 18½, 18½)" from cast-on edge, ending with WS row.

Shape Cap

Note: When working cap shaping, if there are not enough sts for a full Twist Cable rep, work these sts in reverse St st.

Bind off 2 (3, 4, 5, 7, 8) sts at beg of next 2 rows – 56 (58, 60, 60, 60, 60) sts rem.

Dec row (RS): P1, p2tog, work in patt to last 3 sts, p2tog tbl, p1 – 2 sts dec'd.

Rep Dec row every other RS row, 4 (4, 3, 5, 6, 7) more times, then rep Dec row every RS row, 1 (2, 4, 2, 1, 0) times – 44 sts rem. Bind off 4 sts at beg of next 2 rows, bind off 6 sts at beg of next 2 rows – 24 sts rem.

Knit. Relax. Smile. Repeat!

2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com

This pattern may not be reproduced for business, trade or sale.

Saddle

Work even over rem 24 sts (Dueling Cables Panel), keeping extra st each side in reverse St st, until Saddle meas 4 (4, 4¾, 4¾, 5¾, 5¾)" (the width of each front shoulder). Bind off all sts.

FINISHING

Block pieces to measurements.

Sew sides of Saddles to tops of Shoulders. Sew back half of each bind-off edge of Saddle to side of Back Neck. Sew Sleeve caps into Armholes. Sew Sleeve and Side Seams.

Neck Edging

With smaller circ ndl, beg at Back Right Neck Edge, pick up and knit 42 sts along Back Neck Edge, 16 (16, 18, 18, 20, 20) sts along Left Front Neck, 34 sts along Front Neck Edge, 16 (16, 18, 18, 20, 20) sts along Right Front Neck – 108 (108, 112, 112, 116, 116) sts. PM and join to work in the rnd.

Rnd 1: * K1, p1; rep from * to end. Rep Rnd 1, 4 more times. Bind off all sts firmly, kwise.

FINISHING

Weave in ends.



Knit. Relax. Smile. Repeat!


2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com


This pattern may not be reproduced for business, trade or sale.

Grillwork Cable Panel




38 sts

Dueling Cables Panel



22 sts



Key

- knit on RS, purl on WS
- purl on RS, knit on WS
- ▤ 2x2 RC
- ▥ 2x2 LC
- ▦ 2x2 RPC
- ▧ 2x2 LPC
- ▨ 3x3 RC
- ▩ 3x3 LC
- 3x2 RPC
- 3x2 LPC
- ▬ RT
- ▭ patt rep




Knit, Relax, Smile, Repeat!

2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com

This pattern may not be reproduced for business, trade or sale.



Knit. Relax. Smile. Repeat!

2013 © Universal Yarn, Inc.

All rights reserved.

www.universalyarn.com

This pattern may not be reproduced for business, trade or sale.