

Product Name: HydroSilex Rewind

Safety Data Sheet

1. Identification of Substance & Company

Product

Product name HydroSilex Rewind

Product code NA

NZ HSNO approval HSR002657

NZ Approval description Surface Coatings and Colourants (Combustible) Group Standard 2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Automotive Detailing

Company Details

CompanyRepco Support OfficeHydrosilex AustraliaAddress510 Mt Wellington Highway66 a Access WayMt WellingtonCarrum DownsAuckland 1060Vic 3201New ZealandAustralia

Telephone +64 9 574 1217 +61 0409256245

National Poison Centre NZ (24 hours): 0800 POISON [764 766] Emergency number +61 0409 256 245

2. Hazard Identification

Approval for New Zealand

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002657, Surface Coatings and Colourants (Combustible) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

Classes Hazard Statements

3.1D
6.3B
6.4A
H227 - Combustible liquid.
H316 - Causes mild skin irritation.
H319 - Causes serious eye irritation.

SYMBOLS

WARNING



Hazard classification for Australia (GHS)

This product has been assessed according to GHS as implemented in the model WHS regulations and is classified as follows:

Classes Hazard Statements

Eye irritation – category 2A H319 - Causes serious eye irritation.



HvdroSilex Rewind Safety Data Sheet

Precautionary Statements

P103 - Read label before use.

P210 - Keep away from flames and hot surfaces*. No smoking.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves and eye/face protection.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Polyethylene Glycol Trimethylnonyl ether	60828-78-6	<2%
Sodium Metasilicate	6834-92-0	<1%
Isopropanol	67-63-0	<9%
Fragrance	proprietary	<1%
Colourant	NA	<1%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. **First Aid**

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre (New Zealand) or Poison Information Centre (Australia) if you feel that you may have been harmed or irritated by this product. The number is New Zealand: 0800 764 766 (0800 POISON) (24 hr emergency service) or Australia: 131 126 (24 hr emergency service)

Recommended first aid

facilities

Ready access to running water is required. Accessible eyewash is required.

Exposure

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse

mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use. Generally, inhalation of vapours is unlikely to result in adverse health effects. If

Inhaled

coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: This product is a combustible liquid, flashpoint 89°C. This product has the potential to

cause fire or to create an additional hazard during fire

Suitable extinguishing

substances:

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

Unsuitable extinguishing

substances:

Unknown.

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code:

NA

Page 2 of 7 November 2020



Safety Data Sheet

6. Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

Emergency procedures In the event of a large spillage (>100L) alert the fire brigade to location and give brief

description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If

this occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from

extreme heat and open flames. Store above 0°C and below 37°C. Avoid contact with incompatible substances as listed in Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards - New Zealand

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL

Exposure Stds isopropanol 400ppm, 983mg/m³ 500ppm, 1230mg/m³

Exposure Standards - Australia

A workplace exposure standard (ES) has not been established by SafeWork Australia for this product.

Australian Ingredient WES-TWA WES-STEL

Exposure Stds Isopropanol (isopropyl alcohol) 400ppm, 983mg/m³ 500ppm, 1230mg/m³

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eves



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use.

Page 3 of 7 November 2020



Safety Data Sheet

Respiratory

A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

WES Additional Information

Not applicable

9. **Physical & Chemical Properties**

Appearance blue liquid Odour odourless Ha 7.5-8.5 Vapour pressure no data **Viscosity** non-viscous **Boiling point** >95° Volatile materials no data Freezing / melting point no data

Solubility soluble in water

Specific gravity / density ~1 Flash point 89°C **Danger of explosion** no data **Auto-ignition temperature** no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Flammable substance. Keep away from sources of ignition at all times. Containers should

be kept closed in order to avoid contamination.

Incompatible groups Strong oxidisers, strong acids.

Substance Specific

Incompatibility

Hazardous decomposition

Dermal

products

Hazardous reactions none known

11. **Toxicological Information**

Summary

IF IN EYES: may cause eye irritation. IF ON SKIN: may cause mild skin irritation.

Supporting Data

Acute Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is Oral

>5,000 mg/kg. Data considered includes: Polyethylene Glycol Trimethylnonyl ether 3300mg/kg, Sodium Metasilicate 1280mg/kg (rat), isopropanol 3600 mg/kg (mouse). Using LD₅₀'s for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture

is >5000 mg/kg. Data considered includes: Polyethylene Glycol Trimethylnonyl ether

8874ma/ka.

none known

Oxides of carbon.

Inhaled No evidence of acute inhalation toxicity.

The mixture is considered to be an eye irritant, because some of the ingredients present Eye

are considered eye irritants in more concentrated form.

Skin The mixture is considered to be a skin irritant, because some of the ingredients present

are considered skin irritants in more concentrated form.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

No ingredient present at concentrations > 1% is considered a target organ toxicant. **Systemic**

Aggravation of None known.

existing conditions

Page 4 of 7 November 2020



HydroSilex Rewind Safety Data Sheet

12. **Ecological Data**

Summary

This mixture is not considered ecotoxic.

Supporting Data

Using EC₅₀'s for ingredients, the estimated EC₅₀ for the mixture is > 100 mg/L. Aquatic

Bioaccumulation No data Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrate See acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. **Disposal Considerations**

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

> (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Australian Code for the Transport of Dangerous Goods by Road and Rail Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number: NA Proper shipping name: NA Class(es) NA Packing group: NA NA NA **Precautions:** Hazchem code:

15. Regulatory Information

New Zealand

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002657, Surface Coatings and Colourants (Combustible) Group Standard 2017. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

All hazardous substances should be appropriately packaged including substances Packaging

that have been decanted, transferred or manufactured for own use or have been

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Required if > 10000L is stored. Emergency plan

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored. Signage Required if > 10000L is stored.

Page 5 of 7 November 2020



Safety Data Sheet

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Australia

Standard for the Uniform Scheduling Not scheduled

of Drugs and Poisons (SUSDP)

Applicable prohibitions and Not listed

notifications/licensing requirements

Agricultural and Veterinary Chemicals Not listed

Act

Listing in the Australian Inventory of Isopropanol – Human health tier II assessment

Industrial Chemicals (AIIC) Soluble silicates: Human health tier II assessment

Additional information Not applicable GHS Hazardous Chemical Not listed

Information List

16. Other Information

Abbreviations

Approval Code Approval HSR002657, Surface Coatings and Colourants (Combustible) Group Standard

2017 Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer
LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS)

Material Safety Data Sheet (or Safety Data Sheet)

NICNAS National Industrial Chemicals Notification and Assessment Scheme

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

Product Name: HydroSilex Rewind

using procedures that gather air samples in the worker's breathing zone.



HydroSilex Rewind Safety Data Sheet

Product Name: HydroSilex Rewind

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

ESSafeWork Australia Hazardous Chemical Information System
Other References:
Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewAugust 2020Not applicable – new SDSNovember 2020Addition of Australian information.

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). Full formulation details were not available. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

