

Product		
	Lludrasilay OffDaad	
Product name	Hydrosilex OffRoad Y122821	
Product code	HSR002670	
VZ HSNO approval VZ Approval description		s (Subsidiary Hazard) Group Standard
Approval description	2017	s (Subsidiary Hazard) Group Standard
IN number	NA	
G class	NA	
Proper Shipping Name	NA	
Packaging group	NA	
lazchem code	NA	
lses	Adhesive, sealant	
ompany Details	Adhoovo, ooalaht	
ompany Details	Repco Support Office	Hydrosilex Australia
Address	510 Mt Wellington Highway	66 a Access Way
	Mt Wellington	Carrum Downs
	Auckland 1060	Vic 3201
	New Zealand	Australia
elephone	+64 9 574 1217	+61 0409256245
pproval for New Zealand		New Organisms Act (HSNO Approval
Approval for New Zealand This product is an approved su HSR002670, Surface Coatings	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordii Classes	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements	ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordin Classes 6.3B	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements H316 - Causes mild skin irritation.	ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordin Classes 5.3B 5.4A	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements	ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordin Classes 5.3B 5.4A SYMBOLS	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements H316 - Causes mild skin irritation.	ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements H316 - Causes mild skin irritation.	ndard 2017). The substance has been
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordin Classes 6.3B 6.4A SYMBOLS WARNING Hazard classification for Aust This product has been assessed	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements H316 - Causes mild skin irritation. H319 - Causes serious eye irritation.	ndard 2017). The substance has been Minimum Degrees of Hazard) Notice 2
Approval for New Zealand This product is an approved sul HSR002670, Surface Coatings classified as hazardous accordin Classes 6.3B 6.4A SYMBOLS WARNING WARNING Hazard classification for Aust	bstance under the Hazardous Substances and I and Colourants (Subsidiary Hazard) Group Star ng to the criteria in the Hazardous substances (Hazard Statements H316 - Causes mild skin irritation. H319 - Causes serious eye irritation.	ndard 2017). The substance has been Minimum Degrees of Hazard) Notice 2

Precautionary Statements

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/eye protection.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.



3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Angsil 1470	mixture	30-50%
Ingredients not contributing to classification mixture balance		

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information		
	ave product container or label at hand. You should call the National Poisons Centre if you feel ed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency	
Recommended first aid facilities	Ready access to running water is required. Accessible eyewash is required.	
Exposure		
Swallowed	IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before re-use.	
Inhaled	Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) fo transport and contact a doctor.	
Advice to Doctor		

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing substances: Unsuitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam. Unknown.
Products of combustion: Protective equipment: Hazchem code:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. No special measures are required. NA

Containment	In all cases design storage to prevent discharge to storm water.
Emergency procedures	If a significant spill (>100L) occurs:
	Stop leak if safe/necessary; Isolate area. Collect spill – see below; Transfer to container for disposal. Dispose of according to guidelines below (Section 13).
Clean-up method	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Disposal	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Precautions	Wear protective equipment to prevent skin and eye contamination.



7. Storage & Handling

Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Store above 0°C and below 37°C. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

			ed by WorkSafe NZ for this produ articulates when limits have not o	
NZ Workplace Exposure Stds	Ingredier No ingred	nt lient listed.	WES-TWA NA	WES-STEL NA
Exposure Standard	ds – Australia	I		
A workplace exposu Australian Exposure Stds	Ingredier		by SafeWork Australia for this pro WES-TWA NA	oduct. WES-STEL NA
Engineering Control	ols			
the Health and Safe Exposure can be red	ty at Work (Ge duced by proc	eneral Risk and Workplace M ess modification, use of local	trol required by the Health and Sa anagement) Regulations 2016. exhaust ventilation, capturing su s, dusts or vapours are high, you a	bstances at the source, or
			, addie of Tapeare ale mgm, year	are advised to modify
processes or increase Personal Protective	se ventilation.			
processes or increas	se ventilation.	Avoid contact with eyes. U	Jse safety glasses and or chemica rotection in accordance with AS/N	al splash goggles if splashes
processes or increase Personal Protective	se ventilation.	Avoid contact with eyes. U are possible. Select eye pr If discomfort is felt (e.g., if sensitive skin), gloves may use gloves. Protective glo	lse safety glasses and or chemica	al splash goggles if splashes NZS 1337. h as dermatitis, cuts or ermatitis type skin conditions must comply with AS 2161.

9. Physical & Chemical Properties

Appearance	off white liquid
Odour	barely perceptible odour
рН	5.5
Vapour pressure	no data
Viscosity	non-viscous
Boiling point	>35°C
Volatile materials	no data
Freezing / melting point	no data
Solubility	miscible in all proportions
Specific gravity / density	~1
Flash point	>93°C
Danger of explosion	no data
Page 3 of 6	
November 2020	



Auto-ignition temperatureno dataUpper & lower flammable limitsno dataCorrosivenessnon corrosive

10. Stability & Reactivity

Stability Conditions to be avoided	Stable Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames.
Incompatible groups Substance Specific Incompatibility	Strong acids and oxidisers. none known
Hazardous decomposition products Hazardous reactions	none known none known

11. Toxicological Information

Summary

IF IN EYES: Moderate Eye Irritation: Signs/symptoms may include redness and irritation. IF ON SKIN: Mild Skin Irritation.

Supportin	Supporting Data				
Acute	Oral	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >5,000 mg/kg.			
	Dermal	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is $>5000 \text{ mg/kg}$.			
	Inhaled	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is $>5mg/L/4h$.			
	Eye	The mixture is considered to be an eye irritant, because some of the ingredients present are considered eye irritants in more concentrated form.			
	Skin	The mixture is considered to be a skin irritant, because some of the ingredients present are considered skin irritants in more concentrated form.			
Chronic	Sensitisation	No ingredient present at concentrations $> 0.1\%$ is considered a sensitizer.			
	Mutagenicity	No ingredient present at concentrations $> 0.1\%$ is considered a mutagen.			
	Carcinogenicity	No ingredient present at concentrations > 0.1% is considered a carcinogen. No evidence that respirable crystalline silica is present.			
	Reproductive /	No ingredient present at concentrations $> 0.1\%$ is considered a reproductive or			
	Developmental	developmental toxicant or have any effects on or via lactation.			
	Systemic	No ingredient present at concentrations > 1% is considered a target organ toxicant.			
	Aggravation of existing conditions	None known.			

12. Ecological Data

Summary

This mixture is not considered ecotoxic.

Supporting Data	
Aquatic	Using EC ₅₀ 's for ingredients, the estimated EC ₅₀ for the mixture is $>$ 100 mg/L.
Bioaccumulation	No data
Degradability	No data
Soil	No evidence of soil toxicity.
Terrestrial vertebrate	See acute toxicity.
Terrestrial invertebrate	No evidence of toxicity towards terrestrial invertebrates.
Biocidal	no data
Environmental effect levels	No EELs are available for this mixture or ingredients

13. Disposal Considerations

RestrictionsThere are no product-specific restrictions, however, local council and resource consent
conditions may apply, including requirements of trade waste consents.Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice
2017 and the requirements of the Resource Management Act for which approval should
be sought from the Regional Authority. The substance must be treated and therefore
rendered non-hazardous before discharge to the environment.



Contaminated packaging

Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

14. Transport Information

Australian Code for the Transport of Dangerous Goods by Road and Rail

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:	NA	Proper shipping name:	NA
Class(es)	NA	Packing group:	NA
Precautions:	NA	Hazchem code:	NA

15. Regulatory Information

New Zealand

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2017. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls	
Key workplace requirements are:	
SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Not required.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Not required.
Signage	Not required.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Note: The above workplace requireme	ents apply if only this particular substance is present. The complete set of controls for a

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Australia

Standard for the Uniform Scheduling	Not scheduled	
of Drugs and Poisons (SUSDP)		
Applicable prohibitions and	Not listed	
notifications/licensing requirements		
Agricultural and Veterinary Chemicals Not listed		
Act		
Listing in the Australian Inventory of	Not listed	
Industrial Chemicals (AIIC)		
Additional information	Not applicable	
GHS Hazardous Chemical	Not listed	
Information List		

16. Other Information

Abbreviations

Approval HSR002670, Surface Coatings and Colourants (Subsidiary Hazard) Group

Hydrosilex OffRoad Safety Data Sheet



	Standard 2017 Controls, EPA. www.epa.govt.nz	
CAS Number	Unique Chemical Abstracts Service Registry Number	
EC ₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test	
	population (e.g. daphnia, fish species)	
EPA	Environmental Protection Authority (New Zealand)	
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency	
	services, especially fire fighters	
HSNO	Hazardous Substances and New Organisms (Act and Regulations)	
IARC	International Agency for Research on Cancer	
LEL/UEL	Lower Explosive Limit/ Upper Explosive Limit	
	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).	
	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population	
	(usually rats)	
MSDS (SDS)	Material Safety Data Sheet (or Safety Data Sheet)	
NICNAS	National Industrial Chemicals Notification and Assessment Scheme	
NZIoC	New Zealand Inventory of Chemicals	
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or	
	biological agent to which a worker may be exposed in any 15 minute period, provided the	
	TWA is not exceeded	
TWA	Time Weighted Average – generally referred to WES averaged over typical work day	
	(usually 8 hours)	
UN Number	United Nations Number	
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical	
	agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a	
	week). The WES relates to exposure that has been measured by personal monitoring	
	using procedures that gather air samples in the worker's breathing zone.	
References		
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information	
Data	database (CCID).	
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)	
	Regulations 2017, www.legislation.govt.nz	
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available	
	on their web site – www.worksafe.govt.nz.	
ES	SafeWork Australia Hazardous Chemical Information System	
Other References:	Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus	
Review		
Date	Reason for review	
August 2020	Not applicable – new SDS	
November 2020	Addition of Australian information	

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). Full formulation details were not available. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

