



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -white glue 120ml 4oz

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018

Results : Please refer to next page(s)

## Service Requested


As specified by the client, to edit [Material Safety Data Sheet \(MSDS\)](#) for the submitted sample

## Summary

As specified by the client, the contents and formats of the MSDS are prepared in accordance with European Commission Regulation (EC) No. 1907/2006, Regulation (EC) No. 1272/2008 and Regulation (EU) no. 2015/830, and is provided per attached.

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 2 of 13

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - white glue 120ml 4oz

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wales)

+44(0)38454 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 3 of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Aqua(Water)	7732-18-5	85
2	polyvinyl alcohol	9002-89-5	15
3	Acetic Acid Ethenyl ester, homopolymer	9003-20-7	10%

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated. The results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 4 of 13

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation (CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.


### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



\*\*\*\*\*  
This document is issued by the Company subject to its General Conditions of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 5 of 13

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### **Handling**

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### **Storage**

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### **Specific end use(s)**

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 6 of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### **Individual protection measures**

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 7 of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Gel
Colour:	White
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	101 deg C
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 8 of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

For polyvinyl alcohol 9002-89-5

Rat LD50-oral 23854mg/kg

Mouse LD50-oral 14700mg/kg

For Acetic Acid Ethenyl ester, homopolymer 9003-20-7

Rat LD50-oral >25000mg/kg

Mouse LD50-oral >25000mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 9 of 13

## Section 12: Ecological Information

### 12.1 Toxicity

Aquatic toxicity:

For polyvinyl alcohol 9002-89-5

Short term toxicity to fish LD50-4 days 10000mg/l

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 10 of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 11 of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Water hazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitations and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 12 of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# MSDS Report

File No.: **DTI201806225130-1**

Date: 2018-6-30

Page 13 of 13

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any. The company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -clear glue 50ml

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018


Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 2 of 13

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit -clear glue 50ml

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wales)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 3 of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Aqua(Water)	7732-18-5	85
2	polyvinyl alcohol	9002-89-5	15

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 4 of 13

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 5 of 13

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 6 of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### **Individual protection measures**

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 7 of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Liquid Mixture
Colour:	Clear
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6.5-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	101 deg C
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 8 of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

For polyvinyl alcohol 9002-89-5

Rat LD50-oral 23854mg/kg

Mouse LD50-oral 14700mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 9 of 13

## Section 12: Ecological Information

### 12.1 Toxicity

Aquatic toxicity:

For polyvinyl alcohol 9002-89-5

Short term toxicity to fish LD50-4 days 10000mg/l

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page10of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page 11 of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Water hazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitative and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page12of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-2**

Date: 2018-6-30

Page13of 13

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit - detergent

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018


Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 2 of 13

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - detergent

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 3 of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Aqua(Water)	7732-18-5	85-90
2	biodegradable anionic surfactants	-	-
3	biodegradable nonionic surfactants	-	-
4	Alcohol ethoxylates (c10-C16)sodium salt	68585-34-2	-
5	ethanolamine salt	1420-04-8	-
6	calcium salt	62-54-4	-
7	sodium cumenesulfonate	28348-53-0	-
8	linear alkylbenzene sulfonates	68411-30-3	-
9	others	-	-

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 4 of 13

## Section 4: First Aid Measures

### Eye Contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

### Skin Contact

The polymer is not likely to be hazardous by skin contact but cleansing the skin after use is advisable.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR).  
Avoid mouth- to - mouth resuscitation.

### Ingestion

If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid.

### Serious Ingestion

Not applicable.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

For small fires, use water spray, dry chemical, carbon dioxide or chemical foam.

### 5.2 Special hazards arising from the substance or mixture

It can be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

#### Special protective equipment for fire-fighters

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 5 of 13

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 6 of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### Individual protection measures

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 7 of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Liquid
Colour:	Light Yellow
Odour:	Not available
Odour threshold	Not available
Ph-Value:	Not available

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 8 of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: Not available

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 9 of 13

## Section 12: Ecological Information

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

### 12.2 Persistence and degradability

No further relevant information available.

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page10of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page 11 of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Water hazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitations and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page12of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-9**

Date: 2018-6-30

Page13of 13

Photo of Sample



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page1 of 14

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -Color Changing Powder

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018

Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by: Wipine  
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page2of 14

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Color Changing Powder

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 3 of 14

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

Chemical Characterisation	CAS Number	EINECS Number	Conc.
Polyoxymethylenemelamine	9003-08-1		19.0%~27.2%
Styrene maleic anhydride monomethyl			
-maleate polymer	31959-78-1		5.8%~7.2%
ODB-II	89331-94-2		1.8%~3.9%
Green DCF	34372-72-0		0.5%~1.0%
Stearyl alcohol	112-92-5		31.0%~32.3%
Cetyl alcohol	36653-82-4		20.6%~21.5%
Behenyl alcohol	661-19-8		9.1%~9.5%

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 4 of 14

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 5 of 14

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### **Special protective actions for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **Special protective equipment for fire-fighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.



\*\*\*\*\*  
This document is issued by the Company subject to its General Conditions of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 6 of 14

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 7 of 14

## Section 8: Exposure Controls/Personal Protection

### 8.2 Exposure Controls

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### Individual protection measures

##### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 8 of 14

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	Black Powder
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not Detect
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 9 of 14

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page10of 14

## Section 12: Ecological Information

### 12.1 Toxicity

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO,HCN,AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page 11 of 14

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page12of 14

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Waterhazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitatious and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page13of 14

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-5**

Date: 2018-6-30

Page14of 14

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page1 of 7

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit - food coloring

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018


Results : Please refer to next page(s)

\*\*\*\*\*  
**Service Requested**

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.  
\*\*\*\*\*

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 2 of 7

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - food coloring

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wales)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Composition and Information on Ingredients

### Composition:

	Name	CAS #	% by Weight
1	Water	7732-18-5	98-100.0
2	colorants	-	0.2-2

**Toxicological Data on Ingredients:** Not applicable.

## Section 3: Hazards Identification

### Potential Acute Health Effects:

No Potential Acute Health Effects.

### Potential Chronic Health Effects:

No Potential Chronic Health Effects.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 3 of 7

## Section 4: First Aid Measures

Eye Contact	:	Not applicable.
Skin Contact	:	Not applicable.
Serious Skin Contact	:	Not applicable.
Inhalation	:	Not applicable.:
Serious Inhalation	:	Not applicable.
Ingestion	:	Not applicable.
Serious Ingestion	:	Not applicable.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 4 of 7

## Section 5: Fire and Explosion Data

Flammability of the Product	:	Not applicable.
Auto-Ignition Temperature	:	Not applicable.
Flash Points	:	Not applicable.
Flammable Limits	:	Not applicable.
Products of Combustion	:	Not applicable.
Fire Hazards in Presence of Various Substances	:	Not applicable.
Explosion Hazards in Presence of Various Substances	:	Not applicable.
Fire Fighting Media and Instructions	:	Not applicable.
Special Remarks on Fire Hazards	:	Not applicable.
Special Remarks on Explosion Hazards	:	Not applicable.

## Section 6: Accidental Release Measures

Person-related precautionary measures	:	Not applicable.
Environmental-protection measures	:	Not applicable.
Procedures For cleaning absorption	:	Not applicable.

## Section 7: Handling and Storage

Handling	:	If the liquid is in a roll, roll of mixture may telescope. Use caution when handling.
Storage	:	Not applicable.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 5 of 7

## Section 8: Exposure Controls/Personal Protection

Engineering Controls	: Not applicable.
Personal Protection	: Not applicable.
Personal Protection in Case of a Large Spill	: Not applicable.
Exposure Limits	: Not applicable.

## Section 9: Physical and Chemical Properties

Physical state and appearance	: Liquid.
Odor	: No odor
Color	: Colourful
PH Value	: 6.8-7.0
Melting Point	: 0℃
Boiling Point	: 100℃
Specific Gravity	: 1.0 (Water = 1)
Dispersion Properties	: Not available.
Solubility	: Soluble in polarity solvents.

## Section 10: Stability and Reactivity Data

Stability	: Stable.
Conditions of Instability	: Stable.
Incompatibility with various substances	: Not available.
Corrosivity	: Not available.
Flash Point	: Not available.
Combustion Energy	: Not available.
Auto-ignition temperature	: Not available.
Special Remarks on Reactivity	: Not available.
Special Remarks on Corrosivity	: Not applicable.
Polymerization	: Will not occur

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 6 of 7

## Section 11: Toxicological Information

Routes of Entry : Not available.

Toxicity to Animals :  
Not available.

Chronic Effects on Humans : Not available.

Other Toxic Effects on Humans :  
Not available.

Special Remarks on Toxicity to Animals : Not available.

Special Remarks on Chronic Effects on Humans :  
Not available.

Special Remarks on other Toxic Effects on Humans :  
Not available.

## Section 12: Ecological Information

Ecotoxicity : Not available.

BOD5 and COD : Not available.

Products of Biodegradation :  
Not available.

Toxicity of the Products of Biodegradation :  
Not available.

Special Remarks on the Products of Biodegradation : Not available.

## Section 13: Disposal Considerations

Waste Disposal :  
Not available.

## Section 14: Transport Information

DOT Classification : Not a DOT controlled material (United States).

Identification : Not available.

Special Provisions for Transport : Not available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-12**

Date: 2018-6-30

Page 7 of 7

## Section 15: Other Information

**References** : Not available.

**Other Special Considerations** : Not available.

**Created** : December 22, 2016

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if BTS has been advised of the possibility of such damages.

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -Glitter Powder

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018

Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by: liping  
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page2of 13

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Glitter Powder

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. This document is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 3 of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Poly(ethylene terephthalate)	25038-59-9	96-96.5
2	Epoxy Resin	2386-87-0	3
3	Aluminium	7429-90-5	0.2
4	Dyes	-	0.5

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 4 of 13

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



\*\*\*\*\*  
This document is issued by the Company subject to its General Conditions of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeseev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 5 of 13

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### **Handling**

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### **Storage**

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### **Specific end use(s)**

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 6 of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### **Individual protection measures**

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 7 of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	Colorful Powder
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	246 deg C
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	1.72(water=1)
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 8 of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page9 of 13

## Section 12: Ecological Information

### 12.1 Toxicity

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO,HCN,AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page10of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page 11 of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Water hazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitations and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page12of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

- ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air transport Association
- ELINCS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level(REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substance of Very High Concern
- vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-4**

Date: 2018-6-30

Page13of 13

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -Glow Powder

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018


Results : Please refer to next page(s)

\*\*\*\*\*  
**Service Requested**

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.  
\*\*\*\*\*

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page2of 13

## Section 1:Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Glow Powder

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page3of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed bellow with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Strontium aluminate, europium-doped	12004-37-4	100
	Sr	-	55
	Al <sub>2</sub> O <sub>3</sub>	-	43
	Eu	-	1

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page4of 13

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth- to - mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed:. Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeseev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page5of 13

## Section 6: Accidental Release Measures

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment recommended in section 8

### **6.2 Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### **6.3 Methods and materials for containment and cleaning up**

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### **6.4 Reference to other sections**

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### **Handling**

Avoid inhalation , contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### **Storage**

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### **Specific end use(s)**

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page6of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### **Individual protection measures**

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page7of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	Yellow Powder
Odour:	Not available
Odour threshold	Not available
Ph-Value:	7

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not Detect
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Molecular Weight:	1003

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page8of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: no available data

Skin corrosion/irritation Based no available data, the classification criteria are not met.

Serious eye damage/irritation Based no available data, the classification criteria are not met.

Respiratory or skin sensitization Based no available data, the classification criteria are not met.

Germ cell mutagenicity Based no available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page9of 13

## Section 12: Ecological Information

### 12.1 Toxicity no available data

No further relevant information available.

### 12.2 Persistence and degradability no available data

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO,HCN,AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page10of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of Marpol and the IBC Code</u>	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page11of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Waterhazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitatious and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page12of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-3**

Date:2018-6-30

Page13of 13

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page1 of 14

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -Instant Snow

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018


Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit [Safety Data Sheet \(SDS\)](#) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page2of 14

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Instant Snow

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 3 of 14

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 4 of 14

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

Chemical Name	Percent(by weight)	CAS No.	EINECS
Poly(acrylic acid)	24%	9003-01-4	Unlited
Sodium polyacrylate	75%	9003-04-7	Unlited
Sio2	0.7%	7631-86-9	231-545-4
AL2(so4)3	0.3%	10043-01-3	233-135-0

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 5 of 14

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### **Special protective actions for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **Special protective equipment for fire-fighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.



This document is issued by the company subject to its General Conditions of Sale and Service. The company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 6 of 14

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 7 of 14

## Section 8: Exposure Controls/Personal Protection

### 8.2 Exposure Controls

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### Individual protection measures

##### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 8 of 14

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Grain
Colour:	Yellowish
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 9 of 14

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

For 9003-01-4

Rat LD50-oral 2500mg/kg

Mouse LD50-oral 4600mg/kg

For 9003-04-7

Rat LD50-oral >40g/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page10of 14

## Section 12: Ecological Information

### 12.1 Toxicity

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO,HCN,AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page 11 of 14

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page12of 14

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Waterhazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitatious and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page13of 14

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-7**

Date: 2018-6-30

Page14of 14

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 1 of 14

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -pearl pigments

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018


Results : Please refer to next page(s)

\*\*\*\*\*  
**Service Requested**

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.  
\*\*\*\*\*

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 2 of 14

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - pearl pigments

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wales)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 3 of 14

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

No.	Name	CAS #	% by weight
1	Mica	12001-28-2	57-62
2	Titanium Oxide	13463-67-7	38-43
3	Rose red	12222-51-4	<1

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 4 of 14

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 5 of 14

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.

### 5.3 Advice for firefighters

#### **Special protective actions for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **Special protective equipment for fire-fighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.



\*\*\*\*\*  
This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 6 of 14

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### Recommended monitoring procedures:

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.



\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 7 of 14

## Section 8: Exposure Controls/Personal Protection

### 8.2 Exposure Controls

#### Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### Individual protection measures

##### Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 8 of 14

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	Golden-Purple Powder
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not Detect
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	3.25(Water=1)
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 9 of 14

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page10of 14

## Section 12: Ecological Information

### 12.1 Toxicity

No further relevant information available.

### 12.2 Persistence and degradability

For polyvinyl alcohol 9002-89-5

Readily degradable in water

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO,HCN,AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page 11 of 14

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of Marpol and the IBC Code</u>	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page12of 14

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Waterhazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitatious and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page13of 14

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-6**

Date: 2018-6-30

Page14of 14

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 1 of 13

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit -superdry clay

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018


Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page2of 13

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - superdry clay

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wares)

+44(0)38454 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 3 of 13

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

超轻粘土化学成分表			
名称	英文	CAS	比例
水性丙烯酸树脂	water-based acrylic acid resin	25767-39-9	0.03
水	Water	7732-18-5	0.8788
甘油	Glycerol	56-81-5	0.01
硼砂	Sodium tetraborate decahydrate	1303-96-4	0.0004
硼酸	Boric acid	11113-50-1	0.0008
PVA	Poly(vinyl alcohol)	9002-89-5	0.08

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 4 of 13

## Section 4: First Aid Measures

### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Skin Contact

None under normal use.

### Inhalation

Immediately relocate self or casualty to fresh air. If breathing is difficult, give cardiopulmonary resuscitation(CPR). Avoid mouth-to-mouth resuscitation.

### Ingestion

Not an expected route of exposure. If swallowed: Clean mouth with water and afterwards drink plenty of water.

### Serious Ingestion

May cause eye irritation.

## Section 5: Fire and Explosion Data

### 5.1 Extinguishing media Suitable

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

It is difficult to burn, but at very high temperature, it may be combustible; During combustion, may emit irritant fumes.


### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.



\*\*\*\*\*  
This document is issued by the Company subject to its General Conditions of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 5 of 13

## Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment recommended in section 8

### 6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## Section 7: Handling and Storage

### Handling

Avoid inhalation, contact with eyes and skin. Avoid dust and aerosol formation. Use only in areas with appropriate exhaust.

### Storage

Keep container tightly sealed in cool, well-ventilated area. Keep away from direct sunlight and sources of ignition.

### Specific end use(s)

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 6 of 13

## Section 8: Exposure Controls/Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

### 8.1 Control Parameters

#### Occupational exposure limits:

No exposure limit value known.

#### **Recommended monitoring procedures:**

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

#### **Appropriate engineering controls**

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Wash hands, forearms and face thoroughly after handling chemical products, before

#### **Individual protection measures**

##### **Hygiene measures**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 7 of 13

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	Colorful Powder
Odour:	Not available
Odour threshold	Not available
Ph-Value:	6-8

#### Change in condition

Melting point/Melting range:	Not available
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosion limits	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with water:	Not available
Partition coefficient (n-octanol/water):	Not available
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 8 of 13

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and acid alkalinitic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

Strong acids/alkalis, strong oxidising/reducing agents.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 9 of 13

## Section 12: Ecological Information

### 12.1 Toxicity

No further relevant information available.

### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

### Waste Disposal

No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.

Dispose of this material in accordance with local, state, and federal regulations.

Preferred options for disposal are incineration with energy recovery and landfill.

Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page10of 13

## Section 14: Transport Information

14.1 <u>UN-Number</u>	Not applicable
ADR,RID,ADN,IMDG,IATA	Not applicable
14.3 <u>Transport hazard class(es) ADR,RID,ADN,IMDG,IATA</u>	
<u>Class</u>	Not applicable
<u>Label</u>	Not applicable
14.4 <u>Packing group</u>	
ADR,RID,ADN,IMDG,IATA	Not applicable
14.5 <u>Environmental hazards:</u>	Not applicable
14.6 <u>Special precautions for user</u>	Not applicable
EMS Number:	Not applicable
14.7 <u>Transport in bulk according to Annex II of</u>	
Marpol and the IBC Code	Not applicable
14.8 <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
UN "Model Regulation" :	Not applicable

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page 11 of 13

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Water hazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitations and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page12of 13

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006,1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event DTI shall be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-8**

Date: 2018-6-30

Page13of 13

Photo of Sample



\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page1 of 12

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit - Containers, measuring containers, bowls, spoons

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22,2018

Testing Period : From June 22,2018 to June 30,2018

Results : Please refer to next page(s)

\*\*\*\*\*  
**Service Requested**

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.  
\*\*\*\*\*

Signed for and on behalf of  
DTI

Approved by: \_\_\_\_\_

lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 2 of 12

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Containers, measuring containers, bowls, spoons

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

### 1.4 Emergency telephone number:

United Kingdom

National poisons information service

Tel: +44(0)344 892 0111(for healthcare professional)

+44(0)845 4647(for England and Wales)

+44(0)38454 24 24 24(for Scotland)

### 1.5 Reference Number: NA

## Section 2: Hazards Identification

### 2.1 Classification of the substance/mixture

Classification according to Regulation(EC) No.1272/2008/EC:

This product is not classified according to CLP regulation.

Information concerning particular hazards for human and environment:

This product has not be label due to the calculation procedure of Regulation 1272/2008/EC

#### Classification System

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 3 of 12

## Section 2: Hazards Identification

### 2.2 Label elements

Labeling according to Regulation(EC) No.1272/2008/EC:

Not Applicable.

Hazard pictograms:

Not Applicable.

Signal words:

Not Applicable.

Hazard statement:

Not Applicable.

Precautionary statements:

Not Applicable.

### 2.3 Other hazards: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not Applicable.

vPvB: Not Applicable.

## Section 3: Composition and Information on Ingredients

### Mixture Composition:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

	Name	CAS #	% by Weight
①	Polypropylene	9003-07-0	-
②	PET	25038-59-9	-

**Remark:** All ingredients listed above are not classified according to Regulation(EC) No.1272/2008/EC.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 4 of 12

## Section 4: First Aid Measures

Eye Contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
Skin Contact	:	The polymer is not likely to be hazardous by skin contact but cleansing the skin after use is advisable.
Serious Skin Contact	:	Not applicable.
Inhalation	:	No specific intervention is indicated as the product is not likely to be hazardous by inhalation. However, if exposed to fumes from overheating or combustion, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician if necessary.
Serious Inhalation	:	Not applicable.
Ingestion	:	Ingestion is not an expected route of exposure during normal use of the product.
Serious Ingestion	:	If ingested, call a physician immediately.
	:	Not applicable.

## Section 5: Fire and Explosion Data

Foam can be combusted only by remaining in contact with flame. If flame source is stationary, film will shrink away and self-extinguish. Film remaining in contact with flame can continue to burn slowly, dropping flaming liquid which can spread the fire.

Flammability of the Product	:	Hazardous gases/vapors produced in fire are carbon dioxide, carbon monoxide, organic acids, aldehydes, alcohols.
	:	During processing, film may pick up a strong static charge. Avoid discharge into dust or solvent laden air as a flash fire or explosion may result.
Auto-Ignition Temperature	:	Not applicable.
Flash Points	:	Not applicable.
Flammable Limits	:	Not applicable.
Products of Combustion	:	Not applicable.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 5 of 12

<b>Fire Hazards in Presence of Various Substances</b>	: Not applicable.
<b>Explosion Hazards in Presence of Various Substances</b>	: Not applicable. Water, foam, dry chemical, carbon dioxide. Water is the best extinguishing medium.
<b>Fire Fighting Media and Instructions</b>	: Carbon dioxide and dry chemical are not generally recommended because their lack of cooling capacity and may permit re-ignition. Keep personnel removed and upwind of fire.
<b>Special Remarks on Fire Hazards</b>	: Wear self-contained breathing apparatus. Wear full protective equipment.
<b>Special Remarks on Explosion Hazards</b>	: Not applicable.

## Section 6: Accidental Release Measures

<b>Person-related precautionary measures</b>	: Review FIRE FIGHTING MEASURES and HANDLING Sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.
<b>Environmental-protection measures</b>	: Not applicable.
<b>Procedures For cleaning absorption</b>	: Sweep up to avoid a slipping hazard. Place in proper container for disposal or recovery

## Section 7: Handling and Storage

	Avoid skin contact with sharp film edges.
<b>Handling</b>	: If the film is in a roll, roll of film may telescope. Use caution when handling.  Film may pick up static charge. Store away from heat and sources of ignition. Do not store in direct sunlight.
<b>Storage</b>	: Avoid prolonged storage in high or low temperatures.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 6 of 12

## Section 8: Exposure Controls/Personal Protection

### 8.1 Control Parameters

#### Ingredients with limit values that require monitoring at workplace:

This product has no any relevant quantities of material with critical value that must be monitored at the workplace.

DNELs: Not applicable.

PNELs: Not applicable.

Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure Controls

The glove material has to be impermeable and resistant to the product/the substance/the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:

Tightly sealed goggles

Goggles recommended during refilling

#### Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 7 of 12

## Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

Form:	Solid
Colour:	White and Transparent
Odour:	Odourless
Odour threshold	Not available
Ph-Value:	Not available

#### Change in condition

Melting point/Melting range:	165- 240°C
Boiling point/Boiling range:	Not available
Freezing point:	Not available
Flash point:	Not available
Flammability (solid, gaseous):	Flammable
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Not available
Explosive properties:	Not available
Explosion limits:	Not available
Lower:	Not available
Upper:	Not available
Oxidizing properties:	Not available
Vapour pressure:	Not available
Density:	Not Detect
Relative density:	Not available
Vapour density:	Not available
Evaporation rate:	Not available
Solubility in/Miscibility with	
water:	Not soluble
Partition coefficient (n-octanol/water):	Partly Soluble
Viscosity:	Not available
Dynamic:	Not available
Kinematic:	Not available

### 9.2 Other information

No further relevant information.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 8 of 12

## Section 10: Stability and Reactivity Data

### 10.1 Reactivity

High temperature and organic solvents.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

Organic solvents, Strong acids and bases may hydrolyze the product.

### 10.5 Incompatible materials:

No further relevant information available.

### 10.6 Hazardous decomposition products:

Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein..

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: Not available

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 9 of 12

## Section 12: Ecological Information

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

### 12.2 Persistence and degradability

No further relevant information available.

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: NOT applicable

vPvB: NOT applicable

### 12.6 Other adverse effects

No further relevant information available.

### 12.7 Additional ecological information:

No further relevant information available.

## Section 13: Disposal Considerations

**Waste Disposal** : No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water.  
Dispose of this material in accordance with local, state, and federal regulations.  
Preferred options for disposal are incineration with energy recovery and landfill.  
Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.

## Section 14: Transport Information

14.1 UN-Number Not applicable

ADR, RID, ADN, IMDG, IATA Not applicable

14.3 Transport hazard class(es) ADR, RID, ADN, IMDG, IATA

Class Not applicable

Label Not applicable

14.4 Packing group

ADR, RID, ADN, IMDG, IATA Not applicable

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user Not applicable

EMS Number: Not applicable

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable

14.8 Transport/Additional information: Not dangerous according to the above specifications.

UN "Model Regulation" : Not applicable

\*\*\*\*\*

This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page10of 12

## Section 15: Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### Directive 2012/18/EU

Seveso category Not applicable

Qualifying quantity (tonnes) for the application of lower-tier requirements Not applicable

Qualifying quantity (tonnes) for the application of upper-tier requirements Not applicable

#### National regulations:

Waterhazard class: Water hazard class (Self-assessment): slightly hazardous for water.

#### Other regulations, limitatious and prohibitive regulations

SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/06/2016)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

#### REACH Regulation Annex XIV Authorisation List (14/8/2014)

None of the ingredients is listed.

### 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page 11 of 12

## Section 16: Other Information

The contents and format of this SDS are in accordance with Regulation(EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the international Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air transport Association  
ELINCS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level(REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substance of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if DTI has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, this document cannot be reproduced except in full, without prior written approval of the company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-11**

Date: 2018-6-30

Page12of 12

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesey Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 1 of 8

Company Name: Greener Mindset LLC

Company Address: P.O. Box 27607 Austin, Texas USA 78755

Report on the submitted samples said to be:

Sample Name : Slime Kit - Foam Beads

Model No. : SK-01

Supplier : Greener Mindset LLC

Manufacturer : Greener Mindset LLC

Sample Receiving Date : June 22, 2018

Testing Period : From June 22, 2018 to June 30, 2018


Results : Please refer to next page(s)

## Service Requested

As specified by the client, to edit Safety Data Sheet (SDS) for the submitted sample

Remark: the formats and contents of this SDS are revised as per client's request.

Signed for and on behalf of  
DTI

Approved by:   
lab manager



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained herein reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 2 of 8

## Section 1: Identification of the substance/mixture and of the company/undertake

### 1.1 Product Identifier

Trade Name: Slime Kit - Foam Beads

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substances/the mixture: Cosmetic

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Greener Mindset LLC

Only Representative/other EU contact point: not available

Further information obtainable from: Greener Mindset LLC

Tel: +1 512-851-0753

## Section 2: Composition and Information on Ingredients

### Composition:

	Name	CAS #	% by Weight
①	Polystyrene	9003-53-6	97.0
②	others	-	3.0

**Toxicological Data on Ingredients:** Not applicable.

## Section 3: Hazards Identification

### Potential Acute Health Effects:

High temperature operations using polyester can produce fumes or vapors of decomposition products of polyethylene terephthalate polymer. The type and quantity of the fumes or vapors will vary based on temperature, time and other variables. These fumes or vapors may cause eye, nose, throat or respiratory irritation, or other effects such as headache.

### Potential Chronic Health Effects:

Exposure to fillers in the polyester or the inner conductive carbon nanotube layer is not likely as these are either encapsulated in the polymer film itself or encased between polymer film layers.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 3 of 8

## Section 4: First Aid Measures

Eye Contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
Skin Contact	:	The polymer is not likely to be hazardous by skin contact but cleansing the skin after use is advisable.
Serious Skin Contact	:	Not applicable.
Inhalation	:	No specific intervention is indicated as the product is not likely to be hazardous by inhalation.
Serious Inhalation	:	However, if exposed to fumes from overheating or combustion, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician if necessary.
Ingestion	:	Not applicable.
Serious Ingestion	:	Ingestion is not an expected route of exposure during normal use of the product.
	:	If ingested, call a physician immediately.
	:	Not applicable.

## Section 5: Fire and Explosion Data

Material can be combusted only by remaining in contact with flame. If flame source is stationary, film will shrink away and self-extinguish. Film remaining in contact with flame can continue to burn slowly, dropping flaming liquid which can spread the fire.

Flammability of the Product	:	Hazardous gases/vapors produced in fire are carbon dioxide, carbon monoxide, organic acids, aldehydes, alcohols.
	:	During processing, film may pick up a strong static charge. Avoid discharge into dust or solvent laden air as a flash fire or explosion may result.
Auto-Ignition Temperature	:	Not applicable.
Flash Points	:	Not applicable.
Flammable Limits	:	Not applicable.
Products of Combustion	:	Not applicable.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents. It is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 4 of 8

Fire Hazards in Presence of Various Substances	: Not applicable.
Explosion Hazards in Presence of Various Substances	: Not applicable. Water, foam, dry chemical, carbon dioxide. Water is the best extinguishing medium.
Fire Fighting Media and Instructions	: Carbon dioxide and dry chemical are not generally recommended because their lack of cooling capacity and may permit re-ignition. Keep personnel removed and upwind of fire.
Special Remarks on Fire Hazards	: Wear self-contained breathing apparatus. Wear full protective equipment.
Special Remarks on Explosion Hazards	: Not applicable.

## Section 6: Accidental Release Measures

Person-related precautionary measures	: Review FIRE FIGHTING MEASURES and HANDLING Sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.
Environmental-protection measures	: Not applicable.
Procedures for cleaning absorption	: Sweep up to avoid a slipping hazard. Place in proper container for disposal or recovery

## Section 7: Handling and Storage

Handling	: If the material is in a roll, roll of film may telescope. Use caution when handling.  Film may pick up static charge. Store away from heat and sources of ignition. Do not store in direct sunlight.
Storage	: Avoid prolonged storage in high or low temperatures.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 5 of 8

## Section 8: Exposure Controls/Personal Protection

General exhaust is acceptable except where overheating can occur during processing. High temperature operations may require use of local exhaust ventilation to keep employee exposure below recommended limits.

### Engineering Controls

: Movement of film over metal or rollers will produce a surface static charge on the film. Consider processing design and procedures that will reduce or dissipate this discharge, and eliminate the possibility of unwanted electrical discharge to people, equipment and materials.

Respirators are not needed for normal use.

Where airborne concentrations are expected to exceed exposure limits, a NIOSH approved respirator should be selected based on the form and concentration of the contaminant in the air and in accordance with OSHA

### Personal Protection

: Respiratory Protection Standard CFR 1910.134.

Protective Clothing: Special protective clothing is not needed for normal use. Gloves are recommended as good industrial practice.

If there is potential for contact with hot/molten material, wear heat resistant impervious clothing and footwear.

**Personal Protection in Case of a Large Spill** : Not applicable.

**Exposure Limits** : Not applicable.

## Section 9: Physical and Chemical Properties

**Physical state and appearance** : White Foam

**Odor** : Odorless.

**Color** : Black

**Melting Point** : 140- 170<sup>0</sup>C

**Specific Gravity** : 0.85 - 0.91 (Water = 1)

**Dispersion Properties** : Not available.

**Solubility** : Not soluble in water; Soluble to some organic solvents.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions, if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 6 of 8

## Section 10: Stability and Reactivity Data

Stability	:	Stable at normal temperatures and storage conditions.
Conditions of Instability	:	High temperature and organic solvents.
Incompatibility with various substances	:	Organic solvents, Strong acids and bases may hydrolyze the film.
Corrosivity	:	Not available.
Flash Point	:	420°C
Combustion Energy	:	3.53×10 <sup>7</sup> J/kg(8424Kcal/kg)
Auto-ignition temperature	:	466°C
Special Remarks on Reactivity	:	Combustion can produce carbon oxides and hydrocarbon oxidation products, including organic acids, aldehydes, alcohols, ketones and acrolein.
Special Remarks on Corrosivity	:	Polymerization will not occur.
Polymerization	:	Not applicable.
	:	Will not occur

## Section 11: Toxicological Information

Routes of Entry	:	Absorbed through skin. Eye contact.
Toxicity to Animals	:	Polyethylene Terephthalate Oral ALD: > 10,000 mg/kg in rats Not a skin irritant, but is a mild eye irritant.
Chronic Effects on Humans	:	Not available.
Other Toxic Effects on Humans	:	Non-corrosive for skin. Non-irritant for skin. Non-sensitizer for skin. Non-permeator by skin. Non-hazardous in case of ingestion. Non-hazardous in case of inhalation. Non-irritant for lungs. Non-sensitizer for lungs. Non-corrosive to the eyes. Non-corrosive for lungs.
Special Remarks on Toxicity to Animals	:	Not available.
Special Remarks on Chronic Effects on Humans	:	Not available.
Special Remarks on other Toxic Effects on Humans	:	Not available.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099



# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 7 of 8

## Section 12: Ecological Information

Ecotoxicity	:	Not available.
BOD5 and COD	:	Not available.
Products of Biodegradation	:	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	:	The product itself and its products of degradation are not toxic.
Special Remarks on the Products of Biodegradation	:	Not available.

## Section 13: Disposal Considerations

Waste Disposal	:	No information is available for this product. Aquatic toxicity is expected to be low based on insolubility with water. Dispose of this material in accordance with local, state, and federal regulations. Preferred options for disposal are incineration with energy recovery and landfill. Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM.
----------------	---	--

## Section 14: Transport Information

DOT Classification	:	Not a DOT controlled material (United States).
Identification	:	Not available.
Special Provisions for Transport	:	Not available.

## Section 15: Other Information

References	:	Not available.
Other Special Considerations	:	Not available.
Created	:	November 25, 2013

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if BTS has been advised of the possibility of such damages.

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. if any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. this document cannot be reproduced except in full, without prior written approval of the company. any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deesev Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业园二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099





# Safety Data Sheet(SDS)

File No.: **DTI201806225130-10**

Date: 2018-6-30

Page 8 of 8

Sample Photo



DTI authenticate the photo on original report only

\*\*\* End of Report \*\*\*



This document is issued by the Company subject to its General Conditions of service of service printed overleaf, available on request for electronic format documents, subject to terms and conditions for electronic documents is drawn to the limitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the company's findings at the time of its intervention only and within the limits of client's instructions. If any, the company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Deeser Testing International Corp. (Shenzhen)  
德泽威技术检测(深圳)有限公司

5/F, 1st Tower of Gaoxinqi High-tech Zone, 67th Zone, Liuxian 1st Road, Bao'an, Shenzhen, Guangdong, China  
中国广东省深圳市宝安区留仙一路67区高新奇战略新兴产业二期1号楼5楼  
Tel: +86-755-66683088 Fax: +86-755-66683099