


stille




Wide Shelves 4-tier



What's in the box?

Wide Shelves 4-tier



4 Shelves





1 Top Frame



2 Middle Frames



1 Bottom Frame



12 Poles



1 Mallet





Anti-tip Hardware





Remove the shelves

Shelves should be removed from the frames prior to assembly. Once assembly is finished, unwrap and place the shelves back into the frames.



Check the feet

Leveling feet should remain all the way in during assembly to avoid damaging the feet. Once assembly is finished, adjust the leveling feet as needed.





Use the right tool

Use the mallet included with your order to avoid damaging the poles and frames. Shelves are installed by hand and do not require the use of a hammer.




Watch out for gaps

Make sure there are no gaps after connecting the poles and frames. Use as much force as needed with the included mallet to eliminate any gaps.




Stille units are assembled from the ground up.
Shelves are installed last.




Step 1

Place the bottom frame on a level surface.




Step 2

Install poles.




Step 3

Install middle frame.




Step 4

Install poles.




Step 5

Install middle frame.




Step 6

Install poles.




Step 7

Install top frame.





Step 8

Install shelves.



Leveling Foot

Once assembly is finished, adjust the leveling feet as needed.




Anti-tip Restraints

Wide Shelves 4-tier

To help prevent tip-over, install the included anti-tip restraints per these instructions.


Anti-tip restraints should be installed at the top of the unit as indicated.

If possible, secure the restraints into a wood stud. For drywall and plaster walls use the included anchors.




Install Wall Cleats

- 1) Mark and drill pilot holes into the wall. If securing into a wood stud, use a 1/8" drill bit. If securing into drywall or plaster using the included anchors, use a 1/4" drill bit.
- 2) If using the drywall anchors, insert them into the pilot holes.
- 3) Using a screwdriver, secure the cleats onto the wall using the included screws. Make sure the wall cleats are oriented horizontally.



Install Anti-tip Straps

- 1) Thread the anti-tip straps through the wall cleats and around the vertical poles.
- 2) Tighten the strap to remove slack. Do not over-tighten. Over-tightening the straps may cause your Stille unit to tip backwards.
- 3) For a neater finish, trim off extra strap with scissors as required.



Fine Print

Care and Use

Do not sit, stand or climb on Stille furniture.

Do not exceed 40lbs (20kg) of weight per shelf.

Stille furniture is not intended for outdoor use.

Clean Stille furniture using a soft, damp cloth and gentle cleanser. Do not use an abrasive cleanser or brush.

It is recommended to remove all shelves before moving Stille furniture.

Disassembling the framework of Stille furniture is not recommended as the connectors may become weak or break.

Warranty

Stille furniture is warranted against failure due to defects in materials and workmanship effective from the date of order for the duration of 3 years. Not using Stille's recommended tools voids all warranties. Shelves are not warranted against dents or scratches after the furniture has been received.

Delivered furniture must be inspected immediately upon receipt. Failure to notify Stille of any issues within 14 days of delivery constitutes a waiver of any dispute. Warranty protection is voided when furniture is used, installed or disassembled in any manner contrary to Stille specifications and/or instructions, or when furniture is altered or modified in any way. Defective furniture covered by warranty may need to be returned to Stille, at owner's expense, for inspection and warranty certification.

A return authorization number must be obtained from Stille prior to returning any furniture or warranty will be voided. Returned furniture from contract sales and wholesale orders may be subject to a restocking fee. Defective furniture will be either repaired or replaced, at Stille's discretion, and returned to the customer via standard ground transportation, at Stille's expense.

General Inquiries

hello@stille-life.com

Order Inquiries

orders@stille-life.com

stille-life.com / @stille.life

ST-WS4-190901