

Fitting Instruction

Side Steps for Skoda Yeti

Products Care:

Carefully read the instruction sheet before installing. Take good care of your vehicle when installing to prevent any scratches.

- Please remember the location of each components that you are removing from the vehicle before installation to be sure that these are in correct position after installation;
- Check periodically to see if there are any loose bolts and nuts, to ensure safe driving

Function and Features:


- It will be more convenient for customers to get in and out and it will help to protect the vehicle.
- The side steps fit perfectly to the vehicle contour and it gives the car a completely new look
- Easy installation using the original holes in the vehicle with no need for drilling.

The Third, Parts List:

NO	Name	Qty	Specification	NO	Name	Qty	Specification
1	Running board	2		8	Hex Nut	10	M10
2	Front Brackets and Middle Brackets	4		9	T-bolts 2	2	M8x35
3	Rear Brackets	2		10	Plastic Buckle	2	Φ 8
4	T-bolts 1	10	M10x35	11	Big Washer	2	D8
5	Plastic Buckle	10	Φ 10	12	Spring Washer	2	D8
6	Big Washer	10	D10	13	Hex Nut	2	M8
7	Spring Washer	10	D10	14			

Note: the Running board for additional

Installation Picture




Assembly Procedure

Step One: Check all the contents are available in accordance with the above list.

Step Two: Distinguish left and right brackets according to the word in stamped in the brackets. Put assorted nuts and bolts together to make sure the installation is efficient.

Step Three: Install front brackets, referring to picture one. Put item 5 into 4, and then go through 4 into installation holes, fixing one side of the Front brackets through 6、7、8. Don't tighten the bolts. (Note: Left and right brackets installed in the same way) ;

Step Four: Install Middle brackets, referring to picture one. Put item 5&10 into 4&9, and then go through 4&9 into installation holes, fix Middle brackets on the vehicle through 6、7、8&11、12、13. Don't tighten the bolts. (Note: Left and right brackets installed in the same way) ;



Picture one


Step Five: Install rear brackets, referring to picture two. Put item 5 into 4, and then go through 4 into installation holes, fixing one side of the rear brackets through 6、7、8. Don't tighten the bolts. (Note: Left and right brackets installed in the same way) ;



Picture two

Step Six: Referring to the installation picture, fix the running board into the brackets through bolts and nuts.

Step Seven: Position the steps to the suitable height and tighten all the screws.



Step Nine: Check if all screws in position, and make sure all screws are screwed tightly. Installation finished.

The Fifth, DISCLAIMER: We are not responsible for any quality problems caused by improper installation and use.