

DIRECT4x4

Jeep Cherokee 2014 Onwards (After Market) Side Step Fitting Guide

1: Parts List

Part Name	Quantity
Side Steps	2
Front Brackets	2
Middle Brackets	2
Rear Brackets	2
Large T-Bolts	4
Small T-Bolts	6
Washers	10
Spring Washers	10
Nuts	10



Please ensure that you have received all of the components listed above before fitting. If you believe there is anything missing, contact us for assistance.

2: Fitting the Brackets (FRONT)

At the front of the vehicle on the passenger side you will see a small bracket near to the exhaust system, bend this bracket down a small way, this will then reveal the hole in the chassis to place the t-bolt and hand tighten.



When you offer up the bracket on the front you will then be able to locate the hole for the second t-bolt on this bracket to fit, then secure all in place.

3: Fitting the Brackets (MIDDLE)

To fit the middle brackets, remove the bung/grommet in the chassis. Hand tighten in place this will then show you where the second t-bolt fits onto this bracket.



On the middle bracket, remove the bung/grommet in the chassis to fit the centre part of this bracket, place the t-bolt into the hole and then tighten securely in place all t-bolts.

4: Fitting the Brackets (REAR)



The rear bracket has only one t-bolt that fits into the chassis on either side. First remove the bung/grommet in the chassis at the back then place the t-bolt into the hole and tighten up.

5: Fitting the Brackets (EXTRA)

To fit the boards, slide three bolts down each of the two channels, six in total per step. These then fit into the slots on the bracket. Tighten in place.



If your steps have a rubber seal on them, place the rubber at the back of the sill. This will not only look good, it will also keep the steps cleaner.

General Care & Maintenance

!IMPORTANT!

We strongly advise you check under the car at several intervals after the initial fitting to ensure safety. After 7 days, check and tighten any bolts and we recommend inspecting the bolts, brackets and boards at least once every 6 months.

Cleaning Information

You can use most cleaning on these side steps. However, we strongly advise against using petrol based solutions or corrosive cleaning solutions which include TFR (Traffic Film Remover) or similar chemicals (brake strippers etc.) These will tarnish and possibly even corrode parts of the steps.

When cleaning underneath the side steps, be mindful of any protruding bolts or sharp edges, especially at the ends of the boards.

To increase the lifespan of your new side steps, we recommend occasionally cleaning the actual brackets.