

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 1 of 14

### Bug Remover

#### SECTION 1: Identification

##### Product identifier

**Product name:** Bug Remover

##### Recommended use of the product and restriction on use

**Relevant identified uses:** Bug remover from vehicle surfaces

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

##### Manufacturer or supplier details

###### Manufacturer:

###### United States

Image Wash Products

4900 Felch St.

Zeeland, MI 49464

616-777-7175

www.washproduct.com

##### Emergency telephone number:

###### United States

CHEMTREC

1-800-424-9300 (24 hrs)

1-800-262-8200 (24 hrs)

1-703-527-3887 (24 hrs (international))

#### SECTION 2: Hazard(s) identification

##### GHS classification:

Acute toxicity (oral), category 4

Skin irritation, category 2

Eye irritation, category 2A

##### Label elements

###### Hazard pictograms:



**Signal word:** Warning

##### Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H302 Harmful if swallowed

##### Precautionary statements:

P264 Wash hands/skin thoroughly after contact with or handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 2 of 14

## Bug Remover

P270 Do not eat, drink or smoke when using this product

P302+P352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.

P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS)

P332+P313 If skin irritation occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash it before reuse

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P501 Dispose of contents/container in accordance with local, state and federal regulations.

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 111-76-2	2-Butoxyethanol	0.1-1
CAS number: 141-43-5	2-aminoethanol	0.1-1
CAS number: Proprietary	Surfactant	0.1-1
CAS number: Proprietary	Surfactant	0.1-1
CAS number: 64-02-8	Tetrasodium ethylenediamine tetraacetate	0.1-1
CAS number: 5989-27-5	d-Limonene	0.1-1
CAS number: 10213-79-3	Silicic acid, disodium salt, pentahydrate	0.1-0.5
CAS number: 1310-58-3	Potassium hydroxide	0.1-0.5

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Show this Safety Data Sheet to the doctor in attendance.

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

#### After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 3 of 14

### Bug Remover

rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

#### After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

#### After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Rinse eyes with plenty of water for several minutes. Remove contact lenses, if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

#### After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

#### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

#### Notes for the doctor:

Treat symptomatically.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable extinguishing media:

Do not use water jet.

### Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### Special protective equipment for firefighters:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 4 of 14

## Bug Remover

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and laundry before reuse.

### Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13). Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and storage

### Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Potassium hydroxide	1310-58-3	TWA: 2 mg/m <sup>3</sup>

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 5 of 14

### Bug Remover

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	2-aminoethanol	141-43-5	8-Hour TWA: 3 ppm
	2-aminoethanol	141-43-5	15-Minute STEL: 6 ppm
	2-Butoxyethanol	111-76-2	8-Hour TWA: 20 ppm
NIOSH	Potassium hydroxide	1310-58-3	REL: 2 mg/m <sup>3</sup>
	2-aminoethanol	141-43-5	REL-TWA: 3 ppm (for up to a 10 hour work day)
	2-aminoethanol	141-43-5	15-Minute STEL: 6 ppm
	2-aminoethanol	141-43-5	IDLH: 30 ppm
	2-Butoxyethanol	111-76-2	IDLH: 700 ppm
	2-Butoxyethanol	111-76-2	REL-TWA: 5 ppm ([for up to a 10 hour work day])
	2-Butoxyethanol	111-76-2	TWA: 24 mg/m <sup>3</sup> (REL (for up to a 10 hour work day))
OSHA	2-aminoethanol	141-43-5	8-Hour TWA-PEL: 3 ppm
	2-aminoethanol	141-43-5	STEL: 6 ppm
	2-Butoxyethanol	111-76-2	8-Hour TWA: 120 mg/m <sup>3</sup> (25 ppm [Table Z-1-A])
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 240 mg/m <sup>3</sup> (50 ppm [Table Z-1])
United States(California)	2-aminoethanol	141-43-5	8-Hour TWA: 3 ppm
	2-aminoethanol	141-43-5	15-Minute STEL: 6 ppm
	2-Butoxyethanol	111-76-2	8-Hour TWA-PEL: 97 mg/m <sup>3</sup> (20 ppm [OSHA (California)])
	2-Butoxyethanol	111-76-2	REL: 4700 ug/m <sup>3</sup> (Acute inhalation)
	2-Butoxyethanol	111-76-2	REL: 164 ug/m <sup>3</sup> (8-hour inhalation)
	2-Butoxyethanol	111-76-2	REL: 82 ug/m <sup>3</sup> (Chronic inhalation)
WEEL	d-Limonene	5989-27-5	8-Hour TWA: 30 ppm

#### Biological limit values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	2-Butoxyethanol	111-76-2	Butoxyacetic acid (BAA) in urine (with hydrolysis)	Creatinine in Urine	End of shift	200 mg/g

#### Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

#### Personal protection equipment

##### Eye and face protection:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 6 of 14

## Bug Remover

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Yellow
<b>Odor</b>	Citrus
<b>Odor threshold</b>	Not determined or not available.
<b>pH</b>	10.5-11.5
<b>Melting point/freezing point</b>	Not determined or not available.
<b>Initial boiling point/range</b>	Not determined or not available.
<b>Flash point (closed cup)</b>	Not determined or not available.
<b>Evaporation rate</b>	Not determined or not available.
<b>Flammability (solid, gas)</b>	Not determined or not available.
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Vapor pressure</b>	Not determined or not available.
<b>Vapor density</b>	Not determined or not available.
<b>Density</b>	Not determined or not available.
<b>Relative density</b>	1.0
<b>Solubilities</b>	Water
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

### Other information

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 7 of 14

## Bug Remover

### SECTION 10: Stability and reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical stability:

Stable under recommended handling and storage conditions.

#### Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible materials:

None known.

#### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### Acute toxicity

##### Assessment:

Harmful if swallowed.

**Product data:** No data available.

##### Substance data:

Name	Route	Result
Potassium hydroxide	oral	LD50 Rat: 273 mg/kg
Tetrasodium ethylenediamine tetraacetate	oral	LD50 mouse: 1210 mg/kg
2-aminoethanol	oral	LD50 Rat: 1089 mg/kg
	inhalation	LC50 Mouse: > 2420 mg/m <sup>3</sup> (2 hr)
	dermal	LD50 Rabbit: 1025 mg/kg
2-Butoxyethanol	oral	LD50 Rat: 470 mg/kg
	dermal	LD50 Rabbit: 220 mg/kg
	inhalation	LC50 Rat: 450 ppmV (4 hr)
	Oral ATE	LD50 Rat: 1200 mg/kg
d-Limonene	oral	LD50 Mouse: 5600 mg/kg
	dermal	LD50 Rabbit: > 5000 mg/kg
Surfactant	oral	LD50 Rat: 2079 mg/kg
		LD50 Rat: 1378 mg/kg
	inhalation	LC50 Rat: >52 mg/L (4 h)
	dermal	LD50 Rabbit: 6300 mg/kg
		LD50 Rat: > 2000 mg/kg
Silicic acid, disodium salt, pentahydrate	oral	LD50 Rat: 847 mg/kg

#### Skin corrosion/irritation

##### Assessment:

Causes skin irritation.

**Product data:**

No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 8 of 14

## Bug Remover

### Substance data:

Name	Result
Potassium hydroxide	Causes severe skin burns.
2-aminoethanol	Causes severe skin burns.
2-Butoxyethanol	Causes skin irritation
d-Limonene	Causes skin irritation.
Surfactant	Causes skin irritation.
Silicic acid, disodium salt, pentahydrate	Causes severe skin burns and eye damage.

### Serious eye damage/irritation

#### Assessment:

Causes serious eye irritation.

#### Product data:

No data available.

#### Substance data:

Name	Result
Potassium hydroxide	Causes serious eye damage.
Tetrasodium ethylenediamine tetraacetate	Causes serious eye damage.
2-aminoethanol	Causes serious eye damage.
2-Butoxyethanol	Causes serious eye irritation
Surfactant	Causes serious eye irritation.
	Causes serious eye damage.
Silicic acid, disodium salt, pentahydrate	Causes serious eye damage.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

Name	Result
d-Limonene	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
Potassium hydroxide	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable
2-aminoethanol	Not Applicable
2-Butoxyethanol	Group 3
d-Limonene	Group 3



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 9 of 14

## Bug Remover

Name	Classification
Surfactant	Not Applicable
	Not Applicable
Silicic acid, disodium salt, pentahydrate	Not Applicable

### National Toxicology Program (NTP):

Name	Classification
Potassium hydroxide	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable
2-aminoethanol	Not Applicable
2-Butoxyethanol	Not Applicable
d-Limonene	Not Applicable
Surfactant	Not Applicable
	Not Applicable
Silicic acid, disodium salt, pentahydrate	Not Applicable

**OSHA Carcinogens:** Not applicable

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
2-aminoethanol	May cause respiratory irritation.
Silicic acid, disodium salt, pentahydrate	May cause respiratory irritation.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 10 of 14

## Bug Remover

Name	Result
Tetrasodium ethylenediamine tetraacetate	Animal studies indicate that chronic exposure can cause damage to organs. Causes changes in tubules (including acute renal failure and necrosis) in intraperitoneal lethal-dose studies of mice; [RTECS]

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

**Other information:**

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
2-Butoxyethanol	EC50 Daphnia magna (Water flea): 1,550 mg/L (48 hr)
d-Limonene	LC50 Pimephales promelas: 0.46 mg/L (4 days) EC50 Daphnia magna: 0.307 mg/L (48 Hr)
Surfactant	LC50 Danio rerio: 4.2 mg/L (96 h) LC50 Ceriodaphnia dubia: 4.53 mg/L (48 h) LC50 Oncorhynchus mykiss: 5 mg/L (96 hr) EC50 Daphnia magna: 2.5 mg/L (48 hr) ErC50 Selenastrum capricornutum: 1.4 mg/L (96 hr)

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
2-aminoethanol	NOEC Oryzias latipes: 1.24 mg/L (41 d) NOEC Daphnia magna: 0.85 mg/L (21 d) NOEC Pseudokirchneriella subcapitata: 1 mg/L (72 hr)
2-Butoxyethanol	NOEC Brachydanio rerio: > 100 mg/L (21 d)
d-Limonene	NOEC Pimephales promelas: 0.37 mg/L (8 days) EC50 Daphnia magna: 0.188 mg/L (21 days)
Surfactant	NOEC Daphnia magna: 2.42 mg/L (21 d)

### Persistence and degradability

**Product data:** No data available.

**Substance data:**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 11 of 14

## Bug Remover

Name	Result
Potassium hydroxide	The study on degradability does not need to be conducted as the substance is inorganic.
Tetrasodium ethylenediamine tetraacetate	Biodegradable, but not readily biodegradable (54.9% degradation after 20 days).
2-aminoethanol	Readily biodegradable (> 90% degradation after 21 days).
2-Butoxyethanol	Readily biodegradable (90.4% degradation after 28 days).
d-Limonene	Readily biodegradable in water (71.4% degradation in 28 days).
Surfactant	Readily biodegradable (80% degradation in 28 days).
Surfactant	Readily biodegradable (72% degradation after 28 days).

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:**

Name	Result
Potassium hydroxide	Not expected to bioaccumulate, as it completely dissociates in water.
Tetrasodium ethylenediamine tetraacetate	The projected equilibrium BCF values were similar to those observed in the plateau test and, again, serve to emphasize the extremely low bioconcentration potential of EDTA.
2-aminoethanol	Low bioaccumulation potential (calculated BCF: 9.2 L/kg).
2-Butoxyethanol	Not expected to bioaccumulate (log Kow = 0.83).
d-Limonene	The calculated Bioaccumulation Factor (BCF) is 864.8 L/kg wet/wet.
Surfactant	The substance has a low potential for bioaccumulation indicated by a experimental log Pow of -1.3.
Surfactant	Not expected to bioaccumulate (BCF: 237 L/kg).

### Mobility in soil

**Product data:** No data available.

**Substance data:**

Name	Result
Potassium hydroxide	Low potential for adsorption. If emitted to surface water, sorption to sediment will be negligible.
Tetrasodium ethylenediamine tetraacetate	The extent of absorption of EDTA on container walls and humic acid, silica, kaolin, river sediment and humus solids was measured and was found to be negligible.
d-Limonene	Slightly Mobile (the Koc of d-limonene predicted from log Kow is 6324 L/kg).
Surfactant	This substance adsorption to soil and sediment is expected to be low.
Surfactant	Moderately mobile (log Koc: 1.575 - 2.365).

### Results of PBT and vPvB assessment

**Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance data:**

**PBT assessment:**

Potassium hydroxide	The substance is not PBT.
Tetrasodium ethylenediamine tetraacetate	This substance is not PBT.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 12 of 14

## Bug Remover

2-aminoethanol	Substance is not PBT.
2-Butoxyethanol	This substance is not PBT.
d-Limonene	This substance is not PBT.
Surfactant	The substance is not PBT.
Surfactant	The substance is not PBT.

### vPvB assessment:

Potassium hydroxide	The substance is not vPvB.
Tetrasodium ethylenediamine tetraacetate	This substance is not vPvB.
2-aminoethanol	Substance is not vPvB.
2-Butoxyethanol	This substance is not vPvB.
d-Limonene	This substance is not vPvB.
Surfactant	The substance is not vPvB.
Surfactant	The substance is not vPvB.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### Contaminated packages:

Not determined or not applicable.

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	None
<b>Special precautions for user</b>	None

### International Maritime Dangerous Goods (IMDG)

<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	None
<b>Special precautions for user</b>	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN number</b>	Not regulated
<b>UN proper shipping name</b>	Not regulated

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 13 of 14

## Bug Remover

UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

## SECTION 15: Regulatory information

### United States regulations

**Inventory listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 extremely hazardous substances:** None of the ingredients are listed.

**SARA Section 313 toxic chemicals:**

111-76-2	2-Butoxyethanol	Listed
----------	-----------------	--------

**CERCLA:**

1310-58-3	Potassium hydroxide	Listed	1000 lb
111-76-2	2-Butoxyethanol	Listed	N/A

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

1310-58-3	Potassium hydroxide	Listed
141-43-5	2-aminoethanol	Listed
111-76-2	2-Butoxyethanol	Listed

**New Jersey Right to Know:**

1310-58-3	Potassium hydroxide	Listed
141-43-5	2-aminoethanol	Listed
111-76-2	2-Butoxyethanol	Listed

**New York Right to Know:**

1310-58-3	Potassium hydroxide	Listed
141-43-5	2-aminoethanol	Listed
111-76-2	2-Butoxyethanol	Listed

**Pennsylvania Right to Know:**

1310-58-3	Potassium hydroxide	Listed
141-43-5	2-aminoethanol	Listed
111-76-2	2-Butoxyethanol	Listed

**California Proposition 65:** None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.15.2021

Page 14 of 14

### Bug Remover

designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 1-0-0-B

Initial preparation date: 04.15.2021

**End of Safety Data Sheet**