

BOSTIK 6303 HOT MELT Revision Number 2.01

Revision date 23-May-2022 Supersedes Date: 02-Apr-2019

·

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK 6303 HOT MELT

Product Code(s) 30804592

30804592; 30840024

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Hot-melt adhesives

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Not classified

Label elements

Hazard statements

Not classified

Other hazards which do not result in classification

Contact with product at elevated temperatures can result in thermal burns.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Australia - EN Page 1/8

BOSTIK 6303 HOT MELTRevision date23-May-2022Revision Number2.01Supersedes Date:02-Apr-2019

No poisons schedule number allocated

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

Inhalation Molten . Move to fresh air in case of accidental inhalation of vapors or decomposition

products. Solid: . Not an expected route of exposure.

Eye contact Solid: . In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes. **Molten** . Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Contact with molten

materials requires immediate medical assistance.

Skin contact Solid: . Wash skin with soap and water. Molten . After contact with molten product,

cool skin area rapidly with cold water. For severe burns, immediate medical attention is required. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Do not try to removed solidified material

from the skin.

Ingestion Get immediate medical attention. Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms Contact with molten substance may cause severe burns to skin and eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Burns caused by molten material must be treated clinically. Treat any burns as thermal

burns, after decontamination.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media Do not use straight streams.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

The product is insoluble and floats on water. The melted product can cause severe

burns.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Australia - EN Page 2/8

BOSTIK 6303 HOT MELT Revision date 23-May-2022 **Revision Number** 2.01 Supersedes Date: 02-Apr-2019

Special protective actions for fire-fighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with hot, molten product. **Personal precautions**

Other information Where possible allow molten material to solidify naturally.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

Methods for containment Molten . Cover with dry sand/earth.

Methods for cleaning up Solid: . Take up mechanically, placing in appropriate containers for disposal. Molten .

Where possible allow molten material to solidify naturally. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Clean contaminated surface thoroughly.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Wash thoroughly after handling. Take precautionary

measures against static discharges. Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors. Facilities for quickly drenching the body should be provided within the immediate work area for

emergency use where there is a possibility of exposure.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or

other chemicals.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Strong oxidizing agents, strong acids, and strong bases. Incompatible materials

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Australia - EN Page 3/8

BOSTIK 6303 HOT MELTRevision date23-May-2022Revision Number2.01Supersedes Date:02-Apr-2019

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin and body protection Long sleeved clothing. Impervious clothing.

Hand protection Heat resistant gloves are recommended when handling molten materials. Solid: . For

operations where prolonged or repeated skin contact may occur, impervious gloves

should be worn.

Respiratory protectionWhen workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid

Appearance No information available

Color Light yellow Odor Slight

Odor threshold No information available

Property Values Remarks • Method

pH No data available Not applicable Insoluble in water

pH (as aqueous solution)

Melting point / freezing point

Initial boiling point and boiling

No data available

= 120 °C

No data available

range

Flash point 280 °C

Evaporation rate No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure Relative vapor density No data available Relative density No data available Water solubility Insoluble in water Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** No information available **Oxidizing properties** No information available

Other information

Solid content (%) 100

Density No information available

VOC Content (%) No information available

Section 10: Stability and reactivity

Australia - EN Page 4/8

BOSTIK 6303 HOT MELTRevision date23-May-2022Revision Number2.01Supersedes Date:02-Apr-2019

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid static discharge (electrostatic discharge). Extremes of temperature and direct sunlight.

Do not add water or other volatile material to molten adhesive. Under dusty conditions

avoid all sources of ignition, including sparks and static electricity.

Incompatible materials

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

ATEmix (dermal) 22,244.40 mg/kg

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Australia - EN Page 5/8

BOSTIK 6303 HOT MELTRevision date23-May-2022Revision Number2.01Supersedes Date:02-Apr-2019

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Mobility

Mobility in soil No information available.

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

<u>IATA</u> Not regulated

Australia - EN Page 6/8

BOSTIK 6303 HOT MELT Revision Number 2.01

Revision date 23-May-2022

Supersedes Date: 02-Apr-2019

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

International Inventories

Listed AIIC **NZIoC** Listed Listed **ENCS** Listed **IECSC KECL** Listed **PICCS** Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Australia - EN Page 7/8

BOSTIK 6303 HOT MELTRevision date23-May-2022Revision Number2.01Supersedes Date:02-Apr-2019

Prepared By Product Safety & Regulatory Affairs

Revision date 23-May-2022

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 8/8