

ULTRASET HP Revision Number 3

Revision date 17-Feb-2022 Supersedes Date: 10-Jan-2019

| Section 1: Identification: Product i | dentifier and chemical identity | |
|--|---|--|
| Product identifier | | |
| Product Name | ULTRASET HP | |
| Product Code(s) 30840416 30620432; 30840416; 30840417 | | |
| Other means of identification | | |
| Pure substance/mixture | Mixture | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Adhesive | |
| Uses advised against | No information available | |
| Details of manufacturer or importer | | |
| Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 | <u>Manufacturer</u> Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 | |
| ABN: 79 003 893 838 | ABN: 79 003 893 838 | |
| E-mail address | au-bostik-sds@bostik.com | |
| Emergency telephone number | 04 ha Farana an 4000 000 444 | |
| Emergency telephone number | 24-hr Emergency: 1800 033 111 | |
| Section 2: Hazard(s) identification | | |

GHS Classification

Skin sensitization

Label elements

Exclamation mark



Category 1B - (H317)

ULTRASET HP Revision Number 3

Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

| Chemical name | CAS No | Weight-% |
|--|-------------|----------|
| Trimethoxyvinylsilane | 2768-02-7 | 0 - <10 |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | 1760-24-3 | 0 - <10 |
| Non-hazardous ingredients | Proprietary | Balance |

Section 4: First aid measures

| Emergency telephone number | Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766 |
|-----------------------------------|---|
| Description of first aid measures | |
| General advice | Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand. |
| Inhalation | Remove to fresh air. If symptoms persist, call a physician. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Skin contact | Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. |
| Ingestion | Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis. |

Most important symptoms and effects, both acute and delayed

| Symptoms | None known. | |
|--|---|--|
| Indication of any immediate medical attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. | |

| Section 5: Firefighting measures | | |
|---|--|--|
| Suitable Extinguishing Media | | |
| Suitable Extinguishing Media | Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. | |
| Unsuitable extinguishing media | Full water jet. | |
| Specific hazards arising from the chemical | | |
| Specific hazards arising from the chemical | Thermal decomposition can lead to release of irritating gases and vapors. | |
| Hazardous combustion products | Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide. | |
| Special protective actions for fire-fighters | | |
| Special protective equipment and precautions for fire-fighters | Wear self contained breathing apparatus for fire fighting if necessary. | |
| Section 6: Accidental release measures | | |
| Personal precautions, protective equipment and emergency procedures | | |
| Personal precautions | Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. | |
| For emergency responders | Use personal protection recommended in Section 8. | |
| Environmental precautions | | |
| | | |

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

| ULTRASET HP | |
|------------------------|---|
| Revision Number | 3 |

| General hygiene considerations | Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. | |
|--|--|--|
| Conditions for safe storage, including any incompatibilities | | |
| Storage Conditions | Protect from moisture. Keep away from food, drink and animal feeding stuffs. | |
| Recommended storage temperature | Keep at temperatures between 50 and 95 $^{\circ}\text{F}$ / 10 and 35 $^{\circ}\text{C}.$ | |

Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

| Appropriate engineering controls | | |
|---|---|----------------------|
| Engineering controls | Showers, eyewash stations, and | ventilation systems. |
| Individual protection measures, su | uch as personal protective equi | oment |
| Eye/face protection | Wear safety glasses with side sh | nields (or goggles). |
| Skin and body protection | Wear suitable protective clothing | J. |
| Hand protection | Wear suitable gloves. | |
| Respiratory protection | Organic gases and vapors filter conforming to EN 14387. White. Brown. | |
| Environmental exposure controls | No information available. | |
| Section 9: Physical and chemical properties | | |
| Information on basic physical and chemical properties | | |
| Physical state | Liquid | |
| Appearance | Thixotropic Paste | |
| Color | Brown | |
| Odor | Slight | |
| Odor threshold | No information available | |
| Property | Values | Remarks • Method |
| Н | No data available | |
| pH (as aqueous solution) | No data available | |
| Melting point / freezing point | No data available | |
| Initial boiling point and boiling | No data available | |
| range | | |
| Flash point | > 200 °C | |
| Evaporation rate | No data available | |
| Flammability | Not applicable for liquids . | |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |

ULTRASET HP Revision Number 3

| Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other information Solid content (%) Density VOC Content (%) | No data available No data available 1.6 Insoluble in water No data available No data available No data available No data available No data available No data available No information available No information available No information available No information available | |
|---|---|--|
| Section 10: Stability and reactivity | | |
| <u>Reactivity</u> | | |
| Reactivity | Product cures with moisture. | |
| Chemical stability | | |
| Stability | Stable under normal conditions. | |
| Explosion data Sensitivity to mechanical impact | None. | |
| Sensitivity to static discharge | None. | |
| Possibility of hazardous reactions | | |
| Possibility of hazardous reactions | None under normal processing. | |
| Conditions to avoid | | |
| Conditions to avoid | Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition. | |
| Incompatible materials | | |
| Incompatible materials | None known based on information supplied. | |
| Hazardous decomposition produc | ts | |
| Hazardous decomposition products | Carbon oxides. Nitrogen oxides (NOx). May emit toxic fumes under fire conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. | |
| Section 11: Toxicological informat | tion | |
| Acute toxicity | | |
| Information on likely routes of exp | osure | |
| Product Information | | |
| Inhalation | Based on available data, the classification criteria are not met. | |

| Eye contact | Based on available data, the classification criteria are not met. |
|--------------|---|
| Skin contact | May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). |
| Ingestion | Based on available data, the classification criteria are not met. |
| Symptoms | Itching. Rashes. Hives. |

Numerical measures of toxicity - Product Information

| The following values are calculated | d based on chapter 3.1 of the GHS document |
|-------------------------------------|--|
| ATEmix (dermal) | 12,877.50 |
| ATEmix (inhalation-vapor) | 587.70 mg/l |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|-------------------------|---------------------------|-------------------------------|
| Trimethoxyvinylsilane | LD50 = 7120 -7236 mg/kg | = 3540 mg/kg (Oryctolagus | LC50 (4hr) 16.8 mg/l (Rattus) |
| | (Rattus) OECD 401 | cuniculus) | OECD TG 403 |
| N-(3-(trimethoxysilyl)propyl)eth | =2295 mg/kg (Rattus) | >2000 mg/Kg (Rattus) | LC50 4H (Aerosol)1.5 - 2.44 |
| ylenediamine | | | mg/L air |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

| Component Information | | | | | | |
|-----------------------|-------------------|----------------|----------------|---------------|--------------|--|
| Trimethoxyvinylsi | ilane (2768-02-7) | | | | | |
| Method | Species | Exposure route | Effective dose | Exposure time | Results | |
| | Rabbit | Dermal | 0.5 mL | 24 hours | Non-irritant | |

Serious eye damage/eye irritation No information available.

| Component Information TrimethoxyvinyIsilane (27 | (68-02-7) | | | | |
|--|-----------|----------------|----------------|---------------|--------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 405: | Rabbit | eye | | 24 hours | Non-irritant |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Respiratory or skin sensitization May cause sensitization by skin contact.

| Component Information | | | |
|-----------------------------------|------------|----------------|-----------------------|
| Trimethoxyvinylsilane (2768-02-7) | | | |
| Method | Species | Exposure route | Results |
| OECD Test No. 406: Skin | Guinea pig | Dermal | Not a skin sensitizer |
| Sensitization | - | | |

Germ cell mutagenicity

No information available.

| Component Information | | |
|-----------------------------------|---------|---------|
| Trimethoxyvinylsilane (2768-02-7) | | |
| Method | Species | Results |

ULTRASET HP Revision Number 3

| OECD Test No. 471: Bacterial Reverse | in vitro | Not mutagenic |
|--------------------------------------|----------|---------------|
| Mutation Test | | - |

Reproductive toxicity

No information available.

| Component Information | | | | | | |
|---|---------|------------------|--|--|--|--|
| Trimethoxyvinylsilane (2768-02-7) | | | | | | |
| Method | Species | Results | | | | |
| OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity | Rat | Not Classifiable | | | | |
| Screening Test | | | | | | |

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

| Component Information | | | | | |
|-----------------------------------|---------|------------------|----------------|---------------|-------------|
| Trimethoxyvinylsilane (2768-02-7) | | | | | |
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 413: | Rat | Inhalation vapor | | 90 days | 0.058 NOAEL |
| Subchronic Inhalation | | | | | |
| Toxicity: 90-day Study | | | | | |

Aspiration hazard

No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---|---|--|-------------------------------|--|
| Trimethoxyvinylsilane 2768-02-7 | EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3 | LC50 (96h) = 191 mg/l (Oncorhynchus mykiss) | - | EC50(48hr) 168.7mg/l (Daphnia magna) |
| N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 1760-24-3 | - | LC50 (96H) =597 mg/L (Danio rerio)Semi-static | - | EC50 (48h) =81mg/L Daphnia magna Static |

Persistence and degradability

Persistence and degradability No information available.

| Component Information | | | | | | |
|-----------------------------------|---------------|-------|------------------|--|--|--|
| Trimethoxyvinylsilane (2768-02-7) | | | | | | |
| Method | Exposure time | Value | Results | | | |
| OECD Test No. 301F: Ready | 28 days | BOD | 51 % Not readily | | | |
| Biodegradability: Manometric | | | biodegradable | | | |
| Respirometry Test (TG 301 F) | | | | | | |

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

| Chemical | | Partition coefficient | |
|--|---|---|--|
| Trimethoxyvir 2768-02 | | 1.1 | |
| N-(3-(trimethoxysilyl)prop 1760-24 | | -0.3 | |
| Mobility | | | |
| Mobility in soil | No information available. | | |
| Mobility | No information available. | | |
| Other adverse effects | | | |
| Other adverse effects | r adverse effects No information available. | | |
| Section 13: Disposal considerat | ions | | |
| Disposal methods | | | |
| Waste from residues/unused products | | be disposed of as hazardous waste. Dispose of ordance with local, regional, national, and international | |
| Contaminated packaging | Handle contaminated pac | kages in the same way as the product itself. | |
| Section 14: Transport information | on | | |
| ADG | Not regulated | | |
| IATA_ | Not regulated | | |
| IMDG | Not regulated | | |
| Transport in bulk according to A | nnex II of MARPOL 73/78 a | nd the IBC Code | |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia_ See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** Not applicable

| International Inventories | |
|---------------------------|--|
| AIIC | |

Listed

ULTRASET HP Revision Number 3

| NZIoC | Listed |
|-------|------------|
| ENCS | Not Listed |
| IECSC | Listed |
| KECL | Not Listed |
| PICCS | Not Listed |

Legend:

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

| Section 16: Any other relevant information | | | | |
|---|-----------------------------|-------------------------------------|----------------------------------|--|
| Prepared By | Product Safety & | Product Safety & Regulatory Affairs | | |
| Revision dat | te 17-Feb-2022 | 17-Feb-2022 | | |
| Revision Note ***Indicates updated data since last publication. | | | | |
| Key or legend to abbreviations and acronyms used in the safety data sheet | | | | |
| Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION | | | | |
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) | |
| Ceiling | Maximum limit value | * | Skin designation | |
| С | Carcinogen | | - | |

Ceiling Maximum limit value C Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

ULTRASET HP Revision Number 3 Revision date 17-Feb-2022 Supersedes Date: 10-Jan-2019

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet