Safety Data Sheet

ULTRALITE FLEX S1 (LD) BIANCO

Safety Data Sheet dated: 17/03/2021 - version 1



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: ULTRALITE FLEX S1 (LD) BIANCO

Trade code: 9024303

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cement based powder adhesive

Uses advised against: Data not available

1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel: +39-02-376731 Fax: +39-02-37673.214

Responsable: sicurezza@mapei.it

MAPEI S.p.A. - Tel. +(39)02376731 - (office hours)

1.4. Emergency telephone number

Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029

SECTION 2: Hazards identification





2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2 Causes skin irritation.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1B May cause an allergic skin reaction.

STOT SE 3 May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

Pictograms and Signal Words



Danger

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements:

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P312 Call a POISON CENTER if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Contains:

Portland cement, Cr(VI) < 2 ppm

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 1 of 11

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT/vPvB Ingredients are present

Other Hazards: No other hazards

Prolonged exposition and/or intensive inhalation of respirable free crystalline silica (average diameter less than 10 micron in accordance with ACGIH) can cause pulmonary fibrosis commonly referred to as silicosis.

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Mixture identification: ULTRALITE FLEX S1 (LD) BIANCO

Hazardous components within the meaning of the CLP regulation and related classification:

Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥50 - <75 %	Portland cement, Cr(VI) < 2 ppm	CAS:65997-15-1 EC:266-043-4	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	
≥1 - <2.5 %	calcium formate	CAS:544-17-2 EC:208-863-7	Eye Dam. 1, H318	01-2119486476-24-XXXX
≥0.49 - <1 %	calcium hydroxide	CAS:1305-62-0 EC:215-137-3	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335	01-2119475151-45-XXXX
<0.0015 %		CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 2 of 11

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
Portland cement, Cr(VI) < 2 ppm	< Nationa	l FINLAND		1					FINLAND, respirabel fraktion
	NDS	POLAND		6					frakcja wdychalna
	NDS	POLAND		2					frakcja respirabilna
	SUVA	SWITZERLAND		5					A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 3 of 11

DFG	GERMANY	15		
National		4.000		5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
National	PORTUGAL	10		
National	BELGIUM	10		
National	HUNGARY	10		
Malaysi a OEL	MALAYSIA	10.000		
National	UNITED KINGDOM	10.000		inhalable dust
National	UNITED KINGDOM	4.000		respirable dust
National	CROATIA	10.000	10.000	
DFG	GERMANY	C 15		
ACGIH	AUSTRALIA	1.000		A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma
Malaysi a OEL	MALAYSIA	10		5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m TWA (containing <1% of free Silica, total dust)
National	UNITED KINGDOM	10	30.000	5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m TWA (containing <1% of free Silica, total dust)
National	UNITED KINGDOM	4.000		
National	ROMANIA	10		
National	CROATIA	4.000	10	
ACGIH		1		A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
National	SPAIN	4		
National	FINLAND	5		
National	FINLAND	1		
National	PORTUGAL	1		
National	BELGIUM	1		
NDS	POLAND	6		
NDS	POLAND	2		
National	LATVIA	6		
National	UNITED KINGDOM	10	30	
National	UNITED KINGDOM	10	12	
	UNITED	4	30	
National	KINGDOM			
		10		
National	KINGDOM	10 4		
National	KINGDOM CROATIA		4.000	

calcium hydroxide

04/05/2021

Date

ACGIH	None		5			eye, skin and upper respiratory tract irritation
Nation	al GREECE		1	4		
Nation	al DENMARK		1			
Nation	al PORTUGAL		5.000			
Nation	al BELGIUM		5.000			
Malays a OEL	i MALAYSIA		5			
Nation	al CZECH REPUBLIC	С		4		
Nation	al SLOVENIA		5			
Nation	al ROMANIA		1	4		
EU	None		5		Indicative	
DFG	GERMANY	С		2		
ACGIH			5			eye, skin and upper respiratory tract irritation
Nation	al SWEDEN		1			
Nation	al FRANCE		5			
Nation	al SPAIN		1	4		
Nation	al DENMARK		5			
Nation	al FINLAND		1	4		
Nation	al GERMANY		1			
Nation	al PORTUGAL		1	4		
Nation	al NORWAY		1	2		
Nation	al BELGIUM		1	4		
NDS	POLAND		2			
NDS	POLAND		1			
NDSCh	n POLAND			4		
	n POLAND			6		
NDS	NETHERLANDS	5	1	4		
Nation	al CZECH REPUBLIC		1			
Nation	al HUNGARY		1	4		
Nation	al ESTONIA		1	4		
Nation	al LATVIA		1	4		
Nation	al SLOVAKIA		5			
Nation	al SLOVENIA		1	4		
Nation	al UNITED KINGDOM		1	4		
Nation	al UNITED KINGDOM		1	15		
Nation	al UNITED KINGDOM		5	4		
Nation	al BULGARIA		1	4		
TUR	TURKEY		5			
Nation	al LITHUANIA		1	4		
Nation	al CROATIA		1	4		
Nation	al SWEDEN		0.100			SWEDEN, respirable aerosol
Nation	al NORWAY		0.100			K: Chemicals to be treated as carcinogenic.
NDS	POLAND		2.000			frakcja wdychalna
NDS	POLAND		0.300			frakcja respirabilna
	al DENMARK		0.3	0.600		DENMARK, inhalable
						aerosol inhalable aerosol

National	DENMARK	0.100	0.200	DENMARK, respirable aerosol
ACGIH	None	0.025		(R), A2 - Pulm fibrosis, lung cancer
EU	None	0.025		A2 (R) - Pulm fibrosis, lung cancer
National	AUSTRIA	0.150		A*

Predicted No Effect Concentration (PNEC) values							
Component	CAS-No.	PNEC Limit	Exposure Ro	oute Exposure Fr	requency Remark		
calcium formate	544-17-2	1.5 mg/kg	Soil				
		13.4 mg/kg	Freshwater sediments				
		0.2 mg/l	Marine water				
		2 mg/l	Fresh Water				
		10 mg/l	Intermittent	release			
		1.34 mg/kg	Marine water sediments				
		13.4 mg/kg	Freshwater sediments				
		2.21 mg/l	Microorganism sewage treat				
calcium hydroxide	1305-62-0	0.49 mg/l	Fresh Water				
Derived No Effect Level	. (DNEL)						
Component	CAS-No.	Worker Wo Industr Pro y ior	ofess mer	Exposure Route	Exposure Frequency Remark		
calcium formate	544-17-2	•	23.9 mg/kg	Human Oral	Long Term, systemic effects		
		337 mg/m3	83.2 mg/m3	Human Inhalation	Long Term, systemic effects		
		337 mg/m3	83.2 mg/m3	Human Inhalation	Short Term, systemic effects		
		4780 mg/kg	2390 mg/kg	Human Dermal	Short Term, systemic effects		
		4780 mg/kg	2390 mg/kg	Human Dermal	Long Term, systemic effects		
		16.7 mg/cm2	8.3 mg/kg	Human Dermal	Short Term, local effects		

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

8.3

mg/kg

Human Dermal

Long Term, local

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

16.7

mg/cm2

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 6 of 11 A dust mask (P2) should be worn if above exposure limits (EN 149)

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Hygienic and Technical measures

N.A.

Appropriate engineering controls:

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder white/grey

Odour: cement like
Odour threshold: N.A.

pH: N.A.

pH (water dispersion, 10%): 12.00 Melting point / freezing point: N.A. Initial boiling point and boiling range: N.A.

Flash point: N.A. Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.
Vapour pressure: N.A.
Relative density: N.A.
Solubility in water: <5 g/l
Solubility in oil: insoluble

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: ==
Oxidizing properties: N.A.
Solid/gas flammability: N.A.

9.2. Other information

No additional information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

calcium formate a) acute toxicity LD50 Oral Rat = 2650 mg/kg

LD50 Skin > 2000 mg/kg

LC50 Inhalation Rat = 0.64 mg/l 4h

LD50 Oral Rat = 2650 mg/kg

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 7 of 11

g) reproductive toxicity NOAEL Oral Rat = 956 mg/kg

calcium hydroxide a) acute toxicity LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rabbit > 2500 mg/kg LD50 Oral Rat = 7340 mg/kg

a) acute toxicity LD50 Oral Rat = 500 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

- i) STOT-repeated exposure
- j) aspiration hazard

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

_		
Component	Ident. Numb.	Ecotox Infos

calcium formate CAS: 544-17-2 - a) Aquatic acute toxicity: LC50 Fish > 1000 mg/L 96

EINECS: 208-863-7

a) Aquatic acute toxicity: EC50 Bacteria > 1000 mg/L 3a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 48

c) Bacteria toxicity: EC50 Bacteria > 22.1 mg/L

b) Aquatic chronic toxicity: NOEC Daphnia > 100 mg/L - 21 d

b) Aquatic chronic toxicity: NOEC Algae > 500 mg/La) Aquatic acute toxicity: EC50 Algae > 500 mg/L 72

a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio >= 1000 mg/L 96h

IUCLID

calcium hydroxide CAS: 1305-62-0 - a)

EINECS: 215-137-3

a) Aquatic acute toxicity: LC50 Fish = 50.6 mg/L 96

a) Aquatic acute toxicity : LC50 Fish = 457 mg/L 96

a) Aquatic acute toxicity: EC50 Daphnia = 49.1 mg/L 48

a) Aquatic acute toxicity: EC50 Algae = 184.57 mg/L 72

e) Plant toxicity: NOEC = 1080 mg/kg - 21 d

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB Ingredients are present

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 8 of 11

12.6. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number

NΑ

14.2. UN proper shipping name

N.A

14.3. Transport hazard class(es)

N.A

14.4. Packing group

N.A.

14.5. Environmental hazards

N.A.

14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID) :

N.A.

Air (IATA):

N.A.

Sea (IMDG):

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC): N.A. g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) 2015/830

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 9 of 11

Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: None

SVHC Substances:

No data available

German Water Hazard Class (WGK)

N.A.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H372	Causes damage to organs through prolonge	ed or repeated exposure.
Code	Hazard class and hazard category	Description
Code 3.2/2	Hazard class and hazard category Skin Irrit. 2	Description Skin irritation, Category 2
	5 ,	•
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.2/2 3.3/1	Skin Irrit. 2 Eye Dam. 1	Skin irritation, Category 2 Serious eye damage, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

(EC) Nr. 1272/2008	on Classification procedure
3.2/2	Calculation method
3.3/1	Calculation method
3.4.2/1B	Calculation method
3.8/3	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 10 of 11

BCF: Biological Concentration Factor BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center CE: European Community

CLP: Classification, Labeling, Packaging. CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Date 04/05/2021 Production Name ULTRALITE FLEX S1 (LD) BIANCO Page n. 11 of 11