



BOSTON CHAIN SPRAY

Description

Boston Chain Spray allows a long-term internal and external lubrication of bearings, gear mechanisms, roller and ball bearings, O-ring seals and all sorts of joints. Clutches, chains and wire cables.

Application

Safe on all types of chains and wear surfaces. Resists salt and hot or cold water wash off. Resists high temperature sling off. Reduces wear and friction. Heat resistant to temperature range - 25°C to +160°C.

Directions

Shake the aerosol vigorously. Spray parts to be treated sufficiently from a distance of approx. 20cm.

Packaging

350 GM/net
12 units per outer carton
864 half pallet
1728 full pallet

Storage/Shelf Life

Store in a cool place out of the sun.
Do not store above 50°C.

Health & Safety

Extremely flammable. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition – No smoking. Keep out of reach of children. Pressurised dispenser, protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Intentional misuse by deliberately concentrating or inhaling contents can be harmful or fatal. Avoid contact with skin and eyes and breathing vapour or spray mist. Use only in well ventilated areas. If using indoors keep windows and doors open during use and while drying. If inhalation risk exists wear organic vapour/particulate respirator. All potential sources of ignition must be eliminated both in/or near the work area.

First Aid

Please refer to the Safety Data Sheet which is available at www.cwbrands.com.au/

Disclaimer

CW Brands Pty Ltd believes that the information in this technical data sheet is an accurate description of the typical uses of the product. The data and statements are based on our research and development work and is to the best of our knowledge true and accurate. The user must ensure of the product(s) in their application prior to use in particular to determine its performance, efficiency and safety. The use of this product is beyond the manufacturer's control, and liability is restricted to the replacement of material proven faulty. The manufacturer is not responsible for any loss or damage arising from incorrect usage. Products conform solely to the information contained in this and other related CW Brands Pty Ltd publications.

CW Brands Pty Ltd reserves the right to make changes to specifications and information related to the products at any time. Users are asked to check that the literature in their possession is the latest issue. Statements contained herein should not be considered as a warranty of any kind, expressed or implied in describing the performance or suitability of the product for a particular application. No liability is accepted for infringement of any patents or any other intellectual property right.

