

The background features a complex marbled pattern with various shades of white, beige, and light brown. A semi-transparent grey rectangular area is centered over the image, containing the text. The text is in a white, thin, sans-serif font.

DELUXE
COLLECTION

Ottimo



Step into a realm of timeless elegance as
we extend an invitation to explore our
DeLuxe collection.

The luxurious world of stones and marbles, where every
piece tells a unique story.

ELEGANCE, PRESTIGE, SPLENDOR and AFFINITY



ELEGANCE

Shown in 12x24

Ottimo
ceramic tiles

ELEGANCE Floor & Wall Tile

12x24 | 24x24 Polished & Matte Porcelain



ELGoro - Gold Calacatta





PRESTIGE

Shown 112/14

Ottimo
Ceramica Italiana



PSToro - White Calacatta





SPLENDOR

Shown in 12x24

Ottimo



SPDoro - Bianco Dolomite





AFFINITY

Shown in 24x24

Ottimo

AFFINITY Floor & Wall Tile


12x24 | 24x24 Polished Porcelain



AFF010P - White Onyx




AFF012P - Beige Onyx



DELUXE COLLECTION

Glazed Porcelain

Made in the India



SPECIFICATIONS

Collection	Color	Item	Finish	Exact Size	Thickness	Edge
Elegance	Gold Calacatta	ELG010M-2	Matte	12x24	9 mm	Rectified
		ELG010M-1		24x24		
		ELG010P-2	Polished	12x24		
		ELG010P-1		24x24		
Prestige	White Calacatta	PST010M-2	Matte	12x24		
		PST010P-2	Polished			
Splendor	White Dolomite	SPD010M-2	Matte	12x24		
		SPD010P-2	Polished			
Affinity	White Onyx	AFF010P-2	Polished	12x24		
		AFF010P-1		24x24		
	Beige Onyx	AFF012P-2		12x24		
		AFF012P-1		24x24		
12 faces per size						

APPLICATIONS

	Floors	Walls	Backsplash	Pools/Spas
Residential	• *	• *	• *	• *
Commercial	•	• *	• *	• *
			Matte •	Polished *

TEST RESULTS

	Standard
Water absorption	≤ 0.5%
Breaking strength (1)	Min 1300 N
Frost resistance	Resistant
Resistance to thermal shock	Resistant
Chemical resistance	Resistant
Stain resistance	Resistant
Slip resistance (DCOF)	≥ 0.42
	Matte N/A Polished

PACKAGING

Size	Pcs/box	Sqft/box	Box/pallet	Sqft/pallet	Lbs/box	Lbs/Pallet
12x24	5	9.7	72	698.4	39.68	1552
24x24	4	15.5	40	620	58.42	2277.3