



Report No. A2180095047101001 Page 1 of 30

CENTRE TESTING INTERNATIONAL



Applicant ELITECH TECHNOLOGY INC.,

Address 508 TOPHAM COURT. MILPITAS, CA 95035 USA

Product Name Single-use Temperature Data Logger

Product Part No. RC-5+

Conclusion

 Tested Sample
 According to standard/directive
 Result

 Submitted Sample
 RoHS Directive 2011/65/EU with amendment (EU) 2015/863
 Pass

Pass means that the results shown on the report comply with the limits set by RoHS Directive 2011/65/EU with amendment(EU) 2015/863.

Tested by

Xiang ging Jiung

Reviewed by

Sha chen

Lin Thang

Date

Aug. 15, 2018

Lin Zhang Technical Manager

No. R219921151

Centre Testing International (Ningbo) Co., Ltd. 1-2F, Eastern Factory, No.76, Jinghua Road, High-Tech Zone, Ningbo, Zhejiang, China



Report No. A2180095047101001			Pag	ge 2 of 30
	Report Co	ntent		
Sample Information	<u>(</u>		<u></u>	1
Test Requested				3
Photo(s) of the Product(s)				3
Test Method	(a)	(0,)	(0.)	4
Test Result(s)				6
Chemical Test Process			<u>2)</u>	18
Photo(s) of the Tested Comp	onent(s)			21
RoHS Directive Exemptions	<u>(i)</u>	(61)		24



A2180095047101001 Report No. Page 3 of 30

Sample Received Date Jun. 13, 2018

Testing Period Jun. 13, 2018 to Aug. 15, 2018

Test Requested 1. As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg),

Chromium(Cr), Bromine(Br), Phthalates [Dibutyl phthalate(DBP), Benzylbutyl

phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP), Diisobutyl

phthalate(DIBP) \(\big| \) in the submitted sample(s).

2.As specified by client, when screening results exceed the screening limit in IEC 62321-3-1:2013 or screening limit of Phthalates in this report, further use of chemical methods are required to test the Lead(Pb), Cadmium(Cd),

Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs),

Polybrominated Diphenyl Ethers(PBDEs) and Phthalates 【Dibutyl

phthalate(DBP), Benzylbutyl phthalate(BBP), Di-2-ethylhexyl phthalate(DEHP),

Diisobutyl phthalate(DIBP) I in the submitted samples.

Photo(s) of the Product(s)

Single-use Temperature Data Logger











Page 4 of 30

Report No. A2180095047101001

Test Method

A. Screening limits for regulated elements according to IEC 62321-3-1:2013 (Unit: mg/kg)

		~			
Element	Polymers	Metals	Composite material		
Pb	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(500-3σ) <x <(1500+3σ)<br="">≤OL</x>		
Cd	$BL \leq (70-3\sigma) \leq X \leq (130+3\sigma)$ $\leq OL$	$BL \leq (70-3\sigma) \leq X \leq (130+3\sigma)$ $\leq OL$	LOD <x<(150+3σ) td="" ≤ol<=""></x<(150+3σ)>		
Нд	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(700-3σ) <x <(1300+3σ)<br="">≤OL</x>	BL≤(500-3σ) <x <(1500+3σ)<br="">≤OL</x>		
Cr	BL≤(700-3σ)< X	BL≤(700-3σ)< X	BL≤(500-3σ)< X		
Br	BL≤(300-3σ)< X	N/A	BL≤(250-3σ)< X		

B. Screening limits for Phthalates

Test Item(s)	Screening limits(Unit: mg/kg)
Dibutyl phthalate(DBP)	BL≤600 <x< td=""></x<>
Benzylbutyl phthalate(BBP)	BL≤600 <x< td=""></x<>
Di-2-ethylhexyl phthalate(DEHP)	BL≤600 <x< td=""></x<>
Diisobutyl phthalate(DIBP)	BL≤600 <x< td=""></x<>

C. Chemical Test

C. Chemical Test					
Tested Item(s)	Test Method	Measured Equipment(s)	MDL	Limit	
I 1 (DL)	IEC 62321-5:2013	ICP-OES	10 mg/kg	1000 /1	
Lead (Pb)	Refer to IEC 62321-5:2013	ICP-OES	10 mg/kg	1000 mg/kg	
Codminum (Cd)	IEC 62321-5:2013	ICP-OES	10 mg/kg	100 400 /150	
Cadmium (Cd)	Refer to IEC 62321-5:2013	ICP-OES	10 mg/kg	100 mg/kg	
	IEC 62321-4:2013+Amd1:2017 CSV	ICP-OES	10 mg/kg		
Mercury (Hg)	Refer to IEC 62321-4:2013+Amd1:2017 CSV	ICP-OES	10 mg/kg	1000 mg/kg	
II land	IEC 62321-7-2:2017	UV-Vis	20 mg/kg		
Hexavalent Chromium(Cr(VI))	IEC 62321-7-1:2015	UV-Vis	0.10μg/cm ² (LOQ)	1000 mg/kg	
Polybrominated Biphenyls (PBBs)	IEC 62321-6:2015	GC-MS	100 mg/kg	1000 mg/kg	
Polybrominated Diphenyl Ethers (PBDEs)	IEC 62321-6:2015	GC-MS	100 mg/kg	1000 mg/kg	
Phthalates (DBP, BBP, DEHP, DIBP)	IEC 62321-8:2017	GC-MS	50 mg/kg	1000 mg/kg for each	









Report No. A2180095047101001

Page 5 of 30

Remark:

- BL = Under the screening limit
- OL = Above the screening limit
- X = The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²































A2180095047101001

Page 6 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
		Pb	BL	/	/		
		Cd	BL	/	/		Jun. 13, 2018
	0	Hg	BL	1	/		
	1 White plastic	Cr(Cr(VI))	BL	1	/	6	
1		Br(PBBs&PBDEs)	BL	1 (6)	1	PASS	
		DBP	N/A	BL	/		
		BBP	N/A	BL	/		
	/	DEHP	N/A	BL	1	Ti.	(3
	(<	DIBP	N/A	BL	1 (6	(2.)	(6)
	,	Pb	BL	1	/		
		Cd	BL	/	/		
	-85	Hg	BL	/	/		- 0 -
	(1)	Cr(Cr(VI))	BL	1/4	/		
2	White plastic	Br(PBBs&PBDEs)	BL	10	1	PASS	Jun. 13, 2018
		DBP	N/A	BL	/	200	
		BBP	N/A	BL	/		
	/	DEHP	N/A	BL	1	:5	/°5
	(a	DIBP	N/A	BL	1	(1)	(6)
		Pb	BL	/	/		(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	XXII 1	Cr(Cr(VI))	BL	1/2	/	((II)
3	White plastic with orange	Br(PBBs&PBDEs)	BL	100	1	PASS	Jun. 13, 2018
	printing	DBP	N/A	BL	/		
		BBP	N/A	BL	/		
	/	DEHP	N/A	BL	1	:>	
	((DIBP	N/A	BL	1	(1)	(65)
	-	Pb	BL	/	/		6
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	1/2	/		(P)
4	White plastic	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
	willte plastic	DBP	N/A	BL	/	JANSS SAIL IS	
		BBP	N/A	BL	/		
	,	DEHP	N/A	BL	1		/05
	6	DIBP	N/A	BL	/		(~





Report No. A2180095047101001

Page 7 of 30

Keport N	Tested	0047101001	XRF	Phthalates	Chemical		Sample Received/
Sample No.	Sample/Part	Tested Items	Screening	Screening Test	Test	Conclusion	Sample Received/ Resubmitted Date
- 4	Description	DI.	Test	-	(mg/kg)	127	
	(Pb	BL) /	/	5)	Jun. 13, 2018
		Cd	BL	/	/		
		Hg	BL	/	/		
	Colorless	Cr(Cr(VI))	BL	/	/	/	
5	transparent rubber	Br(PBBs&PBDEs)	BL		/	PASS	Jul. 2, 2018
	140001	DBP	N/A	BL	/ /		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1	a a	C
	(6	Pb	BL	1	1	5)	(0,
		Cd	BL	/	/		
		Hg	BL	/	/		Jun. 13, 2018 Aug. 13, 2018
	Colorless	Cr(Cr(VI))	BL	1 /00	/		
6	transparent	Br(PBBs&PBDEs)	BL	1	/	PASS	
	rubber	DBP	N/A	BL	/ /		
		BBP	N/A	BL	/		
		DEHP N/A BL /					
		DIBP	N/A	BL	1		
	(6	Pb	BL) /	1 (6	5)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	Orange coating	Cr(Cr(VI))	BL	1 /9	/		**
7	with multicolor	Br(PBBs&PBDEs)	BL	1(6)	/	PASS	Jun. 13, 2018 Jul. 9, 2018
	printing	DBP	N/A	BL	1		Jul. 9, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		(2)
	(4	Pb	BL	1	/	5)	6.
		Cd	BL	/	/		
	Colorless transparent	Hg	BL	/	/	•	
		Cr(Cr(VI))	BL	1	/	/	·:-
8		Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
	plastic	DBP	N/A	BL	/		Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		





Report No. A2180095047101001

Page 8 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
*)	(6	Pb	BL	/	1	(2)	(6)
		Cd	BL	/	/		Jun. 13, 2018 Jul. 2, 2018
		Hg	BL	/	/		
	Silvery label	Cr(Cr(VI))	BL	/	/		
9	with black	Br(PBBs&PBDEs)	BL	/	/	PASS	
	printing	DBP	N/A	1	N.D.	16	Aug. 3, 2018
		BBP	N/A	/	N.D.		
		DEHP	N/A	/	N.D.		
	_	DIBP	N/A	/	N.D.	Ti.	(3
")	(«	Pb	BL	/	1	((()	(6)
		Cd	BL	/	/	PASS	
		Hg	BL	/	/		Jun. 13, 2018 Jul. 2, 2018
	Caladaaa	Cr(Cr(VI))	BL	/	/		
10	Colorless transparent	Br(PBBs&PBDEs)	BL	/	1		
	solid	DBP	N/A	BL	1		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1		()
)	(0	Pb	BL	/	/	3	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	· ·	Cr(Cr(VI))	BL	/ >0	/		
11	Metal with	Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
	silvery plating	DBP	N/A	/	1		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
	. (DIBP	N/A	/	1	(P)	
<i>)</i>	(6	Pb	BL) /	/	5)	(6)
		Cd	BL	/	/		
	Silvery/white film	Hg	BL	/	/		
		Cr(Cr(VI))	BL	1 / 03	/	/	
12		Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
		DBP	N/A	BL	/	Jul. 2, 201	Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		(2)



Report No. A2180095047101001

Page 9 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
)	((Pb	BL	/	/ (6	(2)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/	-	
	Colorless	Cr(Cr(VI))	BL	/	/		Jun. 13, 2018
13		Br(PBBs&PBDEs)	BL	1	/	PASS	
	glass	DBP	N/A	BL	1	16	3
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1	100	(3
)	(4	Pb	BL	/	/ (6	(5)	(6)
		Cd	BL	/	/	~	
		Нд	BL	/	/	-	
	-0-	Cr(Cr(VI))	BL	/	/		Jun. 13, 2018 Jul. 2, 2018
14	Grey green	Br(PBBs&PBDEs)	BL	1	1	PASS	
	plastic film	DBP	N/A	BL	/ /		Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	/		(2)
)	(0	Pb	BL	1	/	5	(6)
	3	Cd	BL	/	/		
		Hg	BL	/	/	-	
	· .	Cr(Cr(VI))	BL	1 200	/		
15	Black solid	Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018
		DBP	N/A	BL	/	- "	Jul. 2, 2018
		BBP	N/A	BL	/	-	
		DEHP	N/A	BL	/		1/2
	(DIBP	N/A	BL	1		
<i>)</i>	- (4	Pb	BL) /	/		(6)
		Cd	BL	/	/		
	Нд	BL	/	/	-		
	16 Black solid	Cr(Cr(VI))	BL	1/0	/	/	
16		Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
		DBP	N/A	BL	/	17100	
		BBP	N/A	BL	/	-	
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	/		(2





Report No. A2180095047101001

Page 10 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
*)	((Pb	BL	/	1	(2)	(6)
	_	Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		Jun. 13, 2018
18	Silvery metal	Br(PBBs&PBDEs)	N/A	1	/	PASS	
1		DBP	N/A	100	1	16	3
		BBP	N/A	/	/	-	
		DEHP	N/A	/	/		
	/	DIBP	N/A	/	1	Ti.	
")	((Pb	BL	/	/	(((6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	/	/		
19	Silvery metal	Br(PBBs&PBDEs)	N/A	1	1	PASS	Jun. 13, 2018
-		DBP	N/A	/	1		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
	/	DIBP	N/A	/	1	6	(%
)	(«	Pb	BL	1	/ (6	3	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	· >	Cr(Cr(VI))	BL	/ / **	/		**
20	Metal with	Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
1	silvery plating	DBP	N/A	/	1	//	
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	1	(P)	(2)
)	(4	Pb	BL	/ /	/		(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	C'S	Cr(Cr(VI))	BL	1	/	/	
21	Beige yellow	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
	plastic	DBP	N/A	BL	/	Jul. 2, 2	Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		



Report No. A2180095047101001 Page 11 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
)	(6	Pb	BL	/	1	(2)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	/	/		Jun. 13, 2018
22	Silvery metal pin	Br(PBBs&PBDEs)	N/A	/	/	PASS	
	, p	DBP	N/A	/ 💚	/ /	16	3
		BBP	N/A	/	/	-	
		DEHP	N/A	/	/		
	/	DIBP	N/A	/	1		(3
)	(Pb	BL) /	1	S)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	/	/		
23	Black plastic	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018 Jul. 2, 2018
		DBP	N/A	BL	/ /	//	Jul. 2, 2018
		BBP	N/A	BL	/	=	
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		
)	(0	Pb	BL	/	/	5)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/	=	
	0	Cr(Cr(VI))	BL	/ / / 9	/		
24	Metal with	Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
	silvery plating	DBP	N/A	/	1	- "	
		BBP	N/A	/	/		
		DEHP	N/A	/	/		
		DIBP	N/A	/	1		(2)
)	(6	Pb	BL	1 /	/	5	(0)
		Cd	BL	/	/		
	25 Bimetal piece	Hg	BL	/	/	-	
		Cr(Cr(VI))	IN	1/3	N.D.▼	/	
25		Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
	• '	DBP	N/A	/	/		
		BBP	N/A	/	/	1	
		DEHP	N/A	/	/		
		DIBP	N/A	/	1		



Report No. A2180095047101001

Page 12 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date	
~)	(6	Pb	BL	/	1	(()	(67)	
		Cd	BL	/	/			
		Hg	BL	/	/			
	-0-	Cr(Cr(VI))	BL	/	/			
26	Black plastic	Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018	
		DBP	N/A	BL	/ /	16	3	
		BBP	N/A	BL	/			
		DEHP	N/A	BL	/			
	/	DIBP	N/A	BL	1		(3	
)	(«	Pb	BL	/	/ (6	3	(6)	
		Cd	BL	/	/			
		Hg	BL	/	/			
	-0-	Cr(Cr(VI))	BL	/	/			
27	Silvery metal	Br(PBBs&PBDEs)	N/A	164	/	PASS	Jun. 13, 2018	
	pin	DBP	N/A	/	1	10		
		BBP	N/A	/	/			
		DEHP	N/A	/	/		121	
1	/	DIBP	N/A	/	1	in a	(2	
)	(0	Pb	BL	/	/	5	(6)	
		Cd	BL	/	/			
		Hg	BL	/	/			
	°	Cr(Cr(VI))	BL	/ / / 9	/			
28	Yellow body	Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018	
		DBP	N/A	BL	1		Jul. 2, 2018	
		BBP	N/A	BL	/			
		DEHP	N/A	BL	/	-		
.\		DIBP	N/A	BL	1	(P)	(2	
	(4	Pb	BL	1	/	5)	(0)	
		Cd	BL	/	/			
	Hg	BL	/	/				
	29 Black body	Cr(Cr(VI))	BL	1/2	/	/		
29		Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018	
1		DBP	N/A	BL	/	- 17100	Jul. 2, 2018	
	-	BBP	N/A	BL	/			
		DEHP	N/A	BL	/	0		
1	(DIBP	N/A	BL	1			



Report No. A2180095047101001

Page 13 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
")	(Pb	BL	/	1	377)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		Jun. 13, 2018 Jul. 2, 2018
30	White body	Br(PBBs&PBDEs)	BL	/	/	PASS	
		DBP	N/A	BL	1	16	3
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1		(3
)	(4	Pb	#14.4×10 ³) /	1	3	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
31	Dark brown	Br(PBBs&PBDEs)	BL	/	1	PASS	Jun. 13, 2018 Jul. 2, 2018
	body	DBP	N/A	BL	1		Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1	6	(3
)	(«	Pb	BL	/	/	37)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0	Cr(Cr(VI))	BL	/ / / 2	/		
32	Black body	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
		DBP	N/A	BL	1	//	Jul. 2, 2018
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	(DIBP	N/A	BL	1	(P)	(2
)	(0	Pb	BL	/ /	/		(6)
		Cd	BL	/	/		
	Hg	BL	/	/			
	Silvery metal	Cr(Cr(VI))	BL	1 / 03	/		
33		Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
	pin	DBP	N/A		/		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		BBP	N/A	/	/		
		DEHP	N/A	/	/		321
		DIBP	N/A	/	1		(4)



Report No. A2180095047101001

Page 14 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
`)		Pb	BL	/	1	(2.)	(6)
	_	Cd	BL	/	/		0
		Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
34	Black body	Br(PBBs&PBDEs)	BL	1/	/	PASS	Jun. 13, 2018 Jul. 2, 2018
		DBP	N/A	BL	1	16	Jul. 2, 2016
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1	in.	(3
")	((Pb	BL) /	/ (6	((((6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	/	/		
35	Silvery metal pin	Br(PBBs&PBDEs)	N/A	/	/	PASS	Jun. 13, 2018
		DBP	N/A	/	1		
		BBP	N/A	/	/		
		DEHP	N/A	/	/		122
	/	DIBP	N/A	/	1	in.	(3
)	(0	Pb	OL	/	8347#1	57)	(0)
		Cd	BL	/	/		
		Hg	BL	/	/		
	Caladaaa	Cr(Cr(VI))	BL	/ / / 9	/		
36	Colorless transparent	Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018
1	LÊD	DBP	N/A	BL	1		Jul. 28, 2018
		BBP	N/A	BL	/	-	
		DEHP	N/A	BL	/		
	(DIBP	N/A	BL	1	(P)	(2)
)	(4	Pb	BL	/ /	/	5)	(0)
37		Cd	BL	/	/		
		Hg	BL	/	/		
	C:S	Cr(Cr(VI))	BL	1/2	/	/	2
	Black body	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
1		DBP	N/A	BL	/		Jul. 2, 2018
		BBP	N/A	BL	/		
	-	DEHP	N/A	BL	/	0	
	(DIBP	N/A	BL	1		(4)



Report No. A2180095047101001

Page 15 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
~)	(6	Pb	BL	/	1 (200	(6)
		Cd	BL	1	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	1	/		
38	Black body	Br(PBBs&PBDEs)	BL	1	/	PASS	Jun. 13, 2018 Jul. 2, 2018
		DBP	N/A	BL	/ /	16	341. 2, 2010
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
	/	DIBP	N/A	BL	1	in a	(3
)	(«	Pb	BL) /	/ (6	3	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	-0-	Cr(Cr(VI))	BL	1 _0=	/		
39	Black body	Br(PBBs&PBDEs)	BL	164	/	PASS	Jun. 13, 2018
- 1		DBP	N/A	BL	/ /		
		BBP	N/A	BL	/		
		DEHP	N/A	BL	/		
		DIBP	N/A	BL	1	The second	
)	(0	Pb	BL	1	/	5)	(6)
		Cd	BL	/	/		
		Hg	BL	/	/	-	
	· ·	Cr(Cr(VI))	BL	1 /03	/		
40	Silvery metal	Br(PBBs&PBDEs)	N/A	1	/	PASS	Jun. 13, 2018
1	pin	DBP	N/A	/	/		
		BBP	N/A	/	/		
		DEHP	N/A	/	/	_	
	(DIBP	N/A	/	1	(P)	(2)
)	(4	Pb	IN	1	1186#1	5)	(0)
41		Cd	BL	/	/		
		Hg	BL	/	/		
	C'S	Cr(Cr(VI))	IN	1 / %	N.D.	/	·:
	Black chip	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
1	resistors	DBP	N/A	BL	/		Jul. 2, 2018
		BBP	N/A	BL	/		
	500	DEHP	N/A	BL	/	0	
		DIBP	N/A	BL	1		





Report No. A2180095047101001 Page 16 of 30

Report N	Tested	004/101001	XRF	Phthalates	Chemical		Page 16 01 30
Sample No.	Sample/Part Description	Tested Items	Screening Test	Screening Test	Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
*)	. (,	Pb	BL	/	/	(1)	(6)
		Cd	BL	/	/	2	0
		Нд	BL	/	/	-	
		Cr(Cr(VI))	BL	/	/	-	
42	Yellow body	Br(PBBs&PBDEs)	BL	1/2	/	PASS	Jun. 13, 2018
		DBP	N/A	BL	1	(6	Jul. 2, 2018
		BBP	N/A	BL	/	-	
		DEHP	N/A	BL	/	-	
	/	DIBP	N/A	BL	1	200	/3
*)	(6	Pb	BL	/	/ (6	(S)	(65
		Cd	BL	/	/		
		Нд	BL	/	/		
	-0-	Cr(Cr(VI))	BL	1	/	-	-0-
43	РСВ	Br(PBBs&PBDEs)	IN	/ (4	N.D.	PASS	Jun. 13, 2018
		DBP	N/A	BL	1		
		BBP	N/A	BL	/	-	
		DEHP	N/A	BL	/	-	
		DIBP	N/A	BL	1	(A)	(3
)	(6	Pb	BL	1	/ (6	37)	(6)
		Cd	BL	/	/		Jun. 13, 2018
		Нд	BL	/	/		
		Cr(Cr(VI))	BL	1 200	/		
44	Soldering tin	Br(PBBs&PBDEs)	N/A	1	/	PASS	
		DBP	N/A	/	/	- "	
		BBP	N/A	/	/	-	
		DEHP	N/A	/	/		
		DIBP	N/A	/	1		
\ \	(4	Pb	BL	1	/	5	(6)
		Cd	BL	/	/		
		Hg	BL	/	/		
	White never	Cr(Cr(VI))	BL	1 / 2	/	1	·: 5
	White paper with multicolor	Br(PBBs&PBDEs)	BL	/	/	PASS	Jun. 13, 2018
	printing	DBP	N/A	BL	/		
		BBP	N/A	BL	/	1	
	<i>⊌</i>	DEHP	N/A	BL	/		
		DIBP	N/A	BL	1		(4)



Report No. A2180095047101001 Page 17 of 30

Sample No.	Tested Sample/Part Description	Tested Items	XRF Screening Test	Phthalates Screening Test	Chemical Test (mg/kg)	Conclusion	Sample Received/ Resubmitted Date
(~)	(6	Pb	BL	/	/	(2)	(6,7)
		Cd	BL	/	/	PASS	Jun. 13, 2018
	Black solid	Hg	BL	/	/		
		Cr(Cr(VI))	BL	/	/		
46		Br(PBBs&PBDEs)	BL	1	/		
- 1		DBP	N/A	BL	/ /		
	BBP N/A DEHP N/A	BBP	N/A	BL	/		
		BL	/				
		DIBP	N/A	BL	1	a la	

Remark:

- N.D. = Not Detected (<MDL or LOQ)
- MDL = Method Detection Limit
- mg/kg = ppm = parts per million
- 1000mg/kg=0.1%
- /=Not tested
- IN= Uncertain, Further chemical test
- N/A= Not applicable
- BL = Under the screening limit
- OL = Further chemical test will be conducted while the result is above the screening limit.
- The sample is negative for Cr(VI) − The Cr(VI) concentration is below 0.10μg/cm². The coating is considered a non-Cr(VI) based coating.
- When conducting the test for PBBs&PBDEs, XRF was introduced to screen Br Exclusively; When conducting the test for Hexavalent Chromium, XRF was introduced to screen Chromium exclusively.
- **1=According to the client's statement, the material of the sample(s) fall into exemption items 7(c)-I according to EU Directive 2011/65/EU: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.
- According to the client's statement, the sample material reference information see table:

	Sample No.			Sample	e No. in this	Report	
					1		
(1)	6				5	(:0)	
(6,2)	16	(6,7)		(6.7.)	15	(62)	
	19				18		
	26				23		
	35				33		520
	39		130		32		()
	40		(67)		33		(0)




Report No. A2180095047101001


Page 18 of 30

Chemical Test Process

- 1. Lead (Pb), Cadmium (Cd)
- 1) IEC 62321-5:2013




2) Refer to IEC 62321-5:2013




2. Mercury (Hg)

1) IEC 62321-4:2013+Amd1:2017 CSV
















Report No. A2180095047101001

Page 21 of 30

Photo(s) of the tested component(s)











A2180095047101001 Report No.

































A2180095047101001 Report No.

Page 23 of 30







































































Report No. A2180095047101001 Page 24 of 30

Exempted Items of RoHS Directive

In accordance with Directive 2011/65/EU as amended , there are 41 exemption items in Annex III of 2011/65/EU altogether.

	Exemption	Scope and dates of applicability		
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner):			
1(a)	For general lighting purposes < 30 W: 5 mg	Expires on 31 December 2011; 3,5 mg may be used per burner after 31 December 2011 until 31 December 2012; 2,5 mg shall be used per burner after 31 December 2012.		
1(b)	For general lighting purposes ≥ 30 W and < 50 W: 5 mg	Expires on 31 December 2011; 3,5 mg may be used per burner after 31 December 2011.		
1(c)	For general lighting purposes ≥ 50 W and < 150 W: 5 mg			
1(d)	For general lighting purposes ≥ 150 W: 15 mg			
1(e)	For general lighting purposes with circular or square structural shape and tube diameter ≤17 mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011.		
1(f)	For special purposes: 5 mg			
1(g)	For general lighting purposes < 30 W with a lifetime equal or above 20 000 h: 3,5 mg	Expires on 31 December 2017.		
2(a)	Mercury in double-capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp):			
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5 mg Expires on 31 December 2011; 4 mg ma per lamp after 31 December 2011.			
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17 mm (e.g. T5): 5 mg	Expires on 31 December 2011; 3 mg may be used per lamp after 31 December 2011.		
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter > 17 mm and ≤ 28 mm (e.g. T8): 5 mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011.		
2(a)(4)				
2(a)(5)	Tri-band phosphor with long lifetime (≥ 25 000 h): 8 mg	Expires on 31 December 2011; 5 mg may be used per lamp after 31 December 2011.		
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp):			
2(b)(1)	Linear halophosphate lamps with tube > 28 mm (e.g. T10 and T12): 10 mg	Expires on 13 April 2012.		
2(b)(2)	Non-linear halophosphate lamps (all diameters): 15 mg	Expires on 13 April 2016.		





Report No. A2180095047101001 Page 25 of 30

2(b)(3)	Non-linear tri-band phosphor lamps with tube	No limitation of use until 31 December 2011; 15
()()	diameter > 17 mm (e.g. T9)	mg may be used per lamp after 31 December 2011.
2(b)(4)	Lamps for other general lighting and special	No limitation of use until 31 December 2011; 15
	purposes (e.g. induction lamps).	mg may be used per lamp after 31 December 2011.
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp):	
3(a)	Short length (≤500 mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011.
B(b)	Medium length (> 500 mm and ≤ 1 500 mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011.
B(c)	Long length (> 1500 mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011.
l(a)	Mercury in other low pressure discharge lamps (per lamp).	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011.
l (b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra > 60:	
l(b)-I	P ≤ 155 W	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011.
l(b)-II	155 W < P≤405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011.
4(b)-III	P > 405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011.
1(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner):	
1(c)-I	P ≤ 155 W	No limitation of use until 31 December 2011; 25 mg may be used per burner after 31 December 2011.
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 30 mg may be used per burner after 31 December 2011.
ł(c)-III	P > 405 W	No limitation of use until 31 December 2011; 40 mg may be used per burner after 31 December 2011.
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV).	Expires on 13 April 2015.



Report No. A2180095047101001 Page 26 of 30

4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex.		-07
4(g)	Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows: (a) 20 mg per electrode pair + 0,3 mg per tube length in cm ,but not more than 80 mg, for outdoor applications and indoor applications	Expires on 31 December 2018.	
	exposed to temperatures below 20°C; (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.		
5(a)	Lead in glass of cathode ray tubes.		6
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight.		
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0,35 % lead by weight.)
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight.		
6(c)	Copper alloy containing up to 4% lead by weight.		(3
7(a)	Lead in high melting temperature type solders (i.e. lead- based alloys containing 85 % by weight or more lead).		
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications.		
7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.		(F
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher.		
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC.	Expires on 1 January 2013 and after that be used in spare parts for EEE placed of market before 1 January 2013.	-





Report No. A2180095047101001 Page 27 of 30

7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors.	
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs.	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012.
8(b)	Cadmium and its compounds in electrical contacts.	
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution.	
9(b)	Lead in bearing shells and bushes for refrigerant -containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications.	Applies to categories 8, 9 and 11; expires on: -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; -21 July 2021 for other subcategories of categories 8 and 9.
9(b)-(I)	Lead in bearing shells and bushes for refrigerant -containing hermetic scroll compressors with a stated electrical power input equal or below 9 kW for heating, ventilation, air conditioning and	Applies to category 1; expires on 21 July 2019.
	refrigeration (HVACR) applications.	
11(a)	Lead used in C-press compliant pin connector systems.	May be used in spare parts for EEE placed on the market before 24 September 2010.
11(b)	Lead used in other than C-press compliant pin connector systems.	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013.
12	Lead as a coating material for the thermal conduction module C-ring.	May be used in spare parts for EEE placed on the market before 24 September 2010.
13(a)	Lead in white glasses used for optical applications.	Applies to all categories; expires on: -21 July 2023 for category 8 in vitro diagnostic medical devices; -21 July 2024 for category 9 industrial monitoring and control instruments and for category 11; -21 July 2021 for all other categories and















Report No. A2180095047101001 Page 28 of 30

12(b)	Codmium and load in filter classes and classes	Applies to entegories & 0 and 11: expires and		
13(b)	Cadmium and lead in filter glasses and glasses	Applies to categories 8, 9 and 11; expires on:		
	used for reflectance standards.	-21 July 2023 for category 8 in vitro diagnostic		
		medical devices;		
		-21 July 2024 for category 9 industrial monitoring		
		and control instruments and for category 11;		
		-21 July 2021 for other subcategories of categories		
		8 and 9.		
13(b)-		(4)		
(I)	Lead in ion coloured optical filter glass types.	(0,)		
13(b)-	Cadmium in striking optical filter glass types;	Applies to categories 1 to 7 and 10; expires on 21		
(II)	excluding applications falling under point 39 of			
	this Annex.	July 2021 for categories 1 to 7 and 10.		
13(b)-	Cadmium and lead in glazes used for reflectance	(87) (8		
(III)	standards.			
14	Lead in solders consisting of more than two	Expires on 1 January 2011 and after that date may		
	elements for the connection between the pins	be used in spare parts for EEE placed on the		
	and the package of microprocessors with a lead	market before 1 January 2011.		
	content of more than 80 % and less than 85 %	(0,)		
	by weight.			
15	Lead in solders to complete a viable electrical			
	connection between semiconductor die and			
	carrier within integrated circuit flip chip packages.			
16	Lead in linear incandescent lamps with silicate	Expires on 1 September 2013.		
10	coated tubes.	Expires on 1 September 2015.		
17	Lead halide as radiant agent in high intensity			
	discharge (HID) lamps used for professional			
	reprography applications.			
18(a)	Lead as activator in the fluorescent powder (1 %	Expires on 1 January 2011.		
	lead by weight or less) of discharge lamps when			
	used as speciality lamps for diazoprinting			
	reprography, lithography, insect traps, photochemical and curing processes containing	C'S		
	phosphors such as SMS ((Sr,Ba) ₂ MgSi ₂ O ₇ :Pb).	$(\mathcal{E}^{(n)})$		
18(b)	Lead as activator in the fluorescent powder (1 %			
10(0)	lead by weight or less) of discharge lamps when			
	used as sun tanning lamps containing phosphors			
	such as BSP (BaSi ₂ O ₅ :Pb).	(3)		
19	Lead with PbBiSn-Hg and PbInSn-Hg in	Expires on 1 June 2011.		
	specific compositions as main amalgam and			
	with PbSn-Hg as auxiliary amalgam in very			
	compact energy saving lamps (ESL).			







Report No. A2180095047101001 Page 29 of 30

riopor	1 NO. A216009304/101001		rage 29 01 30
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs).	Expires on 1 June 2011.	
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses.		Ć
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0, 65 mm and less.	May be used in spare parts for market before 24 September 20	•
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors.		
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural	C'S	()
26	elements, notably in the seal frit and frit ring. Lead oxide in the glass envelope of black light blue lamps.	Expires on 1 June 2011.	6
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers.	Expired on 24 September 2010	
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC.		
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more.		(S
31	Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting).	CI	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes.		
33	Lead in solders for the soldering of thin copper wires of 100 µm diameter and less in power transformers.	(cit)	(S
34	Lead in cermet-based trimmer potentiometer elements.		
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display.	Expired on 1 July 2010.	
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body.		
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide.	(:11)	(4





Report No.	A2180095047101001	Page 30 of 30
------------	-------------------	---------------

39	Cadmium in colour converting II-VI LEDs (< 10 µg Cd per mm 2 of light-emitting area) for	Expires on 1 July 2014.	
Fis.	use in solid state illumination or display systems.		12
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment.	Expires on 31 December 2013.	(C)
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted	Expires on 31 December 2018.	
	directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council.	CI	(K)

*** End of Report ***

Statement:

- 1. This report is considered invalidated without approval signature, special seal and the seal on the perforation;
- 2. The sample(s) and sample Information was/were provided by the client who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

