



X=space for connections  
(doorvoer/anschluss)

N°	DATE	RED.	VER.	NAME :
-	-	-	-	
-	-	-	-	
-	-	-	-	
DESIGN.	DATE			NAME :
10/07/07	10/07/07			RPH 300 ÷ 5000 LITERS
CONTR.	DATE			
10/07/07				

SCALE : -

# RATINGS DATA SHEET

RPH 300 ÷ 5000

		CAPACITA' / CAPACITY (LT.)							
POS	DESCRIPTION	300	500	750	1000	1500	2000	3000	5000
<b>A</b>	LOWER NICHE WIDTH / (mm)	200	200	200	250	250	250	250	280
<b>B</b>	LOWER NICHE HEIGHT / (mm)	120	150	150	150	200	200	200	200
<b>D</b>	X LOWER CONNECTION HEIGHT (mm)	40	40	50	50	50	40	50	60
<b>E</b>	Ø1 CONNECTION HEIGHT (mm)	40	40	50	50	50	40	50	60
<b>G</b>	DISTANCE BETWEEN LOVERCONNECTIONS (mm)	110	110	110	160	160	160	160	160
<b>I</b>	UPPER NICHE WIDHT / (mm)	200	200	200	250	250	250	250	280
<b>M</b>	UPPER NICHE HEIGHT / (mm)	120	150	150	150	200	200	200	200
<b>N</b>	X UPPER CONNECTION HEIGHT (mm)	565	660	760	855	1095	1240	1390	1680
<b>P</b>	Ø 28 HOLE HEIGHT (mm)	565	660	760	855	1095	1240	1390	1680
<b>Q</b>	DISTANCE BETWEEN UPPER CONNECTIONS (mm)	110	110	110	160	160	160	160	160
<b>R</b>	FOOT LENGTH (mm)	160	220	250	250	220	220	280	310
<b>S</b>	FOOT WIDTH (mm)	550	630	720	800	1015	1140	1270	1525
<b>T</b>	BETWEEN (mm)	175	265	240	285	240	240	265	320
<b>L</b>	LENGTH (mm)	1100	1500	1580	1720	1630	1700	2000	2310
<b>H</b>	HEIGHT (mm)	705	800	900	995	1255	1400	1550	1840
<b>Ø e</b>	TANK DIAMETER (Ømm)	625	720	820	915	1155	1300	1450	1700
<b>Ø C</b>	LID DIAMETER (Ømm)	255	355	355	355	455	455	455	455
<b>Ø F</b>	INSPECTION HOLE DIAMETER (Ømm)	200	300	300	300	400	400	400	400

**PART LIST**  
RPH 300 ÷ 5000

POS.	DESCRIPTION	MATERIAL	QUANTITY	REPLACEMENT PARTS
1	BLEED CAP	POLYETHYLENE (LHDPE)	N° 1	
2	LID	POLYETHYLENE (LHDPE)	N° 1	
3	BODY	POLYETHYLENE (LHDPE)	N° 1	