










3-in-1 Grab Bar / Towel Bar / Toilet Paper Holder

- 3-in-1 Contemporary arched design offers beauty, safety, functionality and fall prevention as either a Toilet Paper Holder or Hand Towel Holder near the vanity.
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 1.25" diameter bar
- Supports up to 500 lbs. in wallsubstrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included

Total	Total	Total	Grab Bar	Distance Between	Wall to Inside	Cover Plate	Grab Bar	
Length	Height	Width	Diameter	Post Centers	Grab Bar	Width	Height	
14.8"	7.9"	5.3"	1.25"	7.9"	2.125"	3.25"	5.3"	_

2 FREE INSIDE









91000 - Chrome

91600 - Matt Black

91200 - Brushed Nickel

2-in-1 Grab Bar/Toilet Paper Holder

- √ 2-in-1 design combines safety and functionality
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wallsubstrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included



LiveSafe.







Total	Total	Total	Grab Bar	Distance Between	Wall to Inside	Cover Plate	Grab Bar
Length	Height	Width	Diameter	Post Centers	Grab Bar	Width	Height
11.3"	7.5"	5.3"	1.25"	7.9"	1.5"	3.25"	7.5"

15" Arched Multi-Purpose Grab Bar

- This multi-purpose Contemporary design offers beauty, safety, functionality and fall prevention in multiple locations: over the shower valve, tub spout, next to the vanity and more
- ✓ Multiple EZ Clean Rubber Nubby Grips
- √ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 1.25" diameter bar
- √ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included

Total	Total	Grab Bar	Distance Between Post	Cover Plate
Length	Width	Diameter	Centers	Width
14.8"	3.38"	1.25"	8.0"	



- √ 2-in-1 design combines safety and functionality
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- √ LiveSafe Stud Mount Flanges (2)
- ✓ 1.25" diameter bar
- Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included












Total	Total	Total	Grab Bar	Distance Between	Wall to Inside	Cover Plate	Grab Bar	
Length	Height	Width	Diameter	Post Centers	Grab Bar	Width	Height	
13.25"	9.25"	2.75"	1.25"	10.06"	1.5"	3.25"	9.25"	



2-in-1 Grab Bar Towel Bar

- √ 2-in-1 design combines safety and functionality
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included









Total	Total	Total	Grab Bar	Distance Between	Wall to Inside	Cover Plate
Length	Height	Width	Diameter	Post Centers	Grab Bar Centers	Width
23.4"	5.37"	3.3"	1.25"	16.0"	1.125"	3.25"

20" Decorative Curved Grab Bar w/ Capped Ends

- ✓ Curved design blends with any décor for a look that is beautiful, not institutional
- ✓ Multiple EZ CleanRubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- ✓ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included





61026 - Chrome 61032 - Brushed Nickel

61044 - Matte Black







Distance Between	Cover Plate
Post Centers	Width
16.0"	3.25"

61027 - Chrome

61033 - Brushed Nickel

61045 - Matte Black

3-in-1 Grab Bar, Towel Bar, and Towel Shelf

- ✓ Patented, one of a kind, 3-in-1 design
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (4)
- ✓ LiveSafe Stud Mount Flanges (4)
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included







61031 - Brushed Nickel

61043 - Matte Black


61025 - Chrome



Total	Total	Total	Grab Bar	Distance Between	Distance Between	Cover Plate
Length	Height	Width	Diameter	Post Centers	Grab Bar Centers	Width
25.5"	13.25	10.125	1.25"	22.25"	10"	

20" Decorative Arched Grab Bar w/ Angled Ends

- ✓ Contemporary arched design accents décor for a look that is beautiful, not institutional
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included





Total	Total	Total	Grab Bar	Distance Between	Cover Plate
Length	Height	Width	Diameter	Post Centers	Width
20.875"	3.25"	3.4"	1.25"	16.0"	3.25"



NG28200 - Brushed Nickel

NG28600 - Matte Black

NG28000 - Chrome

20" & 24" Decorative Straight Grab Bar with Capped Ends

- ✓ ADA Compliant
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- √ 18 Gauge steel
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ Stainless steel no rust
- ✓ All mounting hardware included



LiveSafe.

2 FREE INSIDE	
MOUNT	

N20000 - 20" Chrome N20200 - 20" Brushed Nickel N20600 - 20" Matte Black

N24000 - 24" Chrome

N24200 - 24" Brushed Nickel

N24600 - 24" Matte Black





Total	Total	Grab Bar	Distance Between	Wall to Inside	Cover Plate
Length	Height	Diameter	Post Centers	Grab Bar	Width
20" / 24"	2.79	1.25"	16.0"	1.5"	3.25"

28" 2-in-1 Decorative Straight Grab Bar & Handheld Shower Bar w/ Wand, Holder, & Hose

- ✓ ADA Compliant
- ✓ Includes 9-in-1 Function Multi-Spray Handheld Shower Kit (see p. 12)
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- LiveSafe Stud Mount Flanges (2)
- ✓ Includes shower wand, holder, hose, and elbow
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ All mounting hardware included
- ✓ Stainless steel no rust

Total	Total	Total	Grab Bar	Distance Between Post Centers
Length	Height	Width	Diameter	
27.9"	2.79"	3.25"	1.25"	24.0"



32" Decorative Straight Grab Bars with Angled **Ends**

- ✓ ADA Compliant
- ✓ Multiple EZ Clean Rubber Nubby Grip
- √ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- √ LiveSafe Stud Mount Flanges (2)
- √ 18 gauge stainless steel no rust
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ All mounting hardware included





Available special order only









Cover Plate Total Total Grab Bar Distance Between Wall to Inside Height **Post Centers** Grab Bar Width Length Diameter 32" 2.79 1.25" 26.0" 1.5" 3.25"

36", 42" & 48" Decorative Straight Grab Bars with Angled Ends

- ✓ ADA Compliant
- ✓ Long EZ Clean Rubber Nubby Grip
- ✓ FREE MOUNT DADDY™ Hollow Wall Fasteners (2)
- ✓ LiveSafe Stud Mount Flanges (2)
- 18 gauge stainless steel no rust
- 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- ✓ All mounting hardware included



LiveSafe.

SPRAY


SETTINGS



36" N36000 48" N48000 42" N42000

Cover Plate Width 3.25"

48" N48200



42" N42200

Chrome

Matte Black*

36" N36600 48" N48600 42" N42600

* Available special order only






Total Length	Total Height	Grab Bar Diameter	Distance Between Post Centers	Wall to Inside Grab Bar	Cover Plate Width
36"	2.80	1.25"	32.0"	1.5"	3.25"
42"	2.80	1.25"	32.0"	1.5"	3.25"
48"	2.80	1.25"	32.0"	1.5"	3.25"



L-Shaped Grab Bar 1.25" Stainless Steel, Satin Finish

Meets ADA requirements. Stainless steel quality provides outstanding sanitary and damage-resistant properties often used in public institutional, and residential applications.



LW-VR30x30 x 125-SA



31.5" Swing-up & Fold Down Grab Bar

When toilets are not next to walls, this beautiful stainless steel option can help elevate from and to seated position. THIS PRODUCT MUST BE INSTALLED INTO WOOD BLOCKING

- ✓ ADA Compliant
- √ 304 stainless steel
- ✓ Heavy duty mounting plates with 6 attachment points
- Swing up position for when not in use
- Supports up to 330lbs.
- ✓ All mounting hardware included

LWSU-31.5×1.25-CH - Chrome LWSU-31.5×1.25-BN - Brushd Nickel LWSU-31.5×1.25-MB - Matte Black



Total	Total	Total	Tube Outside	Hinge
Length	Height	Width	Diameter	Width
31.5"	9.0"	6.5"	1.37"	

20" Contemporary Curved Grab Bar 2-Pack w/ **Angled Ends**

- √ 2-in-1 design combines safety and functionality
- ✓ Multiple EZ Clean Rubber Nubby Grips
- ✓ FREE MOUNT DADDY Hollow Wall Fasteners (4)

3.0"

- ✓ LiveSafe Stud Mount Flanges (4)
- √ 1.25" diameter bar
- ✓ Supports up to 500 lbs. in wall substrates that support the load
- Monting hardware included
- ✓ Stainless steel no rust



81000 - Chrome 81200 - Brushed Nickel 81400 - Oil Rubbed Bronze

16.0"



3.25"

Straight Standard Concealed Screw Grab Bar with SMOOTH or PEENED GRIPS

Meets ADA requirements.

Stainless steel quality provides outstanding sanitary and damage-resistant properties often used in public institutional, and residential applications.

- √ Twist-Fit cover plates
- ✓ Live-Safe™ flange hole pattern
- √ 18 Gauge Steel
- √ 304 stainless steel no rust
- Satin finish
- √ 1.25" and 1.50" tube diameters available





Peened Grip

Smooth Grip

18"

24"

36"

48

1.25" diameter

LW-12×125-SA

LW-16×125-SA

LW-18×125-SA

LW-24×125-SA

LW-32×125-SA

LW-36×125-SA

LW-42×125-SA

LW-48 × 125-SA

1.50" diameter

LW-12×150-SA

LW-16×150-SA

LW-18×150-SA

LW-24×150-SA

LW-32×150-SA

LW-36×150-SA

LW-42×150-SA

LW-48×150-SA

	1.25" diameter	1.50" diameter
12"	LW-12×125-PN	LW-12×150-PN
16"	LW-16×125-PN	LW-16×150-PN
18"	LW-18×125-PN	LW-18×150-PN
24"	LW-24×125-PN	LW-24×150-PN
32"	LW-32×125-PN	LW-32×150-PN
36"	LW-36×125-PN	LW-36×150-PN
42"	LW-42×125-PN	LW-42×150-PN
48	LW-48×125-PN	LW-48×150-PN



3.4"

1.25"





21.5"



Finally, Fashion & Function Meet to Offer the Complete Shower Package NG28000 - Chrome

NG28200 - Brushed Nickel NG28600 - Matte Black













Chrome 9-in-1 Function Multi-Spray Handheld Shower Kit

Order with the Grabcessories NG28000, NG28200, or NG28600 Grab Bar

- ✓ Includes 9 Function Multi-spray hand shower featuring shower wand, hose, slider mechanism, and wall bracket.
- ✓ Includes powerful "point & spray" function to easily clean and spray down shower walls.
- √ 4.7"(120mm) 9 function ABS handheld shower; max flow rate
 2.5gpm@80psi.
- ✓ ABS sliding shower wand holder for 1.25" Grabcessories by LiveWell Grab Bar.
- ✓ 59" (1.50m) stainless steel shower hose.
- ✓ Brass wall supply elbow.
- ✓ EZ Clean Silicone Spray Nozzles.

Order with 2-in-1 Handheld Shower Slider Bar/ Grab Bar or separately.

9-in-1 Spray Kit Model Numbers LWHHS-KIT-CH - Chrome LWHHS-KIT-BN - Brushed Nickel LWHHS-KIT-MB - Matte Black

2-in-1 28" Grab Bar & Slider Bar Model Numbers NG28000 - Chrome NG28200 - Brushed Nickel NG28600 - Matte Black

On/Off Button Point and Spray Self-Cleaning Silicone Nozzles Self-Cleaning Silicone Nozzles

Beautiful 18" and 26" Natural Wood Grain Fold Down Seating Collection



Brushed Nickel 18L-WS-BN-CG 18L-WS-BN-AM 18L-WS-BN-DG



Chrome
18L-WS-CH-CG
18L-WS-CH-AM
18L-WS-CH-DG



Matte Black
18L-WS-MB-CG
18L-WS-MB-AM
18L-WS-MB-DG







Coastal Gray



Driftwood Gray

- ✓ Bathcessories seats are manufactured from recycled, durable high density polyethylene, and CNC machined in OH
- ✓ Product Care and Maintenance Information Shipped with Seat

CAUTION: Stainless steel mounting screws included with each seat. All seats MUST be secured to blocked wall

SteelStretchable Hose





Wall Color Selection




Additional color are available

Monument 9x15"

Laser-Etched Tile Patterns

Panorama 3x15"



Roman Block 12x24"

Simulated Tile Wall Patterns









www.livewellhs.com info@livewellhs.com 440.499.7221



Scott Blakley



Jared Chevraux

Award winning Designer, Certified Aging-in-Place Specialist & LiveWell Founder Scott Blakley Award-Winning Home Access professional and expert Jared Chevraux

- Kitchen & Bath Business' Person of the Year -Praiseworthy Pick 2023
- Kitchen & Bath Design News 'Top Innovator' 2023
- Pro Remodeler Magazine's '40 Under 40' Class of 2018

All designs and innovations proprietary property of LiveWell Home Safety Solutions, LLC