




UCHF12PARGB-BP3



UCHF12PARGB-W-BP3


HF 120
A R G B V E R S I O N





HF120

ARGB VERSION


- *Luminous Addressable RGB lighting effects*
- *Addressable RGB lighting synchronization*
- *Advanced silent and cooling*

Features


- **Luminous Addressable RGB lighting effects**
 - ENERMAX LED LIGHTING Technology provides consistent and uniform luminance
 - Hub-lighting addressable RGB fan with 12 LEDs display 16.8 million colors and dynamic lighting effects
- **Addressable RGB lighting synchronization**
 - ENERMAX RGB control box enables users to adjust preferred lighting effects
 - The 3 pin Addressable RGB connector support addressable RGB lighting synchronization via motherboard
- **Advanced silent and cooling**
 - Exclusive dual-convex blade design creates down force air pressure and high -volume air flow
 - Smart PWM speed control maintains balance between silence and performance
 - Anti-vibration rubber pads minimize noise during operation




ENERMAX LED LIGHTING Technology



Exclusive dual-convex blade design



Anti-vibration rubber pads



2 ways to control RGB lighting effects

Specifications

Model	UCHF12PARGB-BP3	UCHF12PARGB-W-BP3	
Fan Q'ty	3		
Dimension (mm)	120 x 120 x 25 mm		
Speed (rpm)	500 ~ 1600 RPM		
Air Flow (CFM)	22.5 ~ 72.1		
Air Pressure (mm-H2O)	0.2 ~ 1.98		
Noise (dBA)	14 ~ 27		
Rated Voltage (V)	12V		
Rated Current (A)	0.17A		
Rated Voltage (V) – RGB LED	5V (3pin ARGB, 5V/D/-/G)		
Rated Current (A) – RGB LED	0.36A		
MTTF (Hours)	50,000		
Connector	4pin PWM, 3pin ARGB (5V/D/-/G)		
Accessory	1 x ENERMAX integrated RGB control box 1 x ARGB 3 to 1 cable (5V/D/-/G) 1 x PWM 3 to 1 cable 1 x Molex adapter 12 x Screw		
Logistic Information			
Bar code	EAN	4713157724564	4713157726100
	UPC	819315024560	819315026106
Box Dimension	133 x 160 x 100 mm		
Gross Weight / Unit	740 g		
Carton Dimension	520 x 340 x 290 mm		
Q'ty / carton	20 pcs		
Gross Weight / carton	14.8 kgs		