# MarbleShell M









# Micro ATX Computer Case

- Modern design with optimized airflow
- Include 2 addressable RGB fans



ECA-MS20-BB-ARGB ECA-MS20-WW-ARGB

MarbleShell M MS20, a mini-tower case, is designed with the middle webbed on the stylish front panel; combined with the 2 pre-installed addressable RGB fans at front, it can bring more intake air to keep the system cool down. This series can support addressable RGB synchronization and further provide an integrated hub which can connect 6x ARGB devices' lighting in sync. Available in 2 color versions: Black and White, through the 4mm full-size tempered glass side panel, MarbleShell M MS20 allows users to present distinctive build either in black or white theme.

#### Features



#### Modern design with optimized airflow structure

The stylish front panel with middle webbed design provides high airflow into the system for more efficient.

#### Support addressable RGB lighting effects

MarbleShell M MS20 features 2 x pre-installed addressable RGB fans which can deliver 16.8 million color options.



#### 2 ways to control addressable RGB lighting effects



**Through Motherboard Software** 

Users can sync the RGB lighting with motherboards featuring addressable RGB headers (3 pin assignment: 5V/D/G).





**Through Computer Case** 

Users can use the \*lighting control button to adjust preferred lighting effects. (13 pre-set lighting effects: Rainbow, Snake, Peach & Green scroll, Colors breathe, Colors scroll, Bilateral colors scroll, Red, Green, Blue, White, Yellow, Azure, and Peach.)

\* Long press the **lighting control button** for 2~3 seconds to switch the RGB sync controlled by M/B or case \* The **reset button** located on the front I/O panel is replaced by the **lighting control button** 

> he RGB-sync ed hub allows ble RGB

# Integrated hub

For those who do not use the RGB-sync motherboards, the integrated hub allows users to keep 6x addressable RGB devices' lighting in sync

### Flexible system configuration








Advanced cooling system

# Dimensions

unit:mm





Model Number		ECA-MS20-BB-ARGB	ECA-MS20-WW-ARGB
Dimensions (Case)		417mm x 210mm x 400 mm	
Material		0.5mm SPCC	
М/В Туре		Micro ATX, Mini ITX	
Ю		USB3.0 x 1, USB2.0 x 2, HD Audio	
	3.5"	2	
Drive Bays	2.5"	6 (2x converted from 3.5" Tray)	
Expansion Slots		4	
	Front	2 x 140mm / 3 x 120mm (2 x 120mm ARGB fans pre-installed)	
Fan Slots	Тор	2 x 140mm / 2 x 120mm	
	Rear	1 x 120mm (Non-LED fan pre-installed)	
	Front	280mm / 240mm radiator	
Liquid Cooling	Rear	120mm radiator	
PSU Support		160mm	
Clearance		Suggested VGA Card Length: 368mm	
		Suggested CPU Cooler Height: 164mm	
Shipping information			
	EAN	4713157724571	4713157724588
Barcode	UPC	819315024577	819315024584
Carton		D455 x W260 x H485mm	
Gross Weight		6.25kgs	
Net Weight		5.25kgs	

\*Options vary by countries or regions.



© 2020 ENERMAX TECHNOLOGY CORPORATION. All rights reserved. Specifications are subject to change without notice. Content of delivery might differ in different areas or from illustrations. Some trademarks may be claimed as the property of others.